



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Eltex

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product                                          | Description                            |
|--------------------------------------------------|----------------------------------------|
| <a href="#">15622 SMG 156/12</a>                 | Eyelets, DB9M + DB9F                   |
| <a href="#">15961</a>                            | Sensor                                 |
| <a href="#">15962</a>                            | Stitch detector sensor                 |
| <a href="#">16466</a>                            | Sensor                                 |
| <a href="#">16576</a>                            | Sensor                                 |
| <a href="#">16730</a>                            | UPG thread break sensor                |
| <a href="#">ES51 / S2PA</a>                      | Power supply                           |
| <a href="#">ES51 / E20A</a>                      | Power Supply                           |
| <a href="#">ES51/S20A</a>                        | power supply                           |
| <a href="#">KA / RQ050</a>                       | Cable Charging                         |
| <a href="#">KA / RQ100</a>                       | Cable charging                         |
| <a href="#">KE / LL050U99</a>                    | Cable Discharge                        |
| <a href="#">KNH34 / N2A</a>                      | High voltage generator 30 kV           |
| <a href="#">KNH34 / P2A</a>                      | High voltage generator                 |
| <a href="#">R130A3 / A1595Y050</a>               | Charging electrode 30 kV               |
| <a href="#">R131A3A /1995</a>                    | Charging electrode                     |
| <a href="#">R36 / AR00</a>                       | Ion blower nozzle                      |
| <a href="#">R51A / E2310</a>                     | Entladeelektrode U max: <6kV/AC        |
| <a href="#">SCC / 0050CDDSFAL050</a>             | Static-Combi-Cleaner                   |
| <a href="#">TCB030 / S2</a>                      | Terra box                              |
| <a href="#">15761</a>                            | Control Board                          |
| <a href="#">54747</a>                            | Fadensensor E2070/4, mit 5.5 m Kabel   |
| <a href="#">R130A3 / A1335R025</a>               | Aufladeelektrode                       |
| <a href="#">P/N: 111489, Type: TNM BN 80/G-B</a> | High voltage transformer               |
| <a href="#">Art. 16465 No: 95375032</a>          | Specific product details not available |
| <a href="#">70AG / BX</a>                        | grounding pliers active                |
| <a href="#">ES53 / H2PA</a>                      | Netzgerät AC 5kV (Ex-Ausführung)       |
| <a href="#">R130A3 / A0175M020U14</a>            | charging electrode                     |
| <a href="#">16564</a>                            | Sensor module                          |
| <a href="#">54997</a>                            | Signal Giver                           |
| <a href="#">Type:R41A/E2310</a>                  | discharging bar                        |
| <a href="#">10.0331.14/21</a>                    | THERMOACTUATOR                         |
| <a href="#">SA2090</a>                           | Weft Sensor                            |
| <a href="#">16720</a>                            | UPG thread break sensor                |
| <a href="#">KS 630 A</a>                         | Compact Switch                         |
| <a href="#">R51A/D3915</a>                       | AC Discharge Bar                       |

| Product                                                                | Description                                 |
|------------------------------------------------------------------------|---------------------------------------------|
| <a href="#">601KR / AW20025</a>                                        | cable return roller                         |
| <a href="#">16465</a>                                                  | sensor                                      |
| <a href="#">R23ATR / LAXA</a>                                          | point charging electrode                    |
| <a href="#">16720, Serial 13405035 - select "16720"</a>                | Sensor                                      |
| <a href="#">16720, Serial 13405029 - select "16720"</a>                | Sensor                                      |
| <a href="#">16565</a>                                                  | Specific product details not available      |
| <a href="#">R130A3A1635R011S09</a>                                     | Aufladeelektrode 30 kV                      |
| <a href="#">TAY32M</a>                                                 | Specific product details not available      |
| <a href="#">R131A3A/2695</a>                                           | Aufladeelektrode                            |
| <a href="#">R44LS / 2595A0NS050</a>                                    | Entladeelektrode mit rückseitigem Luftkanal |
| <a href="#">R130A6 / A1595U050</a>                                     | Specific product details not available      |
| <a href="#">R51A / D0855</a>                                           | AC Discharge Bar                            |
| <a href="#">KE / LL090U99</a>                                          | Kabel Entladung                             |
| <a href="#">KE / LL040U99</a>                                          | Kabel Entladung                             |
| <a href="#">R51A / E1650</a>                                           | AC Discharge Bar                            |
| <a href="#">R51A / E0900</a>                                           | Entladeelektrode U max: <6kV/AC             |
| <a href="#">106320</a>                                                 | Emissionsspitze für R23ATR                  |
| <a href="#">R23ATR / LKKK</a>                                          | Punktaufladeelektrode                       |
| <a href="#">101319</a>                                                 | Transformer                                 |
| <a href="#">100876</a>                                                 | Specific product details not available      |
| <a href="#">EXR5C / A2490L100</a>                                      | Entladeelektrode (Ex)                       |
| <a href="#">Old code P/N: 20530987 Type: 70AG / New code 70AG / BX</a> | Active Grounding Clamp                      |
| <a href="#">KNH18 / N2A</a>                                            | High voltage generator                      |
| <a href="#">R51A/E1455</a>                                             | AC Discharge Bar                            |
| <a href="#">R131A3A / 1895</a>                                         | Charging electrode                          |
| <a href="#">R23ATR / LAAA</a>                                          | point charging electrode                    |
| <a href="#">R130A3 / A1635R030</a>                                     | Charging Electrode                          |
| <a href="#">R130A3/A 1695R050</a>                                      | High-Performance Charging Bar               |
| <a href="#">TCO030S</a>                                                | Standard rails housing                      |
| <a href="#">BN 80/G-B</a>                                              | Transformer for box                         |
| <a href="#">0.63A</a>                                                  | fuse                                        |
| <a href="#">R131A3A / 2395</a>                                         | High-Performance Charging Bar               |
| <a href="#">KG/BNA050</a>                                              | Earthing cable                              |
| <a href="#">KE / LL025U99</a>                                          | .                                           |
| <a href="#">R51A / E1275</a>                                           | Discharge electrode                         |
| <a href="#">152395</a>                                                 | Specific product details not available      |
| <a href="#">R130A3A1390R020S19</a>                                     | Charging Electrode                          |
| <a href="#">TCB030 / S0</a>                                            | TERRABOX Grounding System                   |
| <a href="#">R23ATR11 / 3L</a>                                          | Point charging bar                          |
| <a href="#">KA / RR080</a>                                             | Cable charging                              |
| <a href="#">141953</a>                                                 | Cable Rewind Reel                           |
| <a href="#">601KR / DW12025</a>                                        | cable return roller                         |

| Product                                       | Description                                                |
|-----------------------------------------------|------------------------------------------------------------|
| <a href="#">R130A3 / A0395R025</a>            | Aufladeelektrode 30 kV                                     |
| <a href="#">EM03230</a>                       |                                                            |
| <a href="#">R51A / E2250</a>                  | Entladeelektrode U max: <6kV/AC                            |
| <a href="#">241119.105</a>                    | High Voltage Electrode                                     |
| <a href="#">R130A3 / A0055R025</a>            | high voltage electrode                                     |
| <a href="#">15622</a>                         | Discharge Cable                                            |
| <a href="#">KE / LL010U99</a>                 | Discharge cable                                            |
| <a href="#">16489</a>                         | Weft sensor                                                |
| <a href="#">601KR / KW09025</a>               | Cable return pulley                                        |
| <a href="#">ES47 / 20A020</a>                 | Power supply                                               |
| <a href="#">TNM BN 80/G-B (111489)</a>        | High voltage transformer                                   |
| <a href="#">MNH34/P2A /</a>                   | Staticmixer                                                |
| <a href="#">KNH35 / APSO2</a>                 | High voltage generator                                     |
| <a href="#">R23ATR11 / 3A</a>                 | Point charging electrode                                   |
| <a href="#">R23ATR11 / 3X</a>                 | Point charging electrode                                   |
| <a href="#">KA / RR050</a>                    | Cable Charging                                             |
| <a href="#">ES51 / E2PA</a>                   | Power supply                                               |
| <a href="#">TCB030/22</a>                     | Terrabox                                                   |
| <a href="#">70HK</a>                          | Small active earthing clamp for big bags                   |
| <a href="#">ES51 / U20A</a>                   | Power Supply                                               |
| <a href="#">ES50 / S2PA</a>                   | Power supply unit                                          |
| <a href="#">16531</a>                         | Power Supply Unit                                          |
| <a href="#">16533</a>                         | EVG-s Yarn Break Sensor (Quick Thread, Air Noise Filtered) |
| <a href="#">16521</a>                         | EVG-s Yarn Break Sensor (Open Eyelet)                      |
| <a href="#">16523</a>                         | EVG-s Yarn Break Sensor (Quick Thread)                     |
| <a href="#">ES50/S20A</a>                     | Power Supply                                               |
| <a href="#">HSG61 / EX12A</a>                 | High voltage generator                                     |
| <a href="#">14610</a>                         | Tension monitor                                            |
| <a href="#">16476</a>                         | sensor                                                     |
| <a href="#">KE / LL025U99 (ES51 for R51A)</a> | Cable Discharge                                            |
| <a href="#">KNH35/BNSO2</a>                   | High Voltage Generator                                     |
| <a href="#">R51A / E2655</a>                  | discharge electrode                                        |
| <a href="#">TAU-36.IP-AC-S</a>                | Multiport Subscriber VoIP Gateway                          |
| <a href="#">KNH65 / BNKO2</a>                 | High voltage generator                                     |
| <a href="#">KNH65 / BPKO2</a>                 | High voltage generator                                     |
| <a href="#">G3w, DO 1,2 ms DB9</a>            | Weft sensor                                                |
| <a href="#">28300</a>                         | High Voltage Generator                                     |
| <a href="#">63566</a>                         | Sensor Cable                                               |
| <a href="#">R51A E1305 5KV</a>                | antistatic rod                                             |
| <a href="#">R51A E1575 5KV</a>                | AC Discharge Bar                                           |
| <a href="#">ES50 / S20A005U02</a>             | Power Supply AC 5kV                                        |
| <a href="#">ES53 / H20A</a>                   | Power Supply                                               |
| <a href="#">Art.16564</a>                     | Sensor Module                                              |
| <a href="#">ES33/0A</a>                       | Power Supply                                               |
| <a href="#">PCSC / XN3HEXAX000</a>            | POWER CHARGER                                              |

| Product                                              | Description                       |
|------------------------------------------------------|-----------------------------------|
| <a href="#">KNH35/BNKO2</a>                          | High voltage generator            |
| <a href="#">R23ATR / RXXXY100</a>                    | Point Charging Electrode          |
| <a href="#">PCSC / XN3HEDAX000</a>                   | High voltage generator            |
| <a href="#">PI / AAAKA</a>                           | Power Ionizer                     |
| <a href="#">R55E / RL6SL025</a>                      | Ion Blower Nozzle                 |
| <a href="#">PCSC / XN3HCXAX000 (without display)</a> | high voltage generator            |
| <a href="#">PCSC / XN3HCDAX000</a>                   | POWER CHARGER                     |
| <a href="#">PCSC / XN3HCDAX000 (without display)</a> | High voltage generator            |
| <a href="#">16522</a>                                | Yarn sensor                       |
| <a href="#">16561</a>                                | Sensor                            |
| <a href="#">R23ATR/RXXX</a>                          | Point Charging Bar                |
| <a href="#">R23ATR/LXXX</a>                          | Point Charging Bar                |
| <a href="#">16464</a>                                | sensor                            |
| <a href="#">117077</a>                               | Charger plug                      |
| <a href="#">R50/W0645L025U99</a>                     | Discharge electrode               |
| <a href="#">R50 / W0645L025</a>                      | Discharge electrode               |
| <a href="#">R131A3A / 1595</a>                       | Charging Electrode                |
| <a href="#">PCSC / XN3SOXAX000</a>                   | POWER CHARGER                     |
| <a href="#">R130A3 / A1895Y030</a>                   | Charging electrode 30 kV          |
| <a href="#">ES51 / F40N100</a>                       | power supply                      |
| <a href="#">100297</a>                               | High Voltage Transformer          |
| <a href="#">R23ATR / LAXAY050</a>                    | point charging electrode          |
| <a href="#">R51A / E2205</a>                         | electrode                         |
| <a href="#">TCB030 / S1</a>                          | Terra Box                         |
| <a href="#">R60L / A0495S050A000</a>                 | electrode                         |
| <a href="#">SP / A46B0495</a>                        | Protection Profile for Electrodes |
| <a href="#">R23ATR / LAAAY050</a>                    | point charging electrode          |
| <a href="#">R23ATR / RAAAY100</a>                    | point charging electrode          |
| <a href="#">PCSC / XN3SEXAX000</a>                   | power charger                     |
| <a href="#">R50 / A0900S040U99</a>                   | vario discharge electrode         |
| <a href="#">ES60 / S20AXX</a>                        | Base ionizer                      |
| <a href="#">16577</a>                                | Sensor                            |
| <a href="#">R120/W0240R025</a>                       | ionizing bar                      |
| <a href="#">111489</a>                               | High voltage transformer          |
| <a href="#">R47 / 1360S050</a>                       | discharge electrode               |
| <a href="#">15965</a>                                | thread sensor                     |
| <a href="#">R36/AC00</a>                             | GIRAT IONIZING BLOWER NOZZLE      |
| <a href="#">PCSC / XN3SEXAXX000</a>                  | Power charger                     |
| <a href="#">601KR / AW20030BX</a>                    | cable return roller               |
| <a href="#">EXR5C / A3090L100</a>                    | Discharging Bar for EX Zones      |
| <a href="#">EXR 50/A2910 L100</a>                    | Discharging Bar                   |
| <a href="#">R130A3/A0235R025</a>                     | antistatic bar                    |
| <a href="#">R23ATR/LAAAR350</a>                      | High voltage electrode            |

| Product                              | Description                                                                                                                            |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">PCSC / XN6HEXAXX000</a>  | power charger                                                                                                                          |
| <a href="#">PCSC / XN6HEDAXX000</a>  | power charger                                                                                                                          |
| <a href="#">117986</a>               | Charging plug variant                                                                                                                  |
| <a href="#">R50 / A1200L025U99</a>   | Discharge electrode                                                                                                                    |
| <a href="#">ES60 / S200XX100</a>     | power supply                                                                                                                           |
| <a href="#">R51A/D0810</a>           | Discharge electrode                                                                                                                    |
| <a href="#">STR130A3A0295R050S02</a> | Charging Electrode                                                                                                                     |
| <a href="#">R50/A0990L020</a>        | Discharge Electrode                                                                                                                    |
| <a href="#">Type 70PK</a>            | grounding pliers                                                                                                                       |
| <a href="#">70AK003S01</a>           | Small earthing pliers S01                                                                                                              |
| <a href="#">R23ATR/RHHH</a>          | Point Charging Bar                                                                                                                     |
| <a href="#">R51A/D0315</a>           | Discharge Electrode                                                                                                                    |
| <a href="#">ES60 / S20AXX001</a>     | Base Ionizer Power Supply                                                                                                              |
| <a href="#">R130A3/A0675R025CUS</a>  | Charging Electrode                                                                                                                     |
| <a href="#">117985</a>               | Charging Plug Variant                                                                                                                  |
| <a href="#">KE/LL010 N056813</a>     | Discharge Cable                                                                                                                        |
| <a href="#">R130A3 / A1595R050</a>   | Electrode panel                                                                                                                        |
| <a href="#">R36/AO00</a>             | Ion Blower Nozzle                                                                                                                      |
| <a href="#">ES60 / S2BAXX</a>        | base ionizer                                                                                                                           |
| <a href="#">R47 / 0900S030</a>       | slimBAR R47 Discharging Electrode                                                                                                      |
| <a href="#">ES53 / H200050</a>       | power supply                                                                                                                           |
| <a href="#">ES53 / I200050</a>       | power supply                                                                                                                           |
| <a href="#">PCTL / AN3HOXCE000</a>   | POWER CHARGER TOP LOADING                                                                                                              |
| <a href="#">117772</a>               | Conversion set GNH61 to GNH63 without CAN-Adapter                                                                                      |
| <a href="#">PCTL / AN3HODCE000</a>   | Power Charger Top Loading for electrostatic assist system type GNH63 with intelligent control concept with integrated discharging unit |
| <a href="#">R51A/E1800</a>           | Discharge electrode                                                                                                                    |
| <a href="#">TCB030/20</a>            | Electrostatic grounding device                                                                                                         |
| <a href="#">R51A / E1905</a>         | .                                                                                                                                      |
| <a href="#">70BGS04</a>              | GROUNDING CLAMP LARGE 270MM,4-POLESM                                                                                                   |
| <a href="#">TCB030/B2</a>            | TERRABOX                                                                                                                               |
| <a href="#">601KR / DW12030BX</a>    | Cable Rewinder for Active Grounding                                                                                                    |
| <a href="#">R55 / RL6S</a>           | Ion Blower Nozzle                                                                                                                      |
| <a href="#">KE / LW025</a>           | Discharge Cable                                                                                                                        |
| <a href="#">EXR5C/A1830L050</a>      | exBAR EXR5C Discharging Bar                                                                                                            |
| <a href="#">R50 / A0900S040</a>      | Discharge electrode                                                                                                                    |
| <a href="#">R50 / W0840S040</a>      | .                                                                                                                                      |
| <a href="#">100294</a>               | .                                                                                                                                      |
| <a href="#">R51A / E1290</a>         |                                                                                                                                        |
| <a href="#">ES60 / S200XX200</a>     |                                                                                                                                        |
| <a href="#">EXR5C / A0390L025</a>    |                                                                                                                                        |
| <a href="#">L50 / A0475N</a>         |                                                                                                                                        |
| <a href="#">70AK / BX</a>            | earthing pliers                                                                                                                        |
| <a href="#">R130A3/W1995R050</a>     | charging electrode                                                                                                                     |
| <a href="#">R51A/E0525</a>           |                                                                                                                                        |

| Product                          | Description |
|----------------------------------|-------------|
| <a href="#">R130A3/W0035R025</a> |             |
| <a href="#">R51A/E0285</a>       |             |
| <a href="#">70HK / BX</a>        |             |
| <a href="#">R130A3/W1035R050</a> |             |
| <a href="#">ES53 / I20A</a>      |             |
| <a href="#">KH/RQ050</a>         | cable       |