



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Servomech

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product                                                                      | Description                                     |
|------------------------------------------------------------------------------|-------------------------------------------------|
| <a href="#">Typ: MA25 Mod.A RN1 Vers.2 C30 P CA/T (s/n 08.2529.14645-46)</a> | screw hubing element                            |
| <a href="#">L107043690033045 Type MM56b2</a>                                 | Single-phase motor                              |
| <a href="#">ATL30 RN1 C200 FO SP FS</a>                                      | Motor                                           |
| <a href="#">ATL30 RN Stroke 50mm ROE FS IEC 63 B14</a>                       |                                                 |
| <a href="#">CLA40 RL2 C400 TS SP B FC2 POR5K</a>                             | AC 3-PHASE MOTOR                                |
| <a href="#">97.0291.03446</a>                                                | Three-Phase Motor                               |
| <a href="#">SJ10 Mod.A RN1 Vers.2 C60 P T U FF</a>                           |                                                 |
| <a href="#">02.040/4162 Rev.2</a>                                            | AC 3-PHASE MOTOR                                |
| <a href="#">03728</a>                                                        |                                                 |
| <a href="#">UBA2 - RV ROE - FCM/NC</a>                                       |                                                 |
| <a href="#">MA10 Mod.A BS20x20 RV Vers.2 C200 NF T AR</a>                    |                                                 |
| <a href="#">5XS 30 B14/M56</a>                                               | DC motor special                                |
| <a href="#">ATL20 – RL1 – C100 – FCE – BA</a>                                | 1phase motor 230V; 50Hz; 0,09kW; 2pol; with fan |
| <a href="#">ATL80</a>                                                        | linear actuator                                 |
| <a href="#">ATL63 – RV2 – C300 – TS – FCP – Vers.5/ IEC100B5</a>             | LINEAR DRIVE WITH TRAPEZOIDAL SCREW             |
| <a href="#">TL63 - RV2 - C300 - TS - FCP - Vers.5</a>                        | Three-phase brake motor                         |
| <a href="#">11.1246.05345-05346</a>                                          | Mechanical Linear Actuators                     |
| <a href="#">02.030.500/2423</a>                                              | Linearantrieb                                   |
| <a href="#">SJ80A RV2 VERS.2 C220 TS B T SC RH</a>                           | Spindelhubelement                               |
| <a href="#">UBA2 RN1 C400TS</a>                                              | Linearantrieb                                   |
| <a href="#">BSA20 - RV1 - C500 - TS - SP -</a>                               | Linearantrieb                                   |
| <a href="#">05.025.500/2556</a>                                              | Spindelhubelement                               |
| <a href="#">BSA50 - RV1 - C450 - FL - SP - Vers.6 - IEC90 B14 - LH</a>       | reductor                                        |
| <a href="#">Code 02.040/4162 rev.2</a>                                       | Linear actuator with acme screw and motor       |
| <a href="#">CLB40 RXL1 C100 FO</a>                                           | LINEAR ACTUATOR                                 |
| <a href="#">01.050/3181</a>                                                  | Reducer                                         |
| <a href="#">Typ: ATL-20-RN2-C400-BAVers.3 (IEC56 B14)</a>                    |                                                 |
| <a href="#">S.N. 05.1635.06755</a>                                           | screw jacks                                     |
| <a href="#">LMR01RL1 C100RF FC2(NC) LH</a>                                   |                                                 |
| <a href="#">ATL 20 RN2 C200 BA 2 FCM (NC+NO)</a>                             | 3 PHASE MOTOR                                   |
| <a href="#">01.040.500/0856 Rev.1</a>                                        | Spindle jack                                    |
| <a href="#">S.N. 11.0541.03077</a>                                           | DIVERSE                                         |
| <a href="#">spare part kit for S.N. 14.31949.09399</a>                       |                                                 |
| <a href="#">spare part kit for S.N. 15.0271.02476</a>                        |                                                 |

| Product                                                                    | Description                                        |
|----------------------------------------------------------------------------|----------------------------------------------------|
| <a href="#">ATL10-RH2-C200-FO-FS</a>                                       | Elektrohubzylinder mit Motor                       |
| <a href="#">UAL3 - RL1 - C200 - BA - FCM/NC - SP - RPT90 - IEC71 B14</a>   | three-phase motor                                  |
| <a href="#">ATL30 RL2 C800 FO FCM</a>                                      | DREHSTROMMOTOR                                     |
| <a href="#">ATL30 - RL2 - C800 - FO - FCM/NC - Vers.3 (IEC63 B14)</a>      | Elektrohubzylinder                                 |
| <a href="#">0.06kW; 2polig; 230/400V; 50Hz</a>                             | Drehstrommotor verbaut an Antrieb mit S.N. 04.1691 |
| <a href="#">ATL05/RL2/C400 ROE FCM(NC)</a>                                 | Gearmotor                                          |
| <a href="#">BSA0200003</a>                                                 |                                                    |
| <a href="#">BG110 - R1 - S - M1 -Ausf. 30-C-HO</a>                         |                                                    |
| <a href="#">06.2322.10332</a>                                              | Spindelhubgetriebe                                 |
| <a href="#">BSA40 RN1 C400 TS SP FCM B VERS.3 (just drive motor)</a>       |                                                    |
| <a href="#">MA50 - Mod.A - RL1 - Vers.5</a>                                | COMPLETE SET MOTOR + REDUCER                       |
| <a href="#">UBA3-RL1-C230-TS-SP</a>                                        | Linearantrieb                                      |
| <a href="#">02.040/4919 Rev. 0</a>                                         | RightLActuator(right)                              |
| <a href="#">Prod. Code: 02.040/4920 Rev. 0</a>                             | LeftLActuator(left)                                |
| <a href="#">ATL10 - RN1 - C200 - FO - FS -</a>                             |                                                    |
| <a href="#">0426453</a>                                                    | MOTOR                                              |
| <a href="#">X636 A R-1 C50+110 P Vers.2</a>                                | Getriebe                                           |
| <a href="#">02.030.320/3079.2 (ATL0300059) Type: ATL-30-RV1-C320-TF-RH</a> | special linear actuator                            |
| <a href="#">ATL30 RL2 C500 BA RPT90° AR FCE VERS.3</a>                     | linear actuator                                    |
| <a href="#">Typ: ATL-30-RL1-C320-TF-LH Nr. 02.030.320/3080 Rev.1</a>       |                                                    |
| <a href="#">BG86 - R1.5 - S - M2 - Ausf.10 - E - HO</a>                    |                                                    |
| <a href="#">S.N. 04.2315.08702</a>                                         |                                                    |
| <a href="#">ATL-30-RN1-C400-BA-Vers.3</a>                                  |                                                    |
| <a href="#">ATL40 RL2 C400 TS SP FCM</a>                                   |                                                    |
| <a href="#">ATL25 - RV2 - C1000</a>                                        | motor                                              |
| <a href="#">Typ: ATL-30-RL1-C320-TF</a>                                    |                                                    |
| <a href="#">1007505200119</a>                                              |                                                    |
| <a href="#">BG166 - R1 - R - HO - Schema20 - E - HO</a>                    |                                                    |
| <a href="#">EU0030301</a>                                                  | trunnion                                           |
| <a href="#">ZUBL0260</a>                                                   |                                                    |
| <a href="#">MA25-Mod.B-BS32x32-RV1- L362-Vers.2-U-SFN</a>                  | High performance screw jack                        |
| <a href="#">16.1147.05522/ MA150-BS63x10-Mod.A-RV-Vers.5</a>               | Actuator                                           |
| <a href="#">ATL05-RN2-C100-ROE-DC24VFCM/NO</a>                             | linear actuator                                    |
| <a href="#">Schneckenrad für MA25 Mod.A RL (12/95)</a>                     | worm                                               |
| <a href="#">MA50-Mod.A-RL1-Vers.5(IEC90B5)</a>                             | Screw                                              |
| <a href="#">05.070/05146 Rev.0</a>                                         | jack-screw                                         |
| <a href="#">ATL20 - RL1 - C100 - ROE - FCM/NC - SP</a>                     | Linear Actuators                                   |
| <a href="#">CLA25 RL1 C200 TS AC3F</a>                                     |                                                    |
| <a href="#">02.020/4552 Rev.0 OEM</a>                                      |                                                    |
| <a href="#">05.063/6086 Rev.1</a>                                          |                                                    |
| <a href="#">MA50-B-RV1-C2045 CB CA MB N (L300x30K7) VERS.1 RH</a>          | Lifting gear                                       |
| <a href="#">16.025.1000/3274.Rev5</a>                                      | LINEAR ACTUATOR                                    |
| <a href="#">ATL40-RN2-C100-FO-SP-</a>                                      | Linear actuator                                    |
| <a href="#">BSA40-RN-C400-TS-SP-FCM(3NC)- B-Vers.3(IEC71 B14)</a>          | linear actuator                                    |

| Product                                                             | Description                             |
|---------------------------------------------------------------------|-----------------------------------------|
| <a href="#">BSA 40 RN C400 TS SP FCM(3NC)B Vers.3 IEC71</a>         | LINEAR ACTUATOR WITH BALL RECIRCULATION |
| <a href="#">ATL40 - RN2 - C500 - TS - FCM/NC S.N. 10.0590.02826</a> | AC motor                                |
| <a href="#">ATL40 - RN2 - C500 - TS - FCM/NC S.N. 11.0762.03931</a> | AC motor                                |
| <a href="#">LMR01 - RL1 - C200 - RF</a>                             | Linearantrieb                           |
| <a href="#">ATL08 - RN2 - C400 - ROE</a>                            |                                         |
| <a href="#">ATL40 - RV1 - C300 - TS - SP FCM(NO)</a>                | LINEAR TRAPEZE SCREW ACTUATOR           |
| <a href="#">ATL05-RL1-C200-ROE-SP-FCM/NC</a>                        |                                         |
| <a href="#">ATL30 RL1 C300 ROE SP</a>                               | Electric stroke limit device for ALT30  |
| <a href="#">SJ25 - Mod.B - RV1 - Vers.2 - FP - D - C500 - MB</a>    | Spindle stroke gear                     |
| <a href="#">ATL50-RL1-C400-TS</a>                                   | Brake motor                             |
| <a href="#">18.063.050/2355</a>                                     | Spindle Lifting                         |
| <a href="#">SJ50 MOD.A RV1 VERS.2 D FF C200 NF</a>                  | Reducer                                 |
| <a href="#">S SJ10 A RN1</a>                                        |                                         |
| <a href="#">SJ10 MOD.A RN1 VERS.2 FF D-RH C100 NF T</a>             | Spindle pallet truck                    |
| <a href="#">ATL30 RN2 C700 TS(inox) SP FCM/NC</a>                   | Linear actuator                         |
| <a href="#">ATL30 RL1 Corsa200mm ROE(inox) FCM/NC</a>               | Linear actuator                         |
| <a href="#">ATL30-RV1-stroke 600 mmTS-SP-FCM/NO-Vers.3</a>          | transfer cylinder                       |
| <a href="#">01.050/3843 REV.0</a>                                   | High Performance Lifting Gear           |
| <a href="#">ATL30RV1CSPECV3-0003</a>                                | Linear actuator FCM                     |
| <a href="#">ACLU101 B V C100 – BM56B4</a>                           | Linear actuator                         |
| <a href="#">ACL2130 2N C400 – TN63B2</a>                            | Motor                                   |
| <a href="#">Typ: BSA50-BS32x10-RLStroke150- TF-FCP-Vers.1-RH</a>    | Linear actuator                         |
| <a href="#">ATL0300081</a>                                          | Linear actuator                         |
| <a href="#">Typ: ATL05-RL2-C260-TS-FCM/NCRPT90°</a>                 |                                         |
| <a href="#">ATL 10 RXL2 C100 BA RPT90</a>                           | Linear actuator                         |
| <a href="#">MA25</a>                                                |                                         |
| <a href="#">BSA20-RV1-C100-BA-FS</a>                                | Linear actuator                         |
| <a href="#">Code 21.200/06945 Rev.2</a>                             |                                         |
| <a href="#">21.200/6945 REV2</a>                                    |                                         |
| <a href="#">Serien-Nr. B1026736 Type MM56b2</a>                     | Single-phase motor                      |
| <a href="#">XC63 A 1L C50 V2 P</a>                                  | Mechanical cylinder                     |
| <a href="#">ATL63 RV1 C500 TS SP FCE</a>                            | Linear actuator                         |
| <a href="#">14.0942.05749</a>                                       | screw hubing element                    |
| <a href="#">Typ: BSA30 RL C100 TS Vers.3</a>                        |                                         |
| <a href="#">ACL2130B L C100 V3 ROT</a>                              | Linear actuator                         |
| <a href="#">SJ50-ModA-RV1-Vers.2-FPD- C300-NF-SN</a>                | spindle lifting element                 |
| <a href="#">SJA0050053</a>                                          | spindle lifting element                 |
| <a href="#">MAB0250011</a>                                          | spindle lifting element                 |
| <a href="#">CLA-25-RL1-C100-ROE-FC2(NO)- SP-GI24-LH</a>             | LINEAR ACTUATOR                         |
| <a href="#">VMP25 B BS RV L362 V2</a>                               | Mechanical cylinder                     |
| <a href="#">ATL30-RN2-C500-TS-SP- AR</a>                            | linear actuator                         |
| <a href="#">ATL 28 RN1 C400 FO FCM(NC) SP</a>                       |                                         |
| <a href="#">21.050/4660 Rev. 0</a>                                  | Linear drive with ball screw            |
| <a href="#">Typ: SJ50-Mod.A-RV1-Vers.2- FF-D-RH-C450-NF/NF-MSA</a>  | screw jacks                             |

| Product                                                          | Description                       |
|------------------------------------------------------------------|-----------------------------------|
| <a href="#">VME50 A 1V C450 V2 D/RH TT EF ESA</a>                | Mechanical cylinder               |
| <a href="#">EFCE00011</a>                                        | bracket                           |
| <a href="#">CLA25 RXL1 C100 BA POR5K</a>                         | linear actuator                   |
| <a href="#">ATL20, according to S/N: 99.1829.08535 (MO00906)</a> | three-phase motor                 |
| <a href="#">CLA25 RL2 C200 ROE DC24V FC2 + POR5K</a>             |                                   |
| <a href="#">ACL2140 1N C500 – P5L30</a>                          | Engine                            |
| <a href="#">CBS20 C200</a>                                       | ACTUATOR                          |
| <a href="#">P/N: 01.050/3843 REV.0 SN:17.3373.13705</a>          |                                   |
| <a href="#">LMR01 RL1 C150 RF DC24V FC2X</a>                     |                                   |
| <a href="#">BSA20-RL1-C200-Vers.3</a>                            | linear drive                      |
| <a href="#">BSA20 – RL1 – C200 – ROE</a>                         | motor                             |
| <a href="#">CLB30/RXL1/C200 TS SP RPT90 FC2(NC)</a>              | ACTUATOR                          |
| <a href="#">ATL10-RL1-C200-BA-SP</a>                             | LINEAR SCREW CYLINDER             |
| <a href="#">BSA10 RV1 C100 ROE RH without brake</a>              | linear actuator                   |
| <a href="#">BSA10 RV1 C100 ROE RH with brake</a>                 | BALL SCREW LINEAR ACTUATOR        |
| <a href="#">Limit switch FCM/NC</a>                              | limit switch                      |
| <a href="#">AL20 RL C200FO FCE</a>                               | Actuator                          |
| <a href="#">SE96075</a>                                          |                                   |
| <a href="#">SJ50A/RV1/VERS.2</a>                                 | Screw jack                        |
| <a href="#">UBA2 RN1 C300 TS FCM(NC)</a>                         | LINEAR ACTUATOR WITH BALL SCREW   |
| <a href="#">ATL40/RV1/C300</a>                                   | linear drives                     |
| <a href="#">Gasket KIT for Custom X63 cod. 2355</a>              |                                   |
| <a href="#">ATL40/RV/C120 BA + AF</a>                            | ACTUATOR                          |
| <a href="#">ATL25 RL C450 FI AR BISP</a>                         | Linear Actuator                   |
| <a href="#">ATL25 RL C450 FI AR BA</a>                           | Linear Actuator                   |
| <a href="#">ATL10 RN1 C400 TS FCE SP RPT90 RH AC</a>             | Electromechanical linear actuator |
| <a href="#">21.3581.13054-13059</a>                              |                                   |
| <a href="#">ATL25 RL2 C500 FO</a>                                | Electric actuator                 |
| <a href="#">ATL25 RL2 C400 TS</a>                                | electric cylinder                 |
| <a href="#">16.025.1000/3274.R4</a>                              | ACTUATOR                          |
| <a href="#">05.030/7504</a>                                      | JUMP JACK                         |
| <a href="#">VERS.2 C200 P T U</a>                                | gearmotor                         |
| <a href="#">SE96275</a>                                          |                                   |
| <a href="#">S BSA10/RH1/C300</a>                                 |                                   |
| <a href="#">01.050/3181 Rev.1</a>                                | linear drive                      |
| <a href="#">BG134 R1 R M2</a>                                    | bevel gears                       |
| <a href="#">21.150/06731</a>                                     | linear drive                      |
| <a href="#">SJ10 BS25X5 MOD.B</a>                                | JACK                              |
| <a href="#">SJ10 MOD.A RV1 Vers.2 FF D C125 NF T</a>             | screw jacks                       |
| <a href="#">ATL20 RV2</a>                                        |                                   |
| <a href="#">BG86 R2 MF M2 E HQ</a>                               | Right Angle Gearbox               |
| <a href="#">BG 86 R1 S M1 E</a>                                  | gearbox                           |
| <a href="#">SJ100 A RV1</a>                                      |                                   |
| <a href="#">SJ200 MOD.A RL1 V.2 C140 P T</a>                     | SCREW JACK                        |
| <a href="#">SJ300 MOD.A RL1 V.2 C230 P T AR</a>                  | SCREW JACK                        |

| Product                                                                                   | Description          |
|-------------------------------------------------------------------------------------------|----------------------|
| <a href="#">SJ100 MOD.A RL1 VERS.2 H C107.50</a>                                          | screw jacks          |
| <a href="#">ATL25/RL2/C400</a>                                                            |                      |
| <a href="#">16.030/5628.R0. / CLA30 RL1</a>                                               | ACTUATOR             |
| <a href="#">16.040/5629.R0. / CLA40 RL1</a>                                               |                      |
| <a href="#">SJ100 MOD.A RL1 VERS.2 FP H</a>                                               | screw jacks          |
| <a href="#">SJ300 MOD.A RL1 VERS.2 FP D</a>                                               |                      |
| <a href="#">SJ 200 Mod.A RL1 C140 P T</a>                                                 | screw jacks          |
| <a href="#">0069257</a>                                                                   |                      |
| <a href="#">GR.56 KW0,12 2POLI B14</a>                                                    |                      |
| <a href="#">ATL30 RN2 C400 BA</a>                                                         | ACTUATOR             |
| <a href="#">UBA 1 RN2 C600 FL FCM(NO) SP / 15.2848.13100</a>                              | ACTUATOR             |
| <a href="#">UBA 1 RN2 C600 FL FCM SP</a>                                                  |                      |
| <a href="#">02.100/5719 rev.0</a>                                                         |                      |
| <a href="#">UBA3RL1C300-0002</a>                                                          | linear drive         |
| <a href="#">GR.56 KW0.12 2POLI B14 230/400V-50HZ</a>                                      |                      |
| <a href="#">UBA3 RL1 C300 TS SP</a>                                                       | Actuator             |
| <a href="#">SE19019 / 21.4798.01539</a>                                                   |                      |
| <a href="#">ATL 40 RL2 C200 ROE FCM/NC</a>                                                | linear actuator      |
| <a href="#">ATL 28 RL1 C150 FO</a>                                                        | actuator             |
| <a href="#">ATL10 RL1 C200 BA SP FCM (NC)</a>                                             |                      |
| <a href="#">BSA40 RL C100 FO</a>                                                          | ACTUATOR             |
| <a href="#">P-2390 REV. 3</a>                                                             | BALL SCREW           |
| <a href="#">EMO00002</a>                                                                  | carbon brushes       |
| <a href="#">ATL40 RN1 C300 ROE FCM(NC)</a>                                                | Linear Actuator      |
| <a href="#">ATL40 RL1 stroke160mm TS SP AR FS(12000N)</a>                                 | linear actuator      |
| <a href="#">SE19019 / S/N 21.4798.01539</a>                                               |                      |
| <a href="#">CLB25/RXL1/C100</a>                                                           |                      |
| <a href="#">LMR01 RL1 C100 RF DC24V FC2X</a>                                              |                      |
| <a href="#">CLA25 RL1 C150BA FC2 POR5K</a>                                                | AC motor             |
| <a href="#">ATL30 RV1 CORSA 600</a>                                                       | ACTUATOR             |
| <a href="#">LMR01/RL1/C100 RF FC2X 24V.DC</a>                                             |                      |
| <a href="#">ATL25/RV1/C200</a>                                                            |                      |
| <a href="#">ATL40 RL2 C200 FO SP FCM(NC)</a>                                              |                      |
| <a href="#">ACL2 140 RL2 C200 VERS.3 71B14 U-RH 2xFCM(NC )CAV CAR / TN71B2 IE2 B14 UL</a> | Linear actuator      |
| <a href="#">LMR01 RL2</a>                                                                 | DC Motor 24V         |
| <a href="#">01.050/07164 REV.0</a>                                                        | JACK                 |
| <a href="#">UBA3 RL2 C600 TS</a>                                                          | ACTUATOR             |
| <a href="#">ATL40 RN1 C400 ROE FCM(NO)</a>                                                |                      |
| <a href="#">13500750</a>                                                                  |                      |
| <a href="#">01.050/3843 Rev.0 S/N 16.0142.01511</a>                                       | gearbox              |
| <a href="#">27.110/6963 Rev.0</a>                                                         | spindle lift element |
| <a href="#">01.030/6964 Rev.0</a>                                                         | spindle lift element |
| <a href="#">01.050/6962 Rev.0</a>                                                         | spindle lift element |
| <a href="#">13658414</a>                                                                  |                      |

| Product                                                       | Description                            |
|---------------------------------------------------------------|----------------------------------------|
| <a href="#">13500750 / ATL08 RN2 C400 ROE FCM(3NC) RH</a>     |                                        |
| <a href="#">S ATL08/RN2/C400</a>                              | ACTUATOR                               |
| <a href="#">ATL12 RN2 C300 TS RPT90 B</a>                     |                                        |
| <a href="#">ACL2163 1L C122 V5 ROT FCE</a>                    | Linear actuator                        |
| <a href="#">LMR03 RN2 C100 ROE FC2 GI21 RH</a>                | Electromechanical Linear Actuator      |
| <a href="#">CLA40/RN1/C200 ROE FC2(NO)SP VERS.3 IEC71 B14</a> |                                        |
| <a href="#">LMR01 RL2 C50 RF FC2 AR LH</a>                    | Motor                                  |
| <a href="#">LMR02 RL1 C250 ROE FC2 GI21</a>                   | actuator                               |
| <a href="#">SE11190</a>                                       |                                        |
| <a href="#">CBS 10 C200 ROE</a>                               | Linear Actuator                        |
| <a href="#">SE96301</a>                                       | Screw Jack                             |
| <a href="#">SE19014</a>                                       | BG86 R2 MF (IEC80 B14) M2 E HO         |
| <a href="#">CLA07 RL2 C500 ROE</a>                            |                                        |
| <a href="#">LMR02/RL2/C200 / 20.1600</a>                      | ACTUATOR                               |
| <a href="#">01.050/03843 - REV.0</a>                          | MECC JACK TYPE MA25 MOD.B RV           |
| <a href="#">ATL40 RN2 C100</a>                                | ACTUATOR                               |
| <a href="#">S CLA40/RL2/C400 TS SP B FC2(CS)</a>              |                                        |
| <a href="#">ATL08 RN2 C400 ROE 3xFCM(NC)</a>                  | motor                                  |
| <a href="#">LMR02 RL2 C300 ROE FC2 GI24 RPT90</a>             |                                        |
| <a href="#">Linearantrieb für Baugruppe BA04-050000-0000</a>  | linear drive                           |
| <a href="#">SE14068</a>                                       |                                        |
| <a href="#">S BSA 25 BS16X5/RN1 C250 TS SP RPT90</a>          | ACTUATOR                               |
| <a href="#">ATL25/RL1/C100</a>                                | ACTUATOR                               |
| <a href="#">SN 23.0864/CLA25 RL1 C100 ROE FC2+POR5K RPT90</a> |                                        |
| <a href="#">SN 22.3244/ATL02 RL1 C150 ROE DC48V PREP</a>      |                                        |
| <a href="#">ATL10/RN2/C150</a>                                | ACTUATOR                               |
| <a href="#">02.030/6616 REV.1</a>                             | LINEAR ACTUATOR RECIRC.SPHERES         |
| <a href="#">ATL40/RN2/C100 V.3 FO SP GR.71B14 RH</a>          | ACTUATOR                               |
| <a href="#">LMR02/RL2/C200</a>                                | ACTUATOR                               |
| <a href="#">ATL-40-RL2-C700-TS-AR</a>                         | LINEAR ACTUATOR WITH TRAPEZOIDAL SCREW |