







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Angst-Pfister

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

09.1831.6953 1150040360 11.5004.0076 1166100030 12.2002.5103 12.2162.3050 12.2055.1303	Timing belt V-Ring Seal Radial Shaft Seal LUBROSEAL scraper Round buffer Gas spring Puffer SK feather
11.5004.0076 1166100030 12.2002.5103 12.2162.3050	Radial Shaft Seal LUBROSEAL scraper Round buffer Gas spring Puffer
1166100030 12.2002.5103 12.2162.3050	LUBROSEAL scraper Round buffer Gas spring Puffer
<u>12.2002.5103</u> <u>12.2162.3050</u>	Round buffer Gas spring Puffer
<u>12.2162.3050</u>	Gas spring Puffer
	Puffer
<u>12.2055.1303</u>	
	SK feather
<u>12.2104.6032</u>	OK ICALIICI
<u>11.4005.2015</u>	O-Ring
<u>OR 3256</u>	O-Ring
<u>OR147</u>	O-Ring
<u>0150971616</u>	Storage rifle
<u>11.6561.0230</u>	O-Ring
<u>11.5004.0202</u>	Radial shaft seal
<u>11.5910.0030</u>	Wiper Seal
<u>LWP7C</u>	LUBROSEAL Abstreifer
<u>11.4015.2411</u>	O-ring
<u>10.2603.0702</u>	Round cord
<u>11.4007.2018</u>	O-ring
<u>11.4049.2623</u>	HITEC O-Ring
11.4049.2624	HITEC O-Ring
<u>11.4049.2652</u>	HITEC O-Ring
<u>11.2003.0690</u>	O-ring
<u>11.2003.1690</u>	O-ring
<u>11.2003.0958</u>	O-ring
<u>11.5005.0422</u>	Radial-shaft seal
<u>11.5009.0412</u>	Radial-shaft seal
8000111792	DC SchneckengetrMot
<u>12.0201.0806</u>	FLEXILON FEP plastic tube
<u>1016057300</u>	Sealing paste
<u>11.5004.0212</u>	Radial-shaft seal
<u>10.8320.1290</u>	Filter mat
<u>11.6603.0201</u>	Scraper
0370705012	Hydraulic plug-in coupling
<u>03.7070.5013</u>	Hydraulic-plug connector
<u>0918317049</u>	Toothed belt

Angst-Pfister Page 1 / 16





Product	Description
80.0019.5370	Toothed belt
80.0031.6649	Toothed belt
32.9678.0000	Toothed belt
11.4040.2681	O-ring
11.6505.0035	Piston Seal
11.6533.0020	Rod Seal
11.4040.1816	O-ring
11.4040.2615	O-ring
11.4040.2666	O-ring
11.4040.3601	O-ring
11.4035.3576	O-ring
11.4035.3581	O-ring
11.4040.3595	O-ring
11.4040.5322	O-ring
<u>1120070112</u>	O-ring
<u>11.4005.2006</u>	O-ring
<u>11.4005.1090</u>	O-ring
<u>11.4005.2009</u>	O-ring
11.4005.2512	O-ring
<u>11.4005.2020</u>	O-ring
<u>11.4005.1260</u>	O-ring
<u>11.4007.2030</u>	O-ring
11.4007.2042	O-ring
<u>11.4005.2045</u>	O-ring
11.4007.2046	O-ring
<u>11.4005.2065</u>	O-ring
<u>11.4005.2066</u>	O-ring
<u>11.4005.2075</u>	O-ring
<u>11.4005.3100</u>	O-ring
<u>11.4015.3042</u>	O-ring
<u>11.5215.0325</u>	V-ring
<u>1152150700</u>	V-Ring
<u>12.2161.2020</u>	vib gas spring
<u>12.2164.0115</u>	vib gas spring
12.2172.2050	vib gas spring
<u>06.5046.9032</u>	FIT-Topinox Schlauchklemme
01.1035.0406	FLEXILON PT PTFE Schlauch
06.5322.4010	NYLFLEX PVC Industrieschlauch
11.2007.0116	NORMATEC O-Ring
<u>06.5511.1019</u>	Water hose
12.2022.0203	CUPMOUNT Lagerungselement
12.2022.0205	CUPMOUNT Lagerungselement
12.2162.3070	gas spring
11.4801.0325	APSOvib stop buffer
<u>12.2036.0283</u>	APSOvib stop buffer

Angst-Pfister Page 2 / 16





Product	Description
12.2055.1703	MEGI Puffer
12.2036.0333	vib stop buffer
11.5003.0272	DPSM wheelshaft seal
11.5009.0466	Radial-shaft seal
11.5011.0950	Radial-shaft seal
<u>11.5021.0480</u>	Radial-shaft seal
<u>11.5027.6890</u>	Radial-shaft seal
<u>12.2035.0123</u>	vib cylindrical buffer
<u>12.2034.0203</u>	vib cylindrical buffer
<u>11.6223.1500</u>	piston seal
<u>11.5004.0344</u>	Radial-shaft seal
<u>11.5004.0330</u>	Radial-shaft seal
<u>11.2003.3402</u>	O-ring
<u>12.2101.0131</u>	rubber spring
<u>11.6330.0260</u>	rod seal
<u>11.5004.0142</u>	A+P Radial-shaft seal
<u>11.4007.3070</u>	O-ring
<u>0266010504</u>	glass cloth
<u>01.1045.0400</u>	PTFE spray BONNAFLON
<u>11.5011.0432</u>	A+P Radial-shaft seal
<u>11.5002.0550</u>	A+P radial-shaft seal
<u>11.5003.0142</u>	DPSM wheelshaft seal
<u>11.5028.0450</u>	HTS 9525 PTFE Radial-Wellendichtring
<u>11.5028.2400</u>	Radial-shaft seal
<u>11.5027.2847</u>	Radial-shaft seal
<u>11.5004.0302</u>	Radial-shaft seal
<u>12.2033.1003</u>	vib cylindrical buffer
<u>12.2033.1013</u>	vib cylindrical buffer
<u>12.2033.1023</u>	vib cylindrical buffer
<u>11.4025.3575</u>	O-ring
<u>11.4511.3575</u>	O-ring
<u>11.4049.3575</u>	O-ring
<u>11.4020.3575</u>	precision-O-ring
11.4035.3575	precisionO-ring
12.2036.3083	stop buffer
12.2101.0110	APSOvib® Rubber spring
11.5980.0100	Rod seal
11.5980.0010	Rod seal
80.0005.0787	Timing Belt
<u>11.4007.2006</u>	O-Ring
<u>11.4007.1110</u>	O-Ring
11.4007.2008	O-Ring
11.5021.1090	Radial-shaft seal
8000025107	Special rubber hose without NBR inserts
<u>11.2003.0886</u>	O-RING

Angst-Pfister Page 3 / 16





Product	Description
06.5926.2200	Expansion joint for casting water circuit
<u>09.1540.1015</u>	DC worm gear motor
11.4006.2020	O-Ring
11.4007.2020	O-Ring
11.2007.0222	O-Ring
<u>11.2007.0138</u>	O-Ring
06.5443.5050	Expansion Joint
<u>11.5009.0312</u>	Radial Shaft Seal
<u>11.5011.0368</u>	O-Ring
<u>11.2003.3364</u>	O-Ring
<u>1166030670</u>	O-Ring
<u>11.2003.5938</u>	O-Ring
<u>11.2003.3386</u>	O-Ring
<u>11.5004.0298</u>	Radial Shaft Seal
11.2003.6722	O-Ring
<u>11.2003.1604</u>	O-Ring
<u>11.5004.0230</u>	Radial Shaft Seal
<u>11.5002.1220</u>	Radial Shaft Seal
<u>11.5002.0840</u>	Radial Shaft Seal
<u>1120071512</u>	sealing
10.2508.8900	Edge protection profile
<u>11.6537.0025</u>	O-Ring
<u>09.1831.9339</u>	Timing belt
<u>11.5004.0266</u>	Radial Shaft Seal
12.2122.0001	Vibration Dampening Cylindrical Buffer
<u>01.4274.1014</u>	Precision bearing bush
10.2603.0752	Round cord
<u>11.4005.2056</u>	Radial Shaft Seal
<u>11.4005.3085</u>	O-ring
<u>12.2002.6503</u>	Round buffer
12.2005.0603	Stop buffer
<u>12.2010.2003</u>	Parable buffer
<u>11.4009.1502</u>	O-ring
<u>11.4007.1020</u>	O-ring
11.4005.1020	O-ring
11.4006.1050	O-ring
<u>11.4007.1050</u>	O-ring
11.4009.1505	O-ring
11.4006.2513	O-ring
11.4007.2513	O-ring
11.4005.2513	O-ring
11.2007.0152	O-ring
11.2017.0152	O-ring
11.2003.0152	O-ring
<u>12.2172.2075</u>	gas spring

Angst-Pfister Page 4 / 16





Product	Description
12.2174.5080	gas spring
11.5004.0318	Radial Shaft Seal
11.5925.0250	Wiper Seal
11.2003.6784	Vibration Dampening Cylindrical Buffer
12.2102.0109	Rubber hollow spring
12.2132.0113	Vibration Dampening Cylindrical Buffer
08.9000.3410	Lubroseal Wiper
	APsoVib® Stop Buffer C, medium Ø 20 mm, H 13.5 mm, G
<u>12.2037.0023</u>	M6, L
<u>12.0119.0604</u>	Lubroseal Wiper
<u>0171200708</u>	film storage
BRECOflex 38,1 T1/2" / 4871	Zahnriemen
BRECOflex 32 AT10 / 18000	Timing Belt
<u>12.2171.5015</u>	, in the second
12.2137.3055	
09.1831.5155	Timing belt
09.1831.5829	Timing belt
12.2036.0123	Vibration Dampening Cylindrical Buffer
12.2036.0133	Vibration Dampening Cylindrical Buffer
12.2036.0143	Stop buffer
12.2130.0801	· · · · · · · · · · · · · · · · · · ·
37.5786.0000	Dichtsatz
80.0011.9432	Dichtsatz
11.4030.1810	HITEC precision-O-ring
12.2036.1003	Stopbuffer APSOvib
12.2034.0243	·
11.2007.4996	O-ring
12.4015.0301	Suspension element
11.2007.3406	Precision O-Ring for Sealing Applications
11.2007.1394	High-Performance O-Ring for Industrial Use
11.2007.0886	General-Purpose Industrial Seal
<u>11.2007.0246</u>	Specialized O-Ring for High-Pressure Applications
11.4007.2040	High-Durability Rubber Seal for Industrial Use
<u>11.2003.0926</u>	Precision O-Ring for Industrial Applications
<u>12.2035.0283</u>	High-Performance Sealing Gasket
<u>11.6409.0209</u>	Drehdurchfuehrung
<u>0918413515</u>	BRECO® Timing belt by meter AT5
1140401812	O-ring
11.6537.0010	Versatile Sealing Ring for Industrial Use
11.4005.1050	Industrial Rubber Seal for High-End Applications
11.2003.0118	Precision O-Ring for Sealing Applications
11.6535.0140	High-Performance Sealing Gasket
11.6535.0000	General-Purpose Rubber Seal
11.6511.0095	PISTON SEAL
09.1941.1442	Specialized Sealing Ring for High-Pressure Applications
	, 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Angst-Pfister Page 5 / 16





Product	Description
11.4065.7047	Industrial Rubber Seal with Enhanced Durability
11.4005.2008	Industrial-Grade Sealing O-Ring
<u>09.1941.1017</u>	Gear wheel
<u>12.2004.0603</u>	Stop buffer
<u>06.5331.7005</u>	pressure hose
<u>12.2172.3050</u>	gas spring
<u>12.2036.0323</u>	Stop buffer
12.2035.0073	Cylindrical buffer
11.2003.0700 (pack 1x1280)	Precision Sealing Ring Pack (1280 Units)
11.2003.0700 (pack 1x1920)	Precision Sealing Ring Pack (1920 Units)
11.2003.0700 (pack 1x3840)	Bulk Sealing Ring Pack (3840 Units)
12.2036.3033	Bumper
<u>11.4801.0007</u>	Industrial-Grade Sealing O-Ring
<u>11.4801.0014</u>	High-Quality Industrial O-Ring
<u>10.2603.0701</u>	Precision Sealing Ring for Industrial Use
<u>11.5027.2030</u>	Radial-shaft seal
<u>11.4040.2616</u>	Heavy-Duty Sealing Ring for Industrial Applications
<u>11.4040.3507</u>	High-Performance Sealing Ring
<u>11.4040.2610</u>	High-Performance Sealing Ring for Industrial Use
<u>11.5011.0054</u>	Robust Gasket for Heavy-Duty Applications
<u>11.2003.0048</u>	Precision Gasket for Industrial Systems
<u>09.1831.5083</u>	Timing belt
<u>09.1831.5093</u>	Timing belt
<u>11.2003.0906</u>	High-Durability Sealing Ring for Industrial Applications
<u>11.2003.0756</u>	High-Durability Sealing Ring for Industrial Applications
<u>12.2036.3003</u>	Industrial Gasket for Heavy-Duty Applications
<u>12.2174.4040</u>	Precision Seal for High-Performance Systems
<u>12.2161.6020</u>	High-Strength Gasket for Industrial Use
<u>11.6603.0219</u>	Durable Industrial Sealing Component
<u>12.2130.1207</u>	High-Performance Gasket for Industrial Applications
<u>1220360164</u>	APSOvib Anschlagpuffer Typ A
<u>11.5003.0348</u>	A+p radial shaft seal shape A
<u>11.5004.0348</u>	A +P radial shaft seal, shape A
<u>12.2036.0183</u>	Stop buffer
<u>12.2036.0363</u>	Precision Component for Industrial Systems
<u>11.6538.0165</u>	Rod Seal
<u>11.4005.1023</u>	Versatile Industrial Sealing Solution
<u>11.6574.0045</u>	Wiper Seal BWA 10.00 x 14.00 x 2.80/3.20 mm TPU
<u>11.6507.0015</u>	Piston Seal SPS/N 25.00 x 18.00 x 2.40/2.50 mm NBR
11.4005.1023 (from 10 pcs)	Industrial Sealing Component
11.6507.0015 (from 10 pcs)	Precision Sealing Solution for Industrial Systems
11.6574.0045 (from 10 pcs)	Precision Sealing Solution for Industrial Systems
11.6574.0045 (from 50 pcs)	Precision Sealing Solution for Industrial Systems
11.6507.0015 (from 50 pcs)	Solenoid coil for HVAC systems
11.4005.1023 (from 50 pcs)	O-Ring for industrial sealing applications

Angst-Pfister Page 6 / 16





Product	Description
	Coupling wheel
11.2003.1478	LEAK TEST SEAL
11.4040.2609	HITEC® O-Ring
11.4040.3514	HITEC® O-Ring
11.2003.0012	O-Ring NBR 70.00-01
09.1540.1006	gearmotor
11.2003.0748	O-Ring
06.5200.6003	Nitril-rubber hose
11.5005.0586	O-Ring
09.1021.2010	O-Ring
1025088947	Sealing clamping profile
10.2507.8878	High-temperature O-Ring for dynamic sealing
10.2507.8886	Heat-resistant O-Ring for sealing applications
8000396650	Gas spring
10.2421.0086	Cellular rubber flat profile
12.2004.1510	Stop buffer
09.1831.2210	Belt tension meter
11.5002.1490	Rotary shaft seal A+P form AS
11.5004.0147	General-purpose O-Ring for industrial use
1150020590	Radial-shaft seal form AS, NBR
11.2003.0024	O-Ring
11.2003.0202	O-Ring for industrial sealing applications
11.4007.1270	O-Ring
1220360103	APSOvib Stop buffer
11.2003.0812	O-RING ID34 ORM0340-20 NBR NT 70.11
11.2003.0260	O-RING ID41 ORM0410-15 NBR NT 70.11
11.2003.0134	O-RING ID9 ORM0090-15 NBR NT 70.11
11.2003.1592	O-RING ID94.92 OR3375 NBR NT 70.11
11.2003.1596	O-RING ID107.62 OR3425 NBR NT 70.11
11.2003.1524	O-RING ID31.42 OR3125 NBR NT 70.11
09.1951.4401	Tension plate
12.2171.5040	APSOvib® Gas spring
1220551003	MEGI Puffer
80.0024.0872	Round cord ring vulcanized
10.2611.0604	Round cord
1162232900	OIL SEAL
1162232000	OIL SEAL
12.2137.1226	Bushing, Rubber Metal, Vulcanized
12.2137.2945	Bushing vulcanized
12.2004.3110	Stop buffer
12.2037.1023	Stop buffer
11.6603.0214-not available	Scraper
1150050476	Rotary shaft seal A
11.5004.0150	Rotary shaft seal
11.2003.0514	O-RING

Angst-Pfister Page 7 / 16





Product	Description
P/N: 1691571017, Type: D63 100.678/FC right	DC augerMOT AP 24V right
10.2508.8900	Edge protection profile without insert 11.50 x 11.50 mm CF
<u>01.1635.8190</u>	Shrink hose
<u>12 2161 4040</u>	Gas spring
11.5007.2230	Radial-shaft seal form SA
11.5007.3542	Radial-shaft seal form SA
12.2172.3023	APSOvib® Gas spring 16-2 with ball joint
12.2034.0293	Cylindrical buffer B
12.2035.0343	ApsoVib round buffer type C
12.2036.0073	Stop buffer
01.1530.5127	High-temperature O-Ring for static sealing
1221020206	Rubber hollow spring for vibration isolation
11.4020.1829	General-purpose O-Ring for industrial use
11.4040.2617	O-Ring for sealing applications
11.4009.1018	O-Ring for dynamic and static applications
11.4009.1030	O-RING
11.6511.0050	Piston seal for hydraulic systems
11.4020.1807	O-Ring EPDM
11.4020.2622	O-Ring EPDM
1165370040	Rod Seal
11.4430.0013	General-purpose O-Ring for industrial use
1025058801	Handguard + EPDM black door profile
12.2034.0053	Rubber-metal buffer for vibration isolation
06.5046.9027	Vibration isolator for noise and vibration reduction
06.5405.3020	Anti-vibration mount for industrial equipment
11.4006.2014	O-Ring for general-purpose sealing
11.4006.2017	O-Ring for general-purpose sealing
11.4006.2022	O-Ring for dynamic and static applications
11.4006.2029	O-Ring for high-temperature sealing applications
P/N: 0918317041, Type: 32AT5/545	SYNCHROFLEX® toothed belt
11.6534.0035	Rod Seal
11.6507.0040	Piston Seal
11.5910.0025	Piston Seal
11.5912.2022	Rod Seal
12.2036.0093	Stop buffer
11.2007.1612	O-ring
06.5331.2025	SILTORRID® Silicone coolant hose ID 25 x OD 33 mm
11.5005.0118	A+P Radial-shaft seal form A
1150040276	Radial Shaft Seal
11.6575.0060 / MERKEL P 7-25	Piston seal for hydraulic applications
11.6572.0035 / RS 25357	Rod seal for hydraulic cylinders
	·
11.2003.3306 / OR 156	o-ring
11.2003.5832 / OR 6162	o-ring
11.6511.0130 / 18106187-LRP6187/60	Piston seal for pneumatic systems
11.6536.0115 / 18113106-LRC3106/25	Rod seal for hydraulic systems

Angst-Pfister Page 8 / 16





Product	Description
11.2003.1572 / OR 3275	o-ring
11.2003.3356 / OR 4337	o-ring
11.2003.0446 / OR 2018	o-ring
11.2003.0450 / OR 2021	o-ring
11.2003.0452 / OR 2025	o-ring
11.2003.0474 / OR 2056	o-ring
11.2003.0486 / OR 2093	o-ring
11.2003.0538 / OR 2350	o-ring
11.2003.1482 / OR 3050	o-ring
11.2003.1552 / OR 3212	o-ring
11.2003.1596 / OR 3425	o-ring
11.2003.0524 / OR 2262	O-ring
OR 112 / 11.2003.1476	O-ring
OR 2031 / 11.2003.0458	O-ring
OR 3950 / 11.2003.1638	O-ring
OR 41200 / 11.2003.3438	O-ring
OR 156 / 11.2003.3306	O-ring
OR 3925 / 11.2003.1636	O-ring
11.2003.5842 / OR 6225	O-Ring
11.2003.3326 / OR 4250	O-Ring
<u>12.2162.9025</u>	Gas Strut
<u>11.2007.1532</u>	O-Ring for industrial sealing applications
<u>12.2037.0013</u>	Bumper
<u>12.2035.1003</u>	round buffer
<u>06.5316.8032</u>	Vibration isolator for noise and vibration reduction
<u>06.5332.1050</u>	Hose
<u>12.2034.0353</u>	APSOvib Cylindrical buffer B
<u>12.2162.5030</u>	Gas spring
<u>12.2162.5040</u>	Gas spring
<u>12.2161.1020</u>	Gas spring
<u>12.2164.1115</u>	vib gas spring
<u>10.2505.8770</u>	High-temperature O-Ring for dynamic sealing
<u>06.5405.1060</u>	Anti-vibration mount for industrial equipment
<u>12.2036.1063</u>	Rubber-metal buffer for vibration isolation
<u>13.0115.8022</u>	threaded cap
<u>13.0115.8018</u>	threaded cap
<u>13.0115.8037</u>	threaded cap
<u>06.5443.5120</u>	Vibration isolator for noise and vibration reduction
12.2070.1001	Anti-vibration mount for industrial applications
12.2064.0603	Machine mount without screw
11.5002.0870	Radial-shaft seal
<u>11.5004.0196</u>	O-Ring for sealing applications
11.2003.2030	O-ring NBR
<u>1120073416</u>	O-ring
11.6512.0255 (pack x100)	Piston seal for hydraulic systems (Pack of 100)

Angst-Pfister Page 9 / 16





Product	Description
12.2036.0243	Rubber-metal buffer for vibration isolation
12.2035.0141	Anti-vibration mount for industrial applications
<u>11.4005.4076</u>	O-Ring
<u>SA121T-D09</u>	O-Ring for sealing applications
12.2034.0303	BUFFER
<u>1162010910 / 1165610410</u>	Rod and piston seal
11.5004.0204 / NBR70.445.04	O-Ring for sealing applications
<u>8000125243</u>	metal seal spiral seal SPV1
<u>1025058805</u>	Hand guard + door profile EPDM black
<u>06.5331.7008</u>	Silicone hose
<u>0110350204</u>	PTFE tube for industrial fluid handling
<u>1221613010</u>	Gas spring
1026130762	Round cord
<u>0910800040</u>	Wheel
12.2172.3020 200N	Gas spring
<u>06.5046.8050</u>	CLAMP,HOSE
06.5046.8028	CLAMP,HOSE
<u>06.5046.8044</u>	CLAMP,HOSE
10.6406.0710	CONNECTOR, TUBING, ST
10.2507.8874	Hydraulic seal for leakage prevention
<u>12.2004.2910</u>	Buffer For CRIMPER
<u>09.1230.1615</u>	Reducing Sleeve For Portal
<u>09.1220.1671</u>	Taper-Clamping Chuck for Portal
<u>1220362013</u>	bump stop
<u>1220360033</u>	bump stop
<u>8000588954</u>	bump stop
<u>1036050223</u>	Screw seal
<u>06.4541.2025</u>	Vibration isolator for machinery
<u>11.4040.1824</u>	O-Ring for industrial sealing applications
11.4015.3011 / ORM 0215-30	O-Ring for dynamic and static sealing
<u>1220046110</u>	Control board for industrial applications
<u>12.2034.0023</u>	Cylindrical buffer B
<u>1165370080</u>	Rod Seal LRC
10.3605.0222	MEGU Screw seal
<u>11.4049.1818</u>	O-ring
<u>1120032276</u>	O-ring
<u>1120030914</u>	O-Ring for industrial sealing applications
<u>1120032114</u>	O-Ring for dynamic and static sealing
<u>1220350023</u>	Control board for industrial applications
<u>12 2034 0233</u>	Cylindrical buffer B
NBR50 / 1025018385	Gasket Profile 15 x 10 mm NITRILE NBR50 Length ~ 2800
<u>0110350608</u>	FLEXILON® PT PTFE tube ID 6 x OD 8 mm
<u>0110350608 - 3 meter</u>	PTFE tubing for fluid transfer
<u>0110350608 - 60 meter</u>	PTFE tubing for industrial fluid transfer (60 m)
<u>1144752019</u>	O-ring

Angst-Pfister Page 10 / 16





Product	Description
<u>1220650501</u>	Machine foot for leveling and vibration isolation
10.2503.8661	Welting profile
FKM 75.16-04 / 1140351841	O-Ring
1143041841 PERTEC® / UP FKM 70.501-04	O-Ring
<u>0105350200</u>	SILVERPRESS® Low pressure hose type INOX
<u>1148010117</u>	O-Ring for sealing applications
<u>0655511165</u>	GOLDSTAR E beverage hose without spiral
<u>1026030703</u>	Round cord
<u>0645183150</u>	Vibration isolator for industrial machinery
<u>0655485052</u>	Vibration isolator for machinery
<u>1210090604</u>	Plastic tube
<u>8000491220</u>	O-Ring for sealing applications
<u>1020263325</u>	Cellular rubber profile self-adhesive
<u>1220363013</u>	Bumper
1221050118	rubber-cork plate
12.2037.0003	Stop buffer
<u>1165700050</u>	Scraper
<u>1165700030</u>	Scraper
<u>1221470101</u>	PTFE tubing for fluid transfer
<u>1150040198</u>	Retention ring type A "Angst-Pfister" 48x72x8
<u>1152160020</u>	Front retainer "Angst-Pfister" V-020 A
<u>1152150150</u>	Front retaining ring Angst-Pfister V-150 L
<u>1152120085</u>	Front retainer "Angst-Pfister" V-085 A (88x76x6)
<u>1150020280</u>	Front retainer Angst-Pfister type AS (18x30x7)
<u>1152160028</u>	Front Retaining Ring
<u>1152160014</u>	Front Retaining Ring
<u>1152160190</u>	Front Retaining Ring
<u>1152160065</u>	Angst-Pfister retainer ring VA-0065
<u>1150090333</u>	seal
<u>1025038670</u>	Welting profile
<u>1156011008</u>	Packing gland
<u>1220340103</u>	Cylindrical buffer
<u>1165110070</u>	piston seal
<u>1221625050</u>	gas spring
<u>1152020080</u>	Axial shaft seal GAMMA form RB, NBR
<u>0650469080</u>	Machine foot for industrial machinery
<u>1220360313</u>	stop buffer
<u>0653312064</u>	silicone radiator hose
<u>11.4020.3513</u>	o-ring
<u>11.4035.3531</u>	o-ring
<u>11.4035.5343</u>	o-ring
<u>0918319343</u>	Timing belt
<u>653312076</u>	radiator hose
<u>11.2003.3254</u>	O-ring
<u>11.2003.5878</u>	O-ring

Angst-Pfister Page 11 / 16





Product	Description
<u>1162250320</u>	sealing
8000529774	Special element
1150050546	Radial-shaft seal
<u>1120031560</u>	O-ring
1145115325	O-ring
<u>1165370165</u>	PTFE Coated Fabric for industrial applications
11.6350.0070	Rod Seal for hydraulic systems
11.5004.0160	Radial-shaft seal form A
1165760065	Gasket
1221113504	Absorbtion Plate
11.6610.0020	wiper
1140062414	O-ring
1165370195	PTFE Coated Fabric for industrial applications
1165610085 / UM25X15X6	piston rod seal
1120033274 / NBR 70.00-01	O-ring
PW - 16 3041 4711	servo potentiometer
1165360070	O-Ring sealing
1220701404	Shear mount APK type T, hard
1025088934	hollow profiles
12.2141.5703 / 741 026	Insulating ring
1221322005	bushing
1150090424	Radial-shaft seal
PTFE Coated Fabric 203	PTFE Coated Fabric for industrial applications
1220340273	O-Ring for industrial sealing
1150040042 / A 12/22/7	Radial-shaft seal
1120071154	O-ring
1120071174	O-ring
1120072196	O-ring
1140073080	O-Ring
1221071003	Screw insulation
1140401814	o-ring
1140401818	o-ring
1083216010	Filter foam sheet
12.2036.0043	Stop buffer
P/N: 1221045009, Type: SK-4109-50	High Energy Absorbtion SK spring with threaded bolt type
<u>80 0042 8619</u>	Vibration isolator for machinery
<u>1120070468</u>	O-ring
1025088963	Sealing clamping profile with cavity
1220360403	Stop buffer
1220330183	Cylindrical buffer
1140053060 / 1Q713060 / ORM 0600-30	O-Ring
1140053063 / 1Q713063 / ORM 0630-30	O-Ring
1140053082 / 1Q713082 / ORM 0820-30	O-Ring
1140053100 / 1Q713100 / ORM 1000-30	O-Ring
1150090507, Type FKM 80-445-01	O-Ring for sealing applications
	0 0 11

Angst-Pfister Page 12/16





Product	Description
PUR 95.315-01	Polyurethane sheet for industrial use
<u>0110301076</u>	PTFE foil self-adhesive white
<u>0265010500</u>	Glass fabrics
<u>1220362033</u>	Stop buffer
<u>12.2036.0003</u>	Stop buffer
<u>1140071060</u>	O-Ring
<u>1120073360</u>	O-RING
<u>1140011060</u>	O-Ring
<u>1120071510</u>	o-ring
<u>1166100110</u>	APSOvib® Rubber Spring for vibration isolation
<u>1221402603</u>	Conical bearing
P/N: 1221380501, Type: 786025	PHOENIX-MEGI cone bearing
<u>1221042525</u>	buffer
<u>0918316067 / 16T5/840</u>	Timing belt
<u>16T5/340</u>	Synchroflex endless timing belt
<u>0918315685 / 6T5/295</u>	Timing belt
<u>0918315897 / 10T5/545</u>	Timing belt
<u>0918315759 / 16T5/365</u>	Timing belt
<u>0918316174 / 10T5/650</u>	Timing belt
<u>0918315913 / 16T5/550</u>	Timing belt
<u>0918315757 / 10T5/365</u>	Timing belt endless
<u>0918315797 / 6T5/410</u>	Timing belt
<u>0918315755 / 6T5/365</u>	High Energy Absorbtion crane buffer
<u>1140052021</u>	Marine mount type 1
<u>1221440455</u>	anti-vibration device
<u>1120030760</u>	O-ring NBR 70.00-01
<u>1141550372</u>	O-ring NBR 80.00-01
<u>1221402303</u>	Conical bearing
<u>1220340143</u>	Cylindrical buffer
<u>1221403003</u>	APSOvib® Rubber Bushing for machinery
<u>1144990001</u>	O-Ring for sealing applications
<u>1221321415</u>	Bushing
<u>1221321005</u>	APSOvib® Pressed Bushing for vibration damping
<u>1221321223</u>	APSOvib® Pressed Bushing for vibration damping
<u>1140303559</u>	O-ring
<u>1220645000</u>	reinforced machine mount
10.2504.3096	Edge protection profile
<u>0918312208</u>	Belt tension meter TMconnect small box + cert.
1691571019 / 101.634/FC	Motor
<u>25T5/500</u>	Synchroflex endless timing belt
<u>10T5/255</u>	Synchroflex endless timing belt
<u>16T5/390</u>	Synchroflex endless timing belt
6T5/400	Synchroflex endless timing belt
16T5/270	Synchroflex endless timing belt
<u>1140011813</u>	O-ring

Angst-Pfister Page 13 / 16





Product	Description
<u>1140351813</u>	O-ring
10.2508.8940	U-clamping profile
<u>1220641401</u>	Machine mount
<u>1220641403</u>	Machine mount
<u>1220641404</u>	Machine mount
11.4006.2075	O-ring
11.2007.0906	O-Ring
<u>1220360514</u>	Stop buffer A, hard Ø 70 mm, H 50 mm, G M10, L 25 mm
12.2036.3043	Stop buffer
<u>0918414015</u>	toothed belt
<u>1165120065</u>	Piston Seal DDP 25,00 x 20,50 x 3,60 mm PTFE MD
<u>1165120085</u>	Piston Seal DDP 30,00 x 23,80 x 4,80 mm PTFE MD
0110351012	tube
12.2141.5703	APSOvib® Insulating ring
1220370063	Stop buffer
1140357060	O-ring
12.2140.2804	Conical bearing
12.2140.2704	Conical bearing
0653220709	APSOseal® O-Ring for industrial sealing
1221470104	APSOvib® Rubber Buffer for shock absorption
1221042020	High Energy Absorbtion crane buffer
1140011807	HITEC® O-ring DW EPDM 70.503-00 ID 3.68 x 1.78 mm
1025088922 (100 m)	Plug-in profile with cavity 28.00 x 14.00 mm CR
1140011055	O-ring
1140011018	O-ring
<u>1140151614</u>	O-ring
1220640504	Machine mount with screw type 113
1220640501	Machine mount with screw type 113
1220330443	Cylindrical buffer A
0652054161	SIKOLIT Food-NSF Silicone hose
1220360163	stop buffer
10.2520.8980	GASKET
0918316555	Timing belt
12.2141.5103 / 741 027	APSOvib® Conical Mount for vibration isolation
1120031146	O-RING
1120031114	O-RING
1120031106	O-RING
08 4518 0007 SV 22-L	Stainless steel straight bulkhead fitting
1162210130	U Piston-Rod
01.3010.1804	plate
1140051280 / HITEC® O-Ring NBR 70.10-02	O-Ring
1120030210 / NORMATEC® O-Ring NBR 70.00-01	O-Ring
8000976192	2
NORMATEC O-ring FKM 75.00-01 / 1120070722 package	
(150 pcs)	

Angst-Pfister Page 14 / 16





Product	Description
<u>0653312038</u>	Silicone coolant hose without spiral
<u>0130101808</u>	plate
<u>1220370043</u>	STOP
0918147804/ HTD8M-HP-PAZ-W	
0918147811/ HTD8M-HP-PAZ-B	
<u>1120030500</u>	O-ring
<u>1220331113</u>	Cylindrical buffer
1024210002	Cellular rubber square profile EPDM, foamed grey
<u>1166030203</u>	
<u>1150040270</u>	A+P Radial-shaft seal form A
<u>1165320170</u>	Rod Seal RSP
8000554581	Lubroseal
1020263209	adhesive cellular rubber foam tape
0918147812	Timing belt
1220340153	Cylindrical buffer
PN: 1221375070 / Type : 735039	Bushing
1221041015	Absorbtion crane buffer
1152160110	-
1026130706	Round cord
1220361043	Stop buffer
11.6511.0035	·
10.2508.8971	
10.2508.9013	
TM-Nano/09 1831 2210	belt tension meter
13.0104.3240	Lamella plug
11.4020.1820	O-RING Ø14 X 1.78MM EPDM PEROXIDE CURED
12.0109.1210	FLEXILON D Plastic tube, black, rollers 100 m Ø 12 x 10 mm;
<u>12.2140.2703</u>	
EN12115 TRbF131/2	
<u>1014436106</u>	Insulating cord
<u>10.2609.0871</u>	Round cord FKM 75 Shore A black Ø 1,78 +0.30/-0.10 mm
<u>11.4007.2085</u>	HITEC® O-ring FKM 75.16-04 ID 85,00 x 2,00 mm
<u>11.5212.0050</u>	V-ring form A, NBR V-050 A, NBR 60 Shore A
KT-01 2120 1009	PVC-U tube grey, 6 - 75 mm Ø 40 / 34 mm
<u>8000570360</u>	Stroke buffer
Article number 0653267175	hose
FT - 80 0035 4241	
<u>11.4501.2631</u>	
FCX-ULL-CH	amperometric oxygen sensor
FCX-UC-BSF-CH	amperometric oxygen sensor
PW - 16 2021 3814	
1025048720	
<u>1221122025</u>	
SHTM-0300-SPZ	transducer

Angst-Pfister Page 15 / 16





Product	Description
<u>12.2033.0193</u>	APSOvib® Cylindrical buffer A
<u>1120031556</u>	O-ring
<u>1220363053</u>	APSOvib® Stop buffer F, medium
<u>12.2036.0353</u>	
<u>1150270616</u>	Radial-shaft seal
<u>09.1951.2055</u>	Clamping element Type A 55 mm x 85 mm
<u>1140353508</u>	O-ring
<u>1140353518</u>	O-ring
<u>09.1220.1208</u>	TAPER-LOCK® Bushing type 2012
<u>09.1220.2012</u>	TAPER-LOCK® Bushing type 1210
<u>09.1220.1209</u>	TAPER-LOCK® Bushing type 1210
PEI-S102-1-80-UTI-2	
<u>DT - 80 0033 4341</u>	
<u>1150050558</u>	Radial-shaft seal
741092 / 12.2141.5203	
<u>L1624092</u>	
<u>12.2107.1008</u>	
<u>1150511352</u>	Radial-shaft seal
<u>1034126297</u>	O-ring
<u>3453240000</u>	Special silicone hose without inserts
<u>D63 100.686/FC</u>	worm gears
25-AT5-525-GENIII	
<u>1221400904</u>	APSOvib® Conical bearing HD High Deflection type 1
1202010806 / FEP 8X6	Plastic tube
<u>0653241025</u>	
<u>0653321028</u>	
<u>0653321030</u>	
<u>1120035974</u>	NORMATEC® O-ring NBR 70.00-01 ID 253,37 x 5,33 mm
<u>12.2140.2003</u>	SILENT BLOCK GENERATOR

Angst-Pfister