



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)




PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)



## Angst-Pfister

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">09.1831.5211</a>	Timing belt, Synchroflex, PUR T2.5 / 6T2,5 / 1300 mm
<a href="#">09.1831.6953</a>	Timing belt
<a href="#">1150040360</a>	V-Ring Seal
<a href="#">11.5004.0076</a>	Radial Shaft Seal
<a href="#">1166100030</a>	LUBROSEAL scraper
<a href="#">12.2002.5103</a>	Round buffer
<a href="#">12.2162.3050</a>	Gas spring
<a href="#">12.2055.1303</a>	Puffer
<a href="#">12.2104.6032</a>	SK feather
<a href="#">11.4005.2015</a>	O-Ring
<a href="#">OR 3256</a>	O-Ring
<a href="#">OR147</a>	O-Ring
<a href="#">0150971616</a>	Storage rifle
<a href="#">11.6561.0230</a>	O-Ring
<a href="#">11.5004.0202</a>	Radial shaft seal
<a href="#">11.5910.0030</a>	Wiper Seal
<a href="#">LWP7C</a>	LUBROSEAL Abstreifer
<a href="#">11.4015.2411</a>	O-ring
<a href="#">10.2603.0702</a>	Round cord
<a href="#">11.4007.2018</a>	O-ring
<a href="#">11.4049.2623</a>	HITEC O-Ring
<a href="#">11.4049.2624</a>	HITEC O-Ring
<a href="#">11.4049.2652</a>	HITEC O-Ring
<a href="#">11.2003.0690</a>	O-ring
<a href="#">11.2003.1690</a>	O-ring
<a href="#">11.2003.0958</a>	O-ring
<a href="#">11.5005.0422</a>	Radial-shaft seal
<a href="#">11.5009.0412</a>	Radial-shaft seal
<a href="#">8000111792</a>	DC SchneckengetrMot
<a href="#">12.0201.0806</a>	FLEXILON FEP plastic tube
<a href="#">1016057300</a>	Sealing paste
<a href="#">11.5004.0212</a>	Radial-shaft seal
<a href="#">10.8320.1290</a>	Filter mat
<a href="#">11.6603.0201</a>	Scraper
<a href="#">0370705012</a>	Hydraulic plug-in coupling
<a href="#">03.7070.5013</a>	Hydraulic-plug connector

Product	Description
<a href="#">0918317049</a>	Toothed belt
<a href="#">80.0019.5370</a>	Toothed belt
<a href="#">80.0031.6649</a>	Toothed belt
<a href="#">32.9678.0000</a>	Toothed belt
<a href="#">11.4040.2681</a>	O-ring
<a href="#">11.6505.0035</a>	Piston Seal
<a href="#">11.6533.0020</a>	Rod Seal
<a href="#">11.4040.1816</a>	O-ring
<a href="#">11.4040.2615</a>	O-ring
<a href="#">11.4040.2666</a>	O-ring
<a href="#">11.4040.3601</a>	O-ring
<a href="#">11.4035.3576</a>	O-ring
<a href="#">11.4035.3581</a>	O-ring
<a href="#">11.4040.3595</a>	O-ring
<a href="#">11.4040.5322</a>	O-ring
<a href="#">1120070112</a>	O-ring
<a href="#">11.4005.2006</a>	O-ring
<a href="#">11.4005.1090</a>	O-ring
<a href="#">11.4005.2009</a>	O-ring
<a href="#">11.4005.2512</a>	O-ring
<a href="#">11.4005.2020</a>	O-ring
<a href="#">11.4005.1260</a>	O-ring
<a href="#">11.4007.2030</a>	O-ring
<a href="#">11.4007.2042</a>	O-ring
<a href="#">11.4005.2045</a>	O-ring
<a href="#">11.4007.2046</a>	O-ring
<a href="#">11.4005.2065</a>	O-ring
<a href="#">11.4005.2066</a>	O-ring
<a href="#">11.4005.2075</a>	O-ring
<a href="#">11.4005.3100</a>	O-ring
<a href="#">11.4015.3042</a>	O-ring
<a href="#">11.5215.0325</a>	V-ring
<a href="#">1152150700</a>	V-Ring
<a href="#">12.2161.2020</a>	vib gas spring
<a href="#">12.2164.0115</a>	vib gas spring
<a href="#">12.2172.2050</a>	vib gas spring
<a href="#">06.5046.9032</a>	FIT-Topinox Schlauchklemme
<a href="#">01.1035.0406</a>	FLEXILON PT PTFE Schlauch
<a href="#">06.5322.4010</a>	NYLFLEX PVC Industrieschlauch
<a href="#">11.2007.0116</a>	NORMATEC O-Ring
<a href="#">06.5511.1019</a>	Water hose
<a href="#">12.2022.0203</a>	CUPMOUNT Lagerungselement
<a href="#">12.2022.0205</a>	CUPMOUNT Lagerungselement
<a href="#">12.2162.3070</a>	gas spring
<a href="#">11.4801.0325</a>	APSOseal X-ring

Product	Description
<a href="#">12.2036.0283</a>	APSOvib stop buffer
<a href="#">12.2055.1703</a>	MEGI Puffer
<a href="#">12.2036.0333</a>	vib stop buffer
<a href="#">11.5003.0272</a>	DPSM wheel.-shaft seal
<a href="#">11.5009.0466</a>	Radial-shaft seal
<a href="#">11.5011.0950</a>	Radial-shaft seal
<a href="#">11.5021.0480</a>	Radial-shaft seal
<a href="#">11.5027.6890</a>	Radial-shaft seal
<a href="#">12.2035.0123</a>	vib cylindrical buffer
<a href="#">12.2034.0203</a>	vib cylindrical buffer
<a href="#">11.6223.1500</a>	piston seal
<a href="#">11.5004.0344</a>	Radial-shaft seal
<a href="#">11.5004.0330</a>	Radial-shaft seal
<a href="#">11.2003.3402</a>	O-ring
<a href="#">12.2101.0131</a>	rubber spring
<a href="#">11.6330.0260</a>	rod seal
<a href="#">11.5004.0142</a>	A+P Radial-shaft seal
<a href="#">11.4007.3070</a>	O-ring
<a href="#">0266010504</a>	glass cloth
<a href="#">01.1045.0400</a>	PTFE spray BONNAFLON
<a href="#">11.5011.0432</a>	A+P Radial-shaft seal
<a href="#">11.5002.0550</a>	A+P radial-shaft seal
<a href="#">11.5003.0142</a>	DPSM wheel.-shaft seal
<a href="#">11.5028.0450</a>	HTS 9525 PTFE Radial-Wellendichtring
<a href="#">11.5028.2400</a>	Radial-shaft seal
<a href="#">11.5027.2847</a>	Radial-shaft seal
<a href="#">11.5004.0302</a>	Radial-shaft seal
<a href="#">12.2033.1003</a>	vib cylindrical buffer
<a href="#">12.2033.1013</a>	vib cylindrical buffer
<a href="#">12.2033.1023</a>	vib cylindrical buffer
<a href="#">11.4025.3575</a>	O-ring
<a href="#">11.4511.3575</a>	O-ring
<a href="#">11.4049.3575</a>	O-ring
<a href="#">11.4020.3575</a>	precision-O-ring
<a href="#">11.4035.3575</a>	precision--O-ring
<a href="#">12.2036.3083</a>	stop buffer
<a href="#">12.2101.0110</a>	APSOvib® Rubber spring
<a href="#">11.5980.0100</a>	Rod seal
<a href="#">11.5980.0010</a>	Rod seal
<a href="#">80.0005.0787</a>	Timing Belt
<a href="#">11.4007.2006</a>	O-Ring
<a href="#">11.4007.1110</a>	O-Ring
<a href="#">11.4007.2008</a>	O-Ring
<a href="#">11.5021.1090</a>	Radial-shaft seal
<a href="#">8000025107</a>	Special rubber hose without NBR inserts

Product	Description
<a href="#">11.2003.0886</a>	O-RING
<a href="#">06.5926.2200</a>	Expansion joint for casting water circuit
<a href="#">09.1540.1015</a>	DC worm gear motor
<a href="#">11.4006.2020</a>	O-Ring
<a href="#">11.4007.2020</a>	O-Ring
<a href="#">11.2007.0222</a>	O-Ring
<a href="#">11.2007.0138</a>	O-Ring
<a href="#">06.5443.5050</a>	Expansion Joint
<a href="#">11.5009.0312</a>	Radial Shaft Seal
<a href="#">11.5011.0368</a>	O-Ring
<a href="#">11.2003.3364</a>	O-Ring
<a href="#">1166030670</a>	O-Ring
<a href="#">11.2003.5938</a>	O-Ring
<a href="#">11.2003.3386</a>	O-Ring
<a href="#">11.5004.0298</a>	Radial Shaft Seal
<a href="#">11.2003.6722</a>	O-Ring
<a href="#">11.2003.1604</a>	O-Ring
<a href="#">11.5004.0230</a>	Radial Shaft Seal
<a href="#">11.5002.1220</a>	Radial Shaft Seal
<a href="#">11.5002.0840</a>	Radial Shaft Seal
<a href="#">1120071512</a>	sealing
<a href="#">10.2508.8900</a>	Edge protection profile
<a href="#">11.6537.0025</a>	O-Ring
<a href="#">09.1831.9339</a>	Timing belt
<a href="#">11.5004.0266</a>	Radial Shaft Seal
<a href="#">12.2122.0001</a>	Vibration Dampening Cylindrical Buffer
<a href="#">01.4274.1014</a>	Precision bearing bush
<a href="#">10.2603.0752</a>	Round cord
<a href="#">11.4005.2056</a>	Radial Shaft Seal
<a href="#">11.4005.3085</a>	O-ring
<a href="#">12.2002.6503</a>	Round buffer
<a href="#">12.2005.0603</a>	Stop buffer
<a href="#">12.2010.2003</a>	Parable buffer
<a href="#">11.4009.1502</a>	O-ring
<a href="#">11.4007.1020</a>	O-ring
<a href="#">11.4005.1020</a>	O-ring
<a href="#">11.4006.1050</a>	O-ring
<a href="#">11.4007.1050</a>	O-ring
<a href="#">11.4009.1505</a>	O-ring
<a href="#">11.4006.2513</a>	O-ring
<a href="#">11.4007.2513</a>	O-ring
<a href="#">11.4005.2513</a>	O-ring
<a href="#">11.2007.0152</a>	O-ring
<a href="#">11.2017.0152</a>	O-ring
<a href="#">11.2003.0152</a>	O-ring

Product	Description
<a href="#">12.2172.2075</a>	gas spring
<a href="#">12.2174.5080</a>	gas spring
<a href="#">11.5004.0318</a>	Radial Shaft Seal
<a href="#">11.5925.0250</a>	Wiper Seal
<a href="#">11.2003.6784</a>	Vibration Dampening Cylindrical Buffer
<a href="#">12.2102.0109</a>	Rubber hollow spring
<a href="#">12.2132.0113</a>	Vibration Dampening Cylindrical Buffer
<a href="#">08.9000.3410</a>	Lubroseal Wiper
<a href="#">12.2037.0023</a>	APsoVib® Stop Buffer C, medium Ø 20 mm, H 13.5 mm, G M6, L
<a href="#">12.0119.0604</a>	Lubroseal Wiper
<a href="#">0171200708</a>	film storage
<a href="#">BRECOflex 38.1 T1/2" / 4871</a>	Zahnriemen
<a href="#">BRECOflex 32 AT10 / 18000</a>	Timing Belt
<a href="#">12.2171.5015</a>	
<a href="#">12.2137.3055</a>	
<a href="#">09.1831.5155</a>	Timing belt
<a href="#">09.1831.5829</a>	Timing belt
<a href="#">12.2036.0123</a>	Vibration Dampening Cylindrical Buffer
<a href="#">12.2036.0133</a>	Vibration Dampening Cylindrical Buffer
<a href="#">12.2036.0143</a>	Stop buffer
<a href="#">12.2130.0801</a>	
<a href="#">37.5786.0000</a>	Dichsatz
<a href="#">80.0011.9432</a>	Dichsatz
<a href="#">11.4030.1810</a>	HITEC precision-O-ring
<a href="#">12.2036.1003</a>	Stopbuffer APSOvib
<a href="#">12.2034.0243</a>	
<a href="#">11.2007.4996</a>	O-ring
<a href="#">12.4015.0301</a>	Suspension element
<a href="#">11.2007.3406</a>	Precision O-Ring for Sealing Applications
<a href="#">11.2007.1394</a>	High-Performance O-Ring for Industrial Use
<a href="#">11.2007.0886</a>	General-Purpose Industrial Seal
<a href="#">11.2007.0246</a>	Specialized O-Ring for High-Pressure Applications
<a href="#">11.4007.2040</a>	High-Durability Rubber Seal for Industrial Use
<a href="#">11.2003.0926</a>	Precision O-Ring for Industrial Applications
<a href="#">12.2035.0283</a>	High-Performance Sealing Gasket
<a href="#">11.6409.0209</a>	Drehdurchfuehrung
<a href="#">0918413515</a>	BRECO® Timing belt by meter AT5
<a href="#">1140401812</a>	O-ring
<a href="#">11.6537.0010</a>	Versatile Sealing Ring for Industrial Use
<a href="#">11.4005.1050</a>	Industrial Rubber Seal for High-End Applications
<a href="#">11.2003.0118</a>	Precision O-Ring for Sealing Applications
<a href="#">11.6535.0140</a>	High-Performance Sealing Gasket
<a href="#">11.6535.0000</a>	General-Purpose Rubber Seal
<a href="#">11.6511.0095</a>	PISTON SEAL

Product	Description
<a href="#">09.1941.1442</a>	Specialized Sealing Ring for High-Pressure Applications
<a href="#">11.4065.7047</a>	Industrial Rubber Seal with Enhanced Durability
<a href="#">11.4005.2008</a>	Industrial-Grade Sealing O-Ring
<a href="#">09.1941.1017</a>	Gear wheel
<a href="#">12.2004.0603</a>	Stop buffer
<a href="#">06.5331.7005</a>	pressure hose
<a href="#">12.2172.3050</a>	gas spring
<a href="#">12.2036.0323</a>	Stop buffer
<a href="#">12.2035.0073</a>	Cylindrical buffer
<a href="#">11.2003.0700 (pack 1x1280)</a>	Precision Sealing Ring Pack (1280 Units)
<a href="#">11.2003.0700 (pack 1x1920)</a>	Precision Sealing Ring Pack (1920 Units)
<a href="#">11.2003.0700 (pack 1x3840)</a>	Bulk Sealing Ring Pack (3840 Units)
<a href="#">12.2036.3033</a>	Bumper
<a href="#">11.4801.0007</a>	Industrial-Grade Sealing O-Ring
<a href="#">11.4801.0014</a>	High-Quality Industrial O-Ring
<a href="#">10.2603.0701</a>	Precision Sealing Ring for Industrial Use
<a href="#">11.5027.2030</a>	Radial-shaft seal
<a href="#">11.4040.2616</a>	Heavy-Duty Sealing Ring for Industrial Applications
<a href="#">11.4040.3507</a>	High-Performance Sealing Ring
<a href="#">11.4040.2610</a>	High-Performance Sealing Ring for Industrial Use
<a href="#">11.5011.0054</a>	Robust Gasket for Heavy-Duty Applications
<a href="#">11.2003.0048</a>	Precision Gasket for Industrial Systems
<a href="#">09.1831.5083</a>	Timing belt
<a href="#">09.1831.5093</a>	Timing belt
<a href="#">11.2003.0906</a>	High-Durability Sealing Ring for Industrial Applications
<a href="#">11.2003.0756</a>	High-Durability Sealing Ring for Industrial Applications
<a href="#">12.2036.3003</a>	Industrial Gasket for Heavy-Duty Applications
<a href="#">12.2174.4040</a>	Precision Seal for High-Performance Systems
<a href="#">12.2161.6020</a>	High-Strength Gasket for Industrial Use
<a href="#">11.6603.0219</a>	Durable Industrial Sealing Component
<a href="#">12.2130.1207</a>	High-Performance Gasket for Industrial Applications
<a href="#">1220360164</a>	APSOvib Anschlagpuffer Typ A
<a href="#">11.5003.0348</a>	A+p radial shaft seal shape A
<a href="#">11.5004.0348</a>	A +P radial shaft seal, shape A
<a href="#">12.2036.0183</a>	Stop buffer
<a href="#">12.2036.0363</a>	Precision Component for Industrial Systems
<a href="#">11.6538.0165</a>	Rod Seal
<a href="#">11.4005.1023</a>	Versatile Industrial Sealing Solution
<a href="#">11.6574.0045</a>	Wiper Seal BWA 10.00 x 14.00 x 2.80/3.20 mm TPU
<a href="#">11.6507.0015</a>	Piston Seal SPS/N 25.00 x 18.00 x 2.40/2.50 mm NBR
<a href="#">11.4005.1023 (from 10 pcs)</a>	Industrial Sealing Component
<a href="#">11.6507.0015 (from 10 pcs)</a>	Precision Sealing Solution for Industrial Systems
<a href="#">11.6574.0045 (from 10 pcs)</a>	Precision Sealing Solution for Industrial Systems
<a href="#">11.6574.0045 (from 50 pcs)</a>	Precision Sealing Solution for Industrial Systems
<a href="#">11.6507.0015 (from 50 pcs)</a>	Solenoid coil for HVAC systems



Product	Description
<a href="#">11.4005.1023 (from 50 pcs)</a>	O-Ring for industrial sealing applications
<a href="#">0910250753</a>	Coupling wheel
<a href="#">11.2003.1478</a>	LEAK TEST SEAL
<a href="#">11.4040.2609</a>	HITEC® O-Ring
<a href="#">11.4040.3514</a>	HITEC® O-Ring
<a href="#">11.2003.0012</a>	O-Ring NBR 70.00-01
<a href="#">09.1540.1006</a>	gearmotor
<a href="#">11.2003.0748</a>	O-Ring
<a href="#">06.5200.6003</a>	Nitril-rubber hose
<a href="#">11.5005.0586</a>	O-Ring
<a href="#">09.1021.2010</a>	O-Ring
<a href="#">1025088947</a>	Sealing clamping profile
<a href="#">10.2507.8878</a>	High-temperature O-Ring for dynamic sealing
<a href="#">10.2507.8886</a>	Heat-resistant O-Ring for sealing applications
<a href="#">8000396650</a>	Gas spring
<a href="#">10.2421.0086</a>	Cellular rubber flat profile
<a href="#">12.2004.1510</a>	Stop buffer
<a href="#">09.1831.2210</a>	Belt tension meter
<a href="#">11.5002.1490</a>	Rotary shaft seal A+P form AS
<a href="#">11.5004.0147</a>	General-purpose O-Ring for industrial use
<a href="#">1150020590</a>	Radial-shaft seal form AS, NBR
<a href="#">11.2003.0024</a>	O-Ring
<a href="#">11.2003.0202</a>	O-Ring for industrial sealing applications
<a href="#">11.4007.1270</a>	O-Ring
<a href="#">1220360103</a>	APSOvib Stop buffer
<a href="#">11.2003.0812</a>	O-RING ID34 ORM0340-20 NBR NT 70.11
<a href="#">11.2003.0260</a>	O-RING ID41 ORM0410-15 NBR NT 70.11
<a href="#">11.2003.0134</a>	O-RING ID9 ORM0090-15 NBR NT 70.11
<a href="#">11.2003.1592</a>	O-RING ID94.92 OR3375 NBR NT 70.11
<a href="#">11.2003.1596</a>	O-RING ID107.62 OR3425 NBR NT 70.11
<a href="#">11.2003.1524</a>	O-RING ID31.42 OR3125 NBR NT 70.11
<a href="#">09.1951.4401</a>	Tension plate
<a href="#">12.2171.5040</a>	APSOvib® Gas spring
<a href="#">1220551003</a>	MEGI Puffer
<a href="#">80.0024.0872</a>	Round cord ring vulcanized
<a href="#">10.2611.0604</a>	Round cord
<a href="#">1162232900</a>	OIL SEAL
<a href="#">1162232000</a>	OIL SEAL
<a href="#">12.2137.1226</a>	Bushing, Rubber Metal, Vulcanized
<a href="#">12.2137.2945</a>	Bushing vulcanized
<a href="#">12.2004.3110</a>	Stop buffer
<a href="#">12.2037.1023</a>	Stop buffer
<a href="#">11.6603.0214-not available</a>	Scraper
<a href="#">1150050476</a>	Rotary shaft seal A
<a href="#">11.5004.0150</a>	Rotary shaft seal



Product	Description
<a href="#">11.2003.0514</a>	O-RING
<a href="#">P/N: 1691571017, Type: D63 100.678/FC right</a>	DC augerMOT AP 24V right
<a href="#">10.2508.8900</a>	Edge protection profile without insert 11.50 x 11.50 mm CR
<a href="#">01.1635.8190</a>	Shrink hose
<a href="#">12.2161.4040</a>	Gas spring
<a href="#">11.5007.2230</a>	Radial-shaft seal form SA
<a href="#">11.5007.3542</a>	Radial-shaft seal form SA
<a href="#">12.2172.3023</a>	APSOvib® Gas spring 16-2 with ball joint
<a href="#">12.2034.0293</a>	Cylindrical buffer B
<a href="#">12.2035.0343</a>	ApsoVib round buffer type C
<a href="#">12.2036.0073</a>	Stop buffer
<a href="#">01.1530.5127</a>	High-temperature O-Ring for static sealing
<a href="#">1221020206</a>	Rubber hollow spring for vibration isolation
<a href="#">11.4020.1829</a>	General-purpose O-Ring for industrial use
<a href="#">11.4040.2617</a>	O-Ring for sealing applications
<a href="#">11.4009.1018</a>	O-Ring for dynamic and static applications
<a href="#">11.4009.1030</a>	O-RING
<a href="#">11.6511.0050</a>	Piston seal for hydraulic systems
<a href="#">11.4020.1807</a>	O-Ring EPDM
<a href="#">11.4020.2622</a>	O-Ring EPDM
<a href="#">1165370040</a>	Rod Seal
<a href="#">11.4430.0013</a>	General-purpose O-Ring for industrial use
<a href="#">1025058801</a>	Handguard + EPDM black door profile
<a href="#">12.2034.0053</a>	Rubber-metal buffer for vibration isolation
<a href="#">06.5046.9027</a>	Vibration isolator for noise and vibration reduction
<a href="#">06.5405.3020</a>	Anti-vibration mount for industrial equipment
<a href="#">11.4006.2014</a>	O-Ring for general-purpose sealing
<a href="#">11.4006.2017</a>	O-Ring for general-purpose sealing
<a href="#">11.4006.2022</a>	O-Ring for dynamic and static applications
<a href="#">11.4006.2029</a>	O-Ring for high-temperature sealing applications
<a href="#">P/N: 0918317041, Type: 32AT5/545</a>	SYNCHROFLEX® toothed belt
<a href="#">11.6534.0035</a>	Rod Seal
<a href="#">11.6507.0040</a>	Piston Seal
<a href="#">11.5910.0025</a>	Piston Seal
<a href="#">11.5912.2022</a>	Rod Seal
<a href="#">12.2036.0093</a>	Stop buffer
<a href="#">11.2007.1612</a>	O-ring
<a href="#">06.5331.2025</a>	SILTORRID® Silicone coolant hose ID 25 x OD 33 mm
<a href="#">11.5005.0118</a>	A+P Radial-shaft seal form A
<a href="#">1150040276</a>	Radial Shaft Seal
<a href="#">11.6575.0060 / MERKEL P 7-25</a>	Piston seal for hydraulic applications
<a href="#">11.6572.0035 / RS 25357</a>	Rod seal for hydraulic cylinders
<a href="#">11.2003.3306 / OR 156</a>	o-ring
<a href="#">11.2003.5832 / OR 6162</a>	o-ring
<a href="#">11.6511.0130 / 18106187-LRP6187/60</a>	Piston seal for pneumatic systems

Product	Description
<a href="#">11.6536.0115 / 18113106-LRC3106/25</a>	Rod seal for hydraulic systems
<a href="#">11.2003.1572 / OR 3275</a>	O-ring
<a href="#">11.2003.3356 / OR 4337</a>	O-ring
<a href="#">11.2003.0446 / OR 2018</a>	O-ring
<a href="#">11.2003.0450 / OR 2021</a>	O-ring
<a href="#">11.2003.0452 / OR 2025</a>	O-ring
<a href="#">11.2003.0474 / OR 2056</a>	O-ring
<a href="#">11.2003.0486 / OR 2093</a>	O-ring
<a href="#">11.2003.0538 / OR 2350</a>	O-ring
<a href="#">11.2003.1482 / OR 3050</a>	O-ring
<a href="#">11.2003.1552 / OR 3212</a>	O-ring
<a href="#">11.2003.1596 / OR 3425</a>	O-ring
<a href="#">11.2003.0524 / OR 2262</a>	O-ring
<a href="#">OR 112 / 11.2003.1476</a>	O-ring
<a href="#">OR 2031 / 11.2003.0458</a>	O-ring
<a href="#">OR 3950 / 11.2003.1638</a>	O-ring
<a href="#">OR 41200 / 11.2003.3438</a>	O-ring
<a href="#">OR 156 / 11.2003.3306</a>	O-ring
<a href="#">OR 3925 / 11.2003.1636</a>	O-ring
<a href="#">11.2003.5842 / OR 6225</a>	O-Ring
<a href="#">11.2003.3326 / OR 4250</a>	O-Ring
<a href="#">12.2162.9025</a>	Gas Strut
<a href="#">11.2007.1532</a>	O-Ring for industrial sealing applications
<a href="#">12.2037.0013</a>	Bumper
<a href="#">12.2035.1003</a>	round buffer
<a href="#">06.5316.8032</a>	Vibration isolator for noise and vibration reduction
<a href="#">06.5332.1050</a>	Hose
<a href="#">12.2034.0353</a>	APSOvib Cylindrical buffer B
<a href="#">12.2162.5030</a>	Gas spring
<a href="#">12.2162.5040</a>	Gas spring
<a href="#">12.2161.1020</a>	Gas spring
<a href="#">12.2164.1115</a>	vib gas spring
<a href="#">10.2505.8770</a>	High-temperature O-Ring for dynamic sealing
<a href="#">06.5405.1060</a>	Anti-vibration mount for industrial equipment
<a href="#">12.2036.1063</a>	Rubber-metal buffer for vibration isolation
<a href="#">13.0115.8022</a>	threaded cap
<a href="#">13.0115.8018</a>	threaded cap
<a href="#">13.0115.8037</a>	threaded cap
<a href="#">06.5443.5120</a>	Vibration isolator for noise and vibration reduction
<a href="#">12.2070.1001</a>	Anti-vibration mount for industrial applications
<a href="#">12.2064.0603</a>	Machine mount without screw
<a href="#">11.5002.0870</a>	Radial-shaft seal
<a href="#">11.5004.0196</a>	O-Ring for sealing applications
<a href="#">11.2003.2030</a>	O-ring NBR
<a href="#">1120073416</a>	O-ring

Product	Description
<a href="#">11.6512.0255 (pack x100)</a>	Piston seal for hydraulic systems (Pack of 100)
<a href="#">12.2036.0243</a>	Rubber-metal buffer for vibration isolation
<a href="#">12.2035.0141</a>	Anti-vibration mount for industrial applications
<a href="#">11.4005.4076</a>	O-Ring
<a href="#">SA121T-D09</a>	O-Ring for sealing applications
<a href="#">12.2034.0303</a>	BUFFER
<a href="#">1162010910 / 1165610410</a>	Rod and piston seal
<a href="#">11.5004.0204 / NBR70.445.04</a>	O-Ring for sealing applications
<a href="#">8000125243</a>	metal seal spiral seal SPV1
<a href="#">1025058805</a>	Hand guard + door profile EPDM black
<a href="#">06.5331.7008</a>	Silicone hose
<a href="#">0110350204</a>	PTFE tube for industrial fluid handling
<a href="#">1221613010</a>	Gas spring
<a href="#">1026130762</a>	Round cord
<a href="#">0910800040</a>	Wheel
<a href="#">12.2172.3020 200N</a>	Gas spring
<a href="#">06.5046.8050</a>	CLAMP,HOSE
<a href="#">06.5046.8028</a>	CLAMP,HOSE
<a href="#">06.5046.8044</a>	CLAMP,HOSE
<a href="#">10.6406.0710</a>	CONNECTOR,TUBING,ST
<a href="#">10.2507.8874</a>	Hydraulic seal for leakage prevention
<a href="#">12.2004.2910</a>	Buffer For CRIMPER
<a href="#">09.1230.1615</a>	Reducing Sleeve For Portal
<a href="#">09.1220.1671</a>	Taper-Clamping Chuck for Portal
<a href="#">1220362013</a>	bump stop
<a href="#">1220360033</a>	bump stop
<a href="#">8000588954</a>	bump stop
<a href="#">1036050223</a>	Screw seal
<a href="#">06.4541.2025</a>	Vibration isolator for machinery
<a href="#">11.4040.1824</a>	O-Ring for industrial sealing applications
<a href="#">11.4015.3011 / ORM 0215-30</a>	O-Ring for dynamic and static sealing
<a href="#">1220046110</a>	Control board for industrial applications
<a href="#">12.2034.0023</a>	Cylindrical buffer B
<a href="#">1165370080</a>	Rod Seal LRC
<a href="#">10.3605.0222</a>	MEGU Screw seal
<a href="#">11.4049.1818</a>	O-ring
<a href="#">1120032276</a>	O-ring
<a href="#">1120030914</a>	O-Ring for industrial sealing applications
<a href="#">1120032114</a>	O-Ring for dynamic and static sealing
<a href="#">1220350023</a>	Control board for industrial applications
<a href="#">12 2034 0233</a>	Cylindrical buffer B
<a href="#">NBR50 / 1025018385</a>	Gasket Profile 15 x 10 mm NITRILE NBR50 Length ~ 2800
<a href="#">0110350608</a>	FLEXILON® PT PTFE tube ID 6 x OD 8 mm
<a href="#">0110350608 - 3 meter</a>	PTFE tubing for fluid transfer
<a href="#">0110350608 - 60 meter</a>	PTFE tubing for industrial fluid transfer (60 m)

Product	Description
<a href="#">1144752019</a>	O-ring
<a href="#">1220650501</a>	Machine foot for leveling and vibration isolation
<a href="#">10.2503.8661</a>	Welting profile
<a href="#">FKM 75.16-04 / 1140351841</a>	O-Ring
<a href="#">1143041841 PERTEC® / UP FKM 70.501-04</a>	O-Ring
<a href="#">0105350200</a>	SILVERPRESS® Low pressure hose type INOX
<a href="#">1148010117</a>	O-Ring for sealing applications
<a href="#">0655511165</a>	GOLDSTAR E beverage hose without spiral
<a href="#">1026030703</a>	Round cord
<a href="#">0645183150</a>	Vibration isolator for industrial machinery
<a href="#">0655485052</a>	Vibration isolator for machinery
<a href="#">1210090604</a>	Plastic tube
<a href="#">8000491220</a>	O-Ring for sealing applications
<a href="#">1020263325</a>	Cellular rubber profile self-adhesive
<a href="#">1220363013</a>	Bumper
<a href="#">1221050118</a>	rubber-cork plate
<a href="#">12.2037.0003</a>	Stop buffer
<a href="#">1165700050</a>	Scraper
<a href="#">1165700030</a>	Scraper
<a href="#">1221470101</a>	PTFE tubing for fluid transfer
<a href="#">1150040198</a>	Retention ring type A "Angst-Pfister" 48x72x8
<a href="#">1152160020</a>	Front retainer "Angst-Pfister" V-020 A
<a href="#">1152150150</a>	Front retaining ring Angst-Pfister V-150 L
<a href="#">1152120085</a>	Front retainer "Angst-Pfister" V-085 A (88x76x6)
<a href="#">1150020280</a>	Front retainer Angst-Pfister type AS (18x30x7)
<a href="#">1152160028</a>	Front Retaining Ring
<a href="#">1152160014</a>	Front Retaining Ring
<a href="#">1152160190</a>	Front Retaining Ring
<a href="#">1152160065</a>	Angst-Pfister retainer ring VA-0065
<a href="#">1150090333</a>	seal
<a href="#">1025038670</a>	Welting profile
<a href="#">1156011008</a>	Packing gland
<a href="#">1220340103</a>	Cylindrical buffer
<a href="#">1165110070</a>	piston seal
<a href="#">1221625050</a>	gas spring
<a href="#">1152020080</a>	Axial shaft seal GAMMA form RB, NBR
<a href="#">0650469080</a>	Machine foot for industrial machinery
<a href="#">1220360313</a>	stop buffer
<a href="#">0653312064</a>	silicone radiator hose
<a href="#">11.4020.3513</a>	o-ring
<a href="#">11.4035.3531</a>	o-ring
<a href="#">11.4035.5343</a>	o-ring
<a href="#">0918319343</a>	Timing belt
<a href="#">653312076</a>	radiator hose
<a href="#">11.2003.3254</a>	O-ring

Product	Description
<a href="#">11.2003.5878</a>	O-ring
<a href="#">1162250320</a>	sealing
<a href="#">8000529774</a>	Special element
<a href="#">1150050546</a>	Radial-shaft seal
<a href="#">1120031560</a>	O-ring
<a href="#">1145115325</a>	O-ring
<a href="#">1165370165</a>	PTFE Coated Fabric for industrial applications
<a href="#">11.6350.0070</a>	Rod Seal for hydraulic systems
<a href="#">11.5004.0160</a>	Radial-shaft seal form A
<a href="#">1165760065</a>	Gasket
<a href="#">1221113504</a>	Absorbion Plate
<a href="#">11.6610.0020</a>	wiper
<a href="#">1140062414</a>	O-ring
<a href="#">1165370195</a>	PTFE Coated Fabric for industrial applications
<a href="#">1165610085 / UM25X15X6</a>	piston rod seal
<a href="#">1120033274 / NBR 70.00-01</a>	O-ring
<a href="#">PW - 16 3041 4711</a>	servo potentiometer
<a href="#">1165360070</a>	O-Ring sealing
<a href="#">1220701404</a>	Shear mount APK type T, hard
<a href="#">1025088934</a>	hollow profiles
<a href="#">12.2141.5703 / 741 026</a>	Insulating ring
<a href="#">1221322005</a>	bushing
<a href="#">1150090424</a>	Radial-shaft seal
<a href="#">PTFE Coated Fabric 203</a>	PTFE Coated Fabric for industrial applications
<a href="#">1220340273</a>	O-Ring for industrial sealing
<a href="#">1150040042 / A 12/22/7</a>	Radial-shaft seal
<a href="#">1120071154</a>	O-ring
<a href="#">1120071174</a>	O-ring
<a href="#">1120072196</a>	O-ring
<a href="#">1140073080</a>	O-Ring
<a href="#">1221071003</a>	Screw insulation
<a href="#">1140401814</a>	o-ring
<a href="#">1140401818</a>	o-ring
<a href="#">1083216010</a>	Filter foam sheet
<a href="#">12.2036.0043</a>	Stop buffer
<a href="#">P/N: 1221045009, Type: SK-4109-50</a>	High Energy Absorbion SK spring with threaded bolt type
<a href="#">80 0042 8619</a>	Vibration isolator for machinery
<a href="#">1120070468</a>	O-ring
<a href="#">1025088963</a>	Sealing clamping profile with cavity
<a href="#">1220360403</a>	Stop buffer
<a href="#">1220330183</a>	Cylindrical buffer
<a href="#">1140053060 / 1Q713060 / ORM 0600-30</a>	O-Ring
<a href="#">1140053063 / 1Q713063 / ORM 0630-30</a>	O-Ring
<a href="#">1140053082 / 1Q713082 / ORM 0820-30</a>	O-Ring
<a href="#">1140053100 / 1Q713100 / ORM 1000-30</a>	O-Ring

Product	Description
<a href="#">1150090507, Type FKM 80-445-01</a>	O-Ring for sealing applications
<a href="#">PUR 95.315-01</a>	Polyurethane sheet for industrial use
<a href="#">0110301076</a>	PTFE foil self-adhesive white
<a href="#">0265010500</a>	Glass fabrics
<a href="#">1220362033</a>	Stop buffer
<a href="#">12.2036.0003</a>	Stop buffer
<a href="#">1140071060</a>	O-Ring
<a href="#">1120073360</a>	O-RING
<a href="#">1140011060</a>	O-Ring
<a href="#">1120071510</a>	o-ring
<a href="#">1166100110</a>	APSOvib® Rubber Spring for vibration isolation
<a href="#">1221402603</a>	Conical bearing
<a href="#">P/N: 1221380501, Type: 786025</a>	PHOENIX-MEGL cone bearing
<a href="#">1221042525</a>	buffer
<a href="#">0918316067 / 16T5/840</a>	Timing belt
<a href="#">16T5/340</a>	Synchroflex endless timing belt
<a href="#">0918315685 / 6T5/295</a>	Timing belt
<a href="#">0918315897 / 10T5/545</a>	Timing belt
<a href="#">0918315759 / 16T5/365</a>	Timing belt
<a href="#">0918316174 / 10T5/650</a>	Timing belt
<a href="#">0918315913 / 16T5/550</a>	Timing belt
<a href="#">0918315757 / 10T5/365</a>	Timing belt endless
<a href="#">0918315797 / 6T5/410</a>	Timing belt
<a href="#">0918315755 / 6T5/365</a>	High Energy Absorbion crane buffer
<a href="#">1140052021</a>	Marine mount type 1
<a href="#">1221440455</a>	anti-vibration device
<a href="#">1120030760</a>	O-ring NBR 70.00-01
<a href="#">1141550372</a>	O-ring NBR 80.00-01
<a href="#">1221402303</a>	Conical bearing
<a href="#">1220340143</a>	Cylindrical buffer
<a href="#">1221403003</a>	APSOvib® Rubber Bushing for machinery
<a href="#">1144990001</a>	O-Ring for sealing applications
<a href="#">1221321415</a>	Bushing
<a href="#">1221321005</a>	APSOvib® Pressed Bushing for vibration damping
<a href="#">1221321223</a>	APSOvib® Pressed Bushing for vibration damping
<a href="#">1140303559</a>	O-ring
<a href="#">1220645000</a>	reinforced machine mount
<a href="#">10.2504.3096</a>	Edge protection profile
<a href="#">0918312208</a>	Belt tension meter TMconnect small box + cert.
<a href="#">1691571019 / 101.634/FC</a>	Motor
<a href="#">25T5/500</a>	Synchroflex endless timing belt
<a href="#">10T5/255</a>	Synchroflex endless timing belt
<a href="#">16T5/390</a>	Synchroflex endless timing belt
<a href="#">6T5/400</a>	Synchroflex endless timing belt
<a href="#">16T5/270</a>	Synchroflex endless timing belt

Product	Description
<a href="#">1140011813</a>	O-ring
<a href="#">1140351813</a>	O-ring
<a href="#">10.2508.8940</a>	U-clamping profile
<a href="#">1220641401</a>	Machine mount
<a href="#">1220641403</a>	Machine mount
<a href="#">1220641404</a>	Machine mount
<a href="#">11.4006.2075</a>	O-ring
<a href="#">11.2007.0906</a>	O-Ring
<a href="#">1220360514</a>	Stop buffer A, hard Ø 70 mm, H 50 mm, G M10, L 25 mm
<a href="#">12.2036.3043</a>	Stop buffer
<a href="#">0918414015</a>	toothed belt
<a href="#">1165120065</a>	Piston Seal DDP 25,00 x 20,50 x 3,60 mm PTFE MD
<a href="#">1165120085</a>	Piston Seal DDP 30,00 x 23,80 x 4,80 mm PTFE MD
<a href="#">0110351012</a>	tube
<a href="#">12.2141.5703</a>	APSOvib® Insulating ring
<a href="#">1220370063</a>	Stop buffer
<a href="#">1140357060</a>	O-ring
<a href="#">12.2140.2804</a>	Conical bearing
<a href="#">12.2140.2704</a>	Conical bearing
<a href="#">0653220709</a>	APSOseal® O-Ring for industrial sealing
<a href="#">1221470104</a>	APSOvib® Rubber Buffer for shock absorption
<a href="#">1221042020</a>	High Energy Absorbtion crane buffer
<a href="#">1140011807</a>	HITEC® O-ring DW EPDM 70.503-00 ID 3.68 x 1.78 mm
<a href="#">1025088922 (100 m)</a>	Plug-in profile with cavity 28.00 x 14.00 mm CR
<a href="#">1140011055</a>	O-ring
<a href="#">1140011018</a>	O-ring
<a href="#">1140151614</a>	O-ring
<a href="#">1220640504</a>	Machine mount with screw type 113
<a href="#">1220640501</a>	Machine mount with screw type 113
<a href="#">1220330443</a>	Cylindrical buffer A
<a href="#">0652054161</a>	SIKOLIT Food-NSF Silicone hose
<a href="#">1220360163</a>	stop buffer
<a href="#">10.2520.8980</a>	GASKET
<a href="#">0918316555</a>	Timing belt
<a href="#">12.2141.5103 / 741 027</a>	APSOvib® Conical Mount for vibration isolation
<a href="#">1120031146</a>	O-RING
<a href="#">1120031114</a>	O-RING
<a href="#">1120031106</a>	O-RING
<a href="#">08 4518 0007 SV 22-L</a>	Stainless steel straight bulkhead fitting
<a href="#">1162210130</a>	U Piston-Rod
<a href="#">01.3010.1804</a>	plate
<a href="#">1140051280 / HITEC® O-Ring NBR 70.10-02</a>	O-Ring
<a href="#">1120030210 / NORMATEC® O-Ring NBR 70.00-01</a>	O-Ring
<a href="#">8000976192</a>	



Product	Description
<a href="#">NORMATEC O-ring FKM 75.00-01 / 1120070722 package (150 pcs)</a>	
<a href="#">0653312038</a>	Silicone coolant hose without spiral
<a href="#">0130101808</a>	plate
<a href="#">1220370043</a>	STOP
<a href="#">0918147804/ HTD8M-HP-PAZ-W</a>	
<a href="#">0918147811/ HTD8M-HP-PAZ-B</a>	
<a href="#">1120030500</a>	O-ring
<a href="#">1220331113</a>	Cylindrical buffer
<a href="#">1024210002</a>	Cellular rubber square profile EPDM, foamed grey
<a href="#">1166030203</a>	
<a href="#">1150040270</a>	A+P Radial-shaft seal form A
<a href="#">1165320170</a>	Rod Seal RSP
<a href="#">8000554581</a>	Lubroseal
<a href="#">1020263209</a>	adhesive cellular rubber foam tape
<a href="#">0918147812</a>	Timing belt
<a href="#">1220340153</a>	Cylindrical buffer
<a href="#">PN: 1221375070 / Type : 735039</a>	Bushing
<a href="#">1221041015</a>	Absorbition crane buffer
<a href="#">1152160110</a>	
<a href="#">1026130706</a>	Round cord
<a href="#">1220361043</a>	Stop buffer
<a href="#">11.6511.0035</a>	
<a href="#">10.2508.8971</a>	
<a href="#">10.2508.9013</a>	
<a href="#">TM-Nano/09 1831 2210</a>	belt tension meter
<a href="#">13.0104.3240</a>	Lamella plug
<a href="#">11.4020.1820</a>	O-RING Ø14 X 1.78MM EPDM PEROXIDE CURED
<a href="#">12.0109.1210</a>	FLEXILON D Plastic tube, black, rollers 100 m Ø 12 x 10 mm;
<a href="#">12.2140.2703</a>	
<a href="#">EN12115 TRbF131/2</a>	
<a href="#">1014436106</a>	Insulating cord
<a href="#">10.2609.0871</a>	Round cord FKM 75 Shore A black Ø 1,78 +0.30/-0.10 mm
<a href="#">11.4007.2085</a>	HITEC® O-ring FKM 75.16-04 ID 85,00 x 2,00 mm
<a href="#">11.5212.0050</a>	V-ring form A, NBR V-050 A, NBR 60 Shore A
<a href="#">KT-01 2120 1009</a>	PVC-U tube grey, 6 - 75 mm Ø 40 / 34 mm
<a href="#">8000570360</a>	Stroke buffer
<a href="#">Article number 0653267175</a>	hose
<a href="#">FT - 80 0035 4241</a>	
<a href="#">11.4501.2631</a>	
<a href="#">FCX-ULL-CH</a>	amperometric oxygen sensor
<a href="#">FCX-UC-BSF-CH</a>	amperometric oxygen sensor
<a href="#">PW - 16 2021 3814</a>	
<a href="#">1025048720</a>	

Product	Description
<a href="#">1221122025</a>	
<a href="#">SHTM-0300-SPZ</a>	transducer
<a href="#">12.2033.0193</a>	APSOvib® Cylindrical buffer A
<a href="#">1120031556</a>	O-ring
<a href="#">1220363053</a>	APSOvib® Stop buffer F, medium
<a href="#">12.2036.0353</a>	
<a href="#">1150270616</a>	Radial-shaft seal
<a href="#">09.1951.2055</a>	Clamping element Type A 55 mm x 85 mm
<a href="#">1140353508</a>	O-ring
<a href="#">1140353518</a>	O-ring
<a href="#">09.1220.1208</a>	TAPER-LOCK® Bushing type 2012
<a href="#">09.1220.2012</a>	TAPER-LOCK® Bushing type 1210
<a href="#">09.1220.1209</a>	TAPER-LOCK® Bushing type 1210
<a href="#">PEI-S102-1-80-UTI-2</a>	
<a href="#">DT - 80 0033 4341</a>	
<a href="#">1150050558</a>	Radial-shaft seal
<a href="#">741092 / 12.2141.5203</a>	
<a href="#">L1624092</a>	
<a href="#">12.2107.1008</a>	
<a href="#">1150511352</a>	Radial-shaft seal
<a href="#">1034126297</a>	O-ring
<a href="#">3453240000</a>	Special silicone hose without inserts
<a href="#">D63 100.686/FC</a>	worm gears
<a href="#">25-AT5-525-GENIII</a>	
<a href="#">1221400904</a>	APSOvib® Conical bearing HD High Deflection type 1
<a href="#">1202010806 / FEP 8X6</a>	Plastic tube
<a href="#">0653241025</a>	
<a href="#">0653321028</a>	
<a href="#">0653321030</a>	
<a href="#">1120035974</a>	NORMATEC® O-ring NBR 70.00-01 ID 253,37 x 5,33 mm
<a href="#">12.2140.2003</a>	SILENT BLOCK GENERATOR
<a href="#">1165110060</a>	Piston Seal
<a href="#">11.2003.4958</a>	O-ring
<a href="#">11.2003.3670</a>	O-RING
<a href="#">10.2508.8896</a>	Edge protection profile
<a href="#">0890003411 / V0782522000</a>	STRAIGHT THREAD REDUCER