







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Baco Controls

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|--|--|
| <u>23E10D</u> | Contact Block with 1 Normally Open (NO) Contact |
| BA234E22 | Dreifachadapter |
| ZB02ATX | (PR26 1102 A4 PLATE WITH SCREW + 2) |
| P/N: 41050, Type: HC01GRQ7 | Cam switches |
| <u>N68767A</u> | selector switch |
| 40173 / BACO NB02AQ1 / PR12 1102 A4 E Q48PN | CAM SWITCHES |
| P/N: 40284 NC03GQ1, Type: PR12 2203 C8 EQ48PN | cam switch |
| BA0172001 | Switch-disconnector front mounting |
| BAL22EC01B | 22 mm Illuminated Push Button with 1 Normally Closed (NC) Contact |
| PR26 82211E Q64MN | NOCKENSCHALTER |
| BAL22EC03 | PILZTASTER |
| <u>33E01</u> | contact element |
| 33E10 | Contact element |
| P/N: 40002, Type: 333E | Dreifachadapter |
| <u>333E11</u> | Dreifachadapter + 1 NO/1NC |
| P/N: 41384, Type: BACO 172200 | dreipoliger Schaltblock |
| <u>172179</u> | Auxiliary switch OF |
| BA0172267 | BAUSATZ |
| <u>42730</u> | Nockenschalter |
| <u>40192</u> | Dreifachadapter |
| <u>33E01</u> | Screw Terminal Contact Block |
| PR12 13723 R28 E N48MD50 | cam switch |
| <u>BC-16</u> | PUMP WITH ACCU |
| <u>331ED10</u> | NO, slip-connection recorder adapter |
| BAN24084(42197) | 24 mm Emergency Stop Push Button with 1 Normally Closed (NC) Contact |
| BAWE40ABB1(42198) | 40 mm Emergency Stop Push Button with 1 Normally Closed (NC) Contact |
| PR12 68767 R E Q64PN | cam switches |
| P/N: 41061, Type: J48PN51 | Cam Switch |
| <u>BAV48PN50</u> | Cam Switch |
| PR12 2201 CRN12 E N48MD50 | Switch |
| PR12 24935 EZ48 IP55 | cam switch |
| | |

Enapart Group ! Unit 3 Green Lane Workshops Ashington NE63 0EF United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Baco Controls Page 1 / 6





| Product | Description |
|----------------------------------|--|
| BA33RAGL | Selector Switch with 3 Positions |
| BA33R10 | Selector Switch with 3 Positions |
| <u>BC-5 S</u> | Spraying pump 5 lt |
| BAL21ML30 | Drehschalter beleuchtbar |
| BAL21KJ20 | Selector switch |
| <u>264121</u> | contact |
| BA172000 | three-pole switching block 25A |
| P/N: MS3EV733 Type: PR160 | |
| 1103 GN E J723MND61 + | cam switch |
| <u>CB6</u> | Township I and a standard and a stan |
| BA172367 | Terminal cover for devices 3-pin |
| BAT10SA20 | Indicator light green |
| 100PAL001069 | switch |
| NB04AQ1 | Cam switch |
| PR12 49352 E Q48PN , BAN49352 | SWITCH SELECTOR 3 POSITIONS |
| BANB02AQ13A | 22 mm Selector Switch with 2 Positions |
| 40097, BAL22EC01 | pushbutton |
| 40000 , BA33E01 | NC contact element |
| 41771, BAL22EC01B | 22 mm Illuminated Push Button with 1 Normally Closed (NC) Contact |
| LM/HE1420 / 24 vcd | off Rotary switch 2 position 3P |
| <u>N54859R</u> | Selector switch |
| PR1254 019 C8EN1 | Cam Switch |
| <u>333E</u> | Contact Block with 1 Normally Open (NO) Contact |
| PR12 47091 | Cam switch |
| <u>172221 , 41048</u> | main switch |
| <u>172101</u> | |
| <u>E-768</u> | ELECTRIC HIGH-PRESSURE PUMP |
| PR12 8357 C8 E Q48PN | Switch |
| <u>N13643C</u> | 22 mm Emergency Stop Push Button with 1 Normally Closed (NC) Contact |
| <u>MND53</u> | Medium Black Knob with Foolproof for 5 mm Shaft Panel Mount Switch |
| <u>40292</u> | Label Emergency Stop |
| <u>40075</u> | Protective collar lockable |
| NC04GX80 | Cam Switch |
| BACO 331E10 | Normally Open (NO) Screw Terminal Non-Illuminated Contact Block Assembly with 1 Position Clip |
| <u>172001</u> | Key splitters pre-assembly |
| <u>N24935Al5</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>N24074</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>N70583</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |

Baco Controls Page 2/6





| Product | Description |
|--|---|
| <u>N44866</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| NC04GQ1 | cam switch |
| <u>33E01</u> | Contact block |
| <u>LWA0238</u> | DIN Rail Adaptor |
| L21MR03-3E20 | 22 mm Black 3-Position Maintained Selector Switch with Chrome Bezel and 2 Normally Open (NO) Contacts |
| 33EARL | LED Element |
| 227621 | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| PR17 1103 SS3EV493A | cam switch |
| <u>0165509SS</u> | SWITCH |
| <u>0165509LS</u> | 100 A Current, 3 Poles, Long Shaft Door Interlock Disconnect Switch with Yellow, Red Padlockable Handle |
| <u>BC-16A</u> | ACULU PULVERIZATION PUMP |
| NZ51EX80 | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| LBX14102 | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>N68747B</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>LWA0219</u> | 22 mm Grey 30 mm to 22 mm Reduction Ring |
| NS3XV483-IP65 | PR12 12 A Main On/Off Enclosure Yellow/Red Cam Switch with 3 Poles and 3 Contacts |
| <u>N54019</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>N54019A</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| P/N: 41151, Type: NJ01EZ PR12 1201 A8 E Z36 | cam switch |
| P/N: 41704, Type: L21LK00 | key switch |
| P/N: 41699, Type: L21LK00N | keyswitches |
| P/N: 41051, Type: HS3EV733-IP65 | cam switches |
| P/N: 40284, Type: PR12 2203 C8 E Q48PN | cam switches |
| P/N: 41353, Type: PR26 1104 A6 E J723MND51 | Main Switch |
| <u>L21KE03</u> | 22 mm Black 2-Position Maintained Chrome Bezel Selector Switch |
| <u>L62QH21A</u> | |
| <u>LWA0223</u> | 22 mm Black 3-Position Maintained Chrome Bezel Selector Switch |
| 33EAGM | |
| <u>333E10</u> | |

Enapart Group ! Unit 3 Green Lane Workshops Ashington NE63 0EF United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Baco Controls Page 3 / 6





| Product | Description |
|---|---|
| <u>LWA0234</u> | |
| <u>172200</u> | three-pole switch block |
| PR12-1101 A4 E Q48PN | Cam Switch |
| HC01GRQ7 | SWITCH |
| P/N: 41381, Type: BACO 172179 | Auxiliary switch |
| <u>33S01</u> | 1 Normally Closed (NC) Screw Terminal Base Mount Contact Block |
| <u>GC63</u> | Large Level Handle |
| <u>L21AA01</u> | 22 mm Red Spring Return Push Button Head |
| <u>L21KA03</u> | 22 mm Black 2-Position Maintained Chrome Bezel Selector Switch |
| <u>L21AA02</u> | 22 mm Green Spring Return Push Button Head |
| NC03GQ1 | 12 A, 3-Pole, 6-Contact Cam Switch |
| NC03GX80 | Cam Switch with Extended Shaft |
| <u>33S10</u> | contact element |
| 33SARL | Red 24 V Base Mount LED Module |
| <u>33SABL</u> | Blue 24 V Base Mount LED Module |
| 33SAGL | LED element |
| BACO 331ED10 | contact block |
| PR12 2201 C8 E Q48PN50 / NC01GQ1 | 12 A, 1-Pole, 2-Contact Cam Switch |
| PR12 1101 A8 E N48MD5048PN50 / NB01EX80 | 12 A, 1-Pole, 1-Contact On-Off Cam Switch |
| PR12 5201 R23 E N48MD50 / NS01R23X80A | 12 A, 1-Pole, 2-Contact Reversing Cam Switch |
| 333E20 | contact element |
| ZS3EV733-IP65 | PR26 25 A Main On/Off Panel Mount Yellow/Red Cam Switch with 3 Poles and 3 Contacts |
| <u>0172100</u> | 32A 3-Pole Disconnect Body Only |
| <u>0172109</u> | Complete Enclosure with 32A 6 Pole Contacts |
| <u>41187</u> | rotary switch 12 positions |
| <u>165109NS</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| L21AA02-3E11 | 22 mm Green Flush Momentary Chrome Bezel Pushbutton with 1 Normally Open (NO) and 3 Position Clip |
| N23200 / PR12 23200 E N48MD50 | 12 A, 2-Pole, 2-Contact On-Off Cam Switch with Black 22 mm Handle and Legend Plate |
| <u>N24935A</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>N13650B</u> | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>41873</u> | cam switch |
| <u>41218</u> | cam switch |
| <u>0172601</u> | Switch Access Handle Disconnect Switch |
| <u>227601</u> | 12 A, 2-Pole, 2-Contact On-Off Cam Switch |

Baco Controls Page 4 / 6





| Product | Description |
|-------------------------|---|
| <u>SS3EV493A</u> | cam switch |
| L20SE10-3EARM | 22 mm Red Pilot Light Head with 130 V LED and 3-Position Clip |
| L20SE20-3EAGM | 22 mm Green Pilot Light Head with 130 V LED and 3-Position Clip |
| <u>227613</u> | 20 A Cam Switch, 2-Poles, 4-Contacts |
| N16930X-C | Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support. |
| <u>N26430</u> | 12 A, 3-Pole, 4-Position Cam Switch |
| <u>0165309LS</u> | Electromechanical Switch |
| <u>L61BA22</u> | 22 mm Blue Illuminated Push Button with 1 Normally Open (NO) Contact |
| L21ME20-3EAGL20 | 22 mm Green Illuminated Maintained Selector Switch with 3 Positions and 2 Normally Open (NO) Contacts |
| L21ME20-3EAGM20 | 22 mm Green Illuminated Maintained Selector Switch with 3 Positions and 2 Normally Open (NO) Contacts |
| <u>L21AB01</u> | 22 mm Blue Flush Momentary Non-Illuminated Pushbutton with 1 Normally Open (NO) Contact |
| 33EAYL | 24 V AC/DC Yellow LED Module for 22 mm Illuminated Devices |
| 333E (PER PCS) | 3-Position Clip for 22 mm Control and Signaling Devices |
| LT60 (Illuninated) | button caps |
| LT50 (Illuminated) | button caps |
| LT10 (Illuninated) | button caps |
| LT40 (Illuninated) | button caps |
| LT06 (Non- illuminated) | button caps |
| LT05 (Non- illuminated) | button caps |
| LT01 (Non- illuminated) | button caps |
| LT04 (Non- illuminated) | button caps |
| <u>L21AH40</u> | 22 mm Yellow Flush Momentary Illuminated Pushbutton with Chrome Bezel |
| <u>L21AH10</u> | 22 mm Red Flush Momentary Illuminated Pushbutton with Chrome Bezel |
| <u>L21AH50</u> | 22 mm White Flush Momentary Illuminated Pushbutton with Chrome Bezel |
| TC02GQ1 | 2-Position Selector Switch with Key Operated Mechanism |
| <u>L21AH00</u> | Spring Return Push Button Head |
| <u>L21KV30</u> | 3-position Key Switch Head |
| <u>L21NA00</u> | 3-position Key Switch Head |
| PR12 2301 A4 E Q48 PN50 | |
| <u>L21KA03-3E11</u> | Rotary switch switch |
| <u>333E21</u> | Contact element with mounting adapter |
| L21AL20-3EAGL10 | Momentary Illuminated Chrome Bezel Pushbutton |
| <u>33R01</u> | contact element |
| 227546 / NC02GX80 | cam switch |
| <u>33E11</u> | Screw Terminal Contact Block |
| <u>333E02</u> | Screw terminals |
| <u>172221</u> | MAIN CIRCUIT BREAKER |
| <u>L23AA02</u> | Push button |
| <u>L23AA01</u> | Push button |
| <u>L23AA04</u> | Push button |
| <u>L23AH20</u> | push button |

Enapart Group ! Unit 3 Green Lane Workshops Ashington NE63 0EF United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Baco Controls Page 5 / 6





| Product | Description |
|---------------------|--|
| <u>0172500</u> | 3-pole switch body without handle - 100 A. |
| NR51UQ1 | |
| <u>41041</u> | |
| <u>L21KA03-1E10</u> | |
| L21MD03-3E20 | |
| L21AH20-3EAGM11 | |
| L21AH40-3EAYM11 | |
| <u>L21AB01-3E11</u> | |
| NC53DQ1 | Cam switches |
| 41831 / L62QB21 | double push button |
| <u>L21LC00</u> | |
| <u>L22AF02</u> | |
| <u>L22AF01</u> | |
| <u>L21MA03</u> | |
| <u>L22AP10</u> | |
| <u>L22AP20</u> | |
| 33EARM | |
| 33EAWL | |
| <u>335E</u> | |
| 0172175 | Additional Pole |

Baco Controls