







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Banner Engineering

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
p/n: 3075424, Type: EA5E300Q	EZ-ARRAY SERIES MEASURING LIGHT CURTAIN
3075425 / EA5E450Q	Measuring light curtain transmitter plug
P/N: 3075376 Type: K50APFF100GREQP	sensor
3024983 / K50APTGRCQ	Touch Button
K50LGRA1YPQ	Industrial Panel Mount Indicator
K50LGRYNQ	Indicator Light
LS10-EQDH (10004368 / 25092783)	BANNER PHOTELECTRIC EMITTER
LS10RQDH	BANNER 4 PIN EURO QD LIGHT SCREEN RECEIVER
OTC-1-YW	BANNER OPTO-TOUCH
3031941 / Q25SP6FF100	Opto-sensor, reflective light sensor
Q45BB6LLPQ6	rectangle sensor
<u>Q45BB6RQ5</u>	Through-Beam Optical Sensor
QS186EQ8	Photoelectric Sensor
3066460 / QS18VP6DQ8	Diffuse Optical Sensor
QS18VP6LLPQ8	Retroreflective, Polarized Optical Sensor 32.81' (10m) PNP - Dark-ON/Light-ON
QS18VP6LVQ8	Photoelectric Sensor
QS18VP6RQ8	Photoelectric Sensor
P/N: 3002728, Type: QT50ULBQ6	Ultrasonic sensor reflection sensor
78414 / SA-E12M30	BANNER MOUNTING BASE ADAPTER/COVER
STBVP6Q5	Photoelectric Sensor
TL50GRAQ	LED Tower Light with Audible Indicator
3083214 / TL50GYRAQ	LED Indicator – Tower Light
VTBP6Q	Sensor Verification Touch Button
LS2TP30-450Q88	BANNER EZS TYPE2 PAIR PAIR 30MM X 450MM
Q45ULIU64ACRQ6	Photoelectric Sensor
SMA31EQD	mini-beam series industry standard sensor
SM2A312LV	SENSOR, PHOTOELECTRIC, MINI-BEAM RETRO
SM30SRL	Opto-sensor
<u>3027285</u>	Specific Product Information Not Available
<u>DS3-LD-045</u>	Specific Product Information Not Available
SLSP30-750Q88	BANNER CAT 4 PAIR
K50LGXXPQ	50 mm General Purpose LED Indicator
K50LWXXP	50 mm General Purpose LED Indicator

Banner Engineering Page 1 / 16





Product	Description
K50LYXXP	50 mm General Purpose LED Indicator
K50LRXALSXP	50 mm Sealed Loud Audible Indicator
3066452	photosensor
<u>SLSR14-450Q8</u>	BANNER RECEIVER
SLSE14-450Q8	TURCK BANNER EZ-SCREEN EMITTER
M12PDQ8	Photoelectric sensor
Q25SN6FF100Q	Sensor
M18SP6DLQ	Opto Sensor
3032953 / MQAC-415RA	cordset
K50RPFF100GREQ	Bestückungssensor
3076046 /	Destuckungssensor
K50APFF100YREQP	Pick-to-Light Bestückungssensor
DX70N2X6S4P4M2M2	BANNER SURECROSS
DX70G2X6S4P4M2M2	BANNER SURECROSS
<u>DX80N2X6S-PM8</u>	BANNER WIRELESS
QS18VP6LDQ8 (3073045)	Opto Sensor
R55CG1QP	Opto Sensor
<u>SLPP25-970</u>	Safety light curtain (emitt. + receiv. pair)
SLPMP25-970	Ez-Screen Low Profile Muting Pair
SLPMR25-1810P12	Specific Product Information Not Available
<u>SLSCR30-1500P4NT</u>	Specific Product Information Not Available
<u>SC22-3</u>	Safety Controller
SLC1BB6	Safety Light Curtain Receiver
10487549 / 54592000	FIBER OPTIC GLASS
WLC90WGL8Q	WLC90 Work Light; Dimensions: 90X90 mm
PIAT46UHFMTA	Sensor
BT2.53S	HIGH TEMPERATURE FIBER OPTICS
QM26VPAF400Q5	QM26 SERIES WASHDOWN SENSOR
BAT26S	ANGLE FIBER OPTICS
BAT26P	ANGLE FIBER OPTICS
MQDC2S-850	SINGLE-ENDED CORDSETS
<u>IT210SM6</u>	HIGH TEMPERATURE FIBER OPTICS
NC50-CP80-VP4X2	Sensor
<u>IF210S</u>	HIGH TEMPERATURE FIBER OPTICS
SMA912LV	VALU-BEAM SERIES
<u>IAT26SM600</u>	ANGLE FIBER OPTICS
<u>VS2KAP5VQ</u>	VS2 SERIES ULTRA THIN MINIATURE SENSOR
SM2A912LVQD	VALU-BEAM SERIES
SMB915LVAG W/30	VALU-BEAM SERIES
MQDC-1210RA	SINGLE-ENDED CORDSETS
T18VP6URQ	T18U SERIES OPPOSED MODE ULTRASONIC SENSOR
T18VN6URQ	T18U SERIES OPPOSED MODE ULTRASONIC SENSOR
BT28SM8	HIGH TEMPERATURE FIBER OPTICS
PIRS1X1630UMPMAL	ARRAY & SLOT FIBER OPTICS
<u>IA29S</u>	ANGLE FIBER OPTICS

Banner Engineering Page 2 / 16





Product	Description
MBCC2-580	SINGLE-ENDED CORDSETS
MAQDC-8100	SINGLE-ENDED CORDSETS
BF1801L-024	MECHANICAL SWITCHES
<u>SLM180B6</u>	SLM SERIES RUGGED METAL SLOT SENSOR
QMT42VN6AFV400	SENSOR
QMT42VP6AFV400	SENSOR
BR23P	ARRAY & SLOT FIBER OPTICS
IA1.56SMTA	ANGLE FIBER OPTICS
PIA46UMAF	ANGLE FIBER OPTICS
QS18VP6LLPQ-76914	QS18 SERIES ALL PURPOSE PHOTOELECTRIC SENSOR
MSA-RM-1	MECHANICAL SWITCHES
SBRXF1	MULTI-BEAM SERIES
BAT21.33SMST1	ANGLE FIBER OPTICS
Q85BW13LP	sensors
Q85BW13DL	sensors
Q85BW13D	sensors
RP-LM40D-6L	OPE PULL STOP CONTROL DEVICE
QS30RRX W/30	S30 SERIES HIGH-PERFORMANCE LONG-RANGE SENSOR
QS30ARX W/30	QS30 SERIES HIGH-PERFORMANCE LONG-RANGE SENSOR
SMA30PEL	SM30 SERIES 150 M RANGE OPPOSED MODE BARREL SENSOR
S18AW3FF50	SENSOR
<u>IA28S</u>	ANGLE FIBER OPTICS
<u>IT210S</u>	HIGH TEMPERATURE FIBER OPTICS
<u>PLI-A10</u>	TIGHT BEND RADIUS FIBER OPTICS
MQDC-1210ST	SINGLE-ENDED CORDSETS
SM2A912DSRQD	Photoelectric Sensors
PDIS46UM38MSD66	ARRAY & SLOT FIBER OPTICS
MBCC-460	SINGLE-ENDED CORDSETS
IAT27S	Glass Fiber Sensors
BA1.54SMETA	Fiber Sensors
<u>BF26P</u>	Glass Fiber Sensors
K80APPBGXDQ	LIGHT BUTTONS
BAT25S	ANGLE FIBER OPTICS
IAR23SMA	ARRAY & SLOT FIBER OPTICS
<u>BT18S</u>	HIGH TEMPERATURE FIBER OPTICS
<u>IAT2.53P</u>	ANGLE FIBER OPTICS
<u>IAT2.53SM600</u>	ANGLE FIBER OPTICS
Q85VR3LP	Photoelectric Sensor
Q85VR3DL	Retroreflective Sensor
SM312LVQD	BANNER PHOTOELECTRIC SENSOR
BT26SMSS	Fiber Optics
IA1.53SMTA	Inductive Proximity Sensor
QH23SP6CV50Q	Sensor
OPBT3QDH	OMNI-BEAM Power Block
MQDC-415RA	wires

Banner Engineering Page 3 / 16





Product	Description
BWA-QD5.5	connector
BRT-THG-1-100	BANNER RETROREFLECTIVE TAPE
MQD9-415RA	Quick Disconnect Cable
QDE-850D	Circular Cable Assembly Unshielded
SMBAMS70AS	Mounting Bracket For Ip68 High Intensity Area, 70M
QDE-875D	Single-Ended Cordset
T18GRYN	DC-Operated LED Indicators
T18GRXN	General Purpose Indicator
T18GRXNQ	General-Purpose Indicator
T18GXYNQ	General Purpose Indicator
S18SN6D W/30	S18 TYPE SENSOR IN THREADED HOUSING
PBP46UM2.5	Fiber Optic Sensors
PIF66UMVFA	fibre-optic cable
RPA-C1-10	ROPE WIRE
PIT46UM5	PLASTIC FIBEROPTIC ASSEMBLY
VS25EVQ-69237	SENSOR
EZS-1200	EZ-SCREEN™ Lens Shields
EZA-MBK-13	SCREEN ACCESSORY RETROFIT
EZA-MBK-14	SCREEN ACCESSORY RETROFIT STI
EZA-MBK-15	SCREEN ACCESSORY RETROFIT KEYANCE SUNX
IT23P	Individual Glass Fiber
PBPF26UMB	INLINE FIBER OPTICS
PBPS66U	ANGLE FIBER OPTICS
QS18EP6FPQ8	FIBER OPTIC AMPLIFIER
CL50YXXPQ	LED COLUMN LIGHTS
EZSS-1650	SHIELD EZ SCREEN SNAP-ON
Q126E-81524	Sensor (Photo-electric)
MQDC-530RA	SINGLE-ENDED CORDSETS
MQDC2S-815RA	SINGLE-ENDED CORDSETS
STP-MAQDC-806	DOUBLE-ENDED CORDSETS
VSM4RP6R	Sensor
QDC-515C	Sensor Cable
EZS-1350	Lens Shields
T18GRYNQ	General-Purpose Indicators
<u>VS4RN5R</u>	Opposed-Mode Sensors
APG30S	Aperture Kit
T18RP6LP	Sensor
QDU-515C	MICRO-SCREEN Cable
SI-QS75MC	PLASTIC COMPACT SAFETY SWITCHES
M186E W/30	METAL BARREL-MOUNT SENSOR
SI-LS83SD	PLASTIC COMPACT SAFETY SWITCHES
SI-LS83SRAD	PLASTIC COMPACT SAFETY SWITCHES
SI-LS83SE	PLASTIC COMPACT SAFETY SWITCHES
SI-LS83SRAE	PLASTIC COMPACT SAFETY SWITCHES
T86EVQ5	SELF-CONTAINED BARREL-MOUNT SENSOR

Banner Engineering Page 4 / 16





Product	Description
Q12AB6R	MINIATURE SELF-CONTAINED SENSOR
Q12AB6RQ	MINIATURE SELF-CONTAINED SENSOR
Q12RB6RQ	MINIATURE SELF-CONTAINED SENSOR
Q12AP6RQ3	MINIATURE SELF-CONTAINED SENSOR
TL50HGQP	LED TOWER LIGHT
K30LMXXPPB2	GENERAL PURPOSE ILLUMINATED PUSH BUTTONS
K30LRXXPPB2Q	GENERAL PURPOSE ILLUMINATED PUSH BUTTONS
K30LBXXPPB2Q	GENERAL PURPOSE ILLUMINATED PUSH BUTTONS
K30LMXXPPB2Q	COLOR INDICATOR WITH DRY CONTACT SWITCH
PBPS46UMT	Plastic Fiber Optic Cable
DS18AP6LPQ8-79909	WIDE BEAM BARREL-MOUNT SENSOR
MQVR3S-530	SINGLE-ENDED CORDSETS
MQDC20-530	SINGLE-ENDED CORDSETS
MQAC-450	SINGLE-ENDED CORDSETS
MQDEC-450SS	DOUBLE-ENDED CORDSETS
MQEAC-630	SINGLE-ENDED CORDSETS
<u>TL50ALS</u>	LED TOWER LIGHT
Q25SP6R W/30	RIGHT-ANGLE BASE-MOUNT RECTANGLE SENSOR
PIT26UHF	TIGHT BEND RADIUS FIBER OPTICS
S18RW3R W/30	EPOXY ENCAPSULATED BARREL-MOUNT SENSOR
PIT46UM14TL	PLASTIC FIBEROPTIC ASSEMBLY & MOD'S
Q10RP6RQP2	Photoelectric Sensor
PIL46UHF	FOCUSED & EXTENDED RANGE FIBER OPTICS
Q10AP6RQP2	Miniature Photoelectric Sensor
QS18VP6RQ5-19637	General Purpose Photoelectric Sensor
QS18VP6RQ5	PHOTOELECTRIC SENSOR
<u>FLX30-DM30</u>	Flexible Mounting Arm
SMBP4RAS	Right-Angle Swivel Mounting Bracke
M18GRBPQ	General Purpose Indicator
<u>DELP-1150E</u>	Double-Ended Cordset
T30RGX8PQ8	Specific Product Information Not Available
IVURDM-QDK-803	Specific Product Information Not Available
NI35-CP40-AN6X2	Specific Product Information Not Available
DBQ5	Sensor
Q10AN6DQ	Photoelectric Sensor
Q10RN6D	Miniature Self-Contained DC Photoelectric Sensor
Q10RN6DQ	Photoelectric Sensor
Q10AP6D	Photoelectric Sensor
IVU LICENSE BCR	Sensor Splitter Cable
CSB-M1240M1241	Splitter Cable
<u>PIT420U</u> <u>DEC2-505C</u>	Fiber Optics Specific Product Information Not Available
	<u> </u>
Q452EQ25	Through Beam Sensors
PIFM46UHF PIF26UMFL.200	Fiber Optics, Plastic Fiber, Opposed, Length 2m Fiber Optics, Glass Fiber, Opposed, Length 1m, Angle
<u> </u>	i ibei Optico, Glass Fibei, Oppuseu, Letigtii IIII, Atigle

Banner Engineering Page 5 / 16





Product	Description
PIF26UMFL.315	Specific Product Information Not Available
EZA-QDR-8	Screen Accessory
K30LXXGPQP-17559	1-Color General Purpose Indic, EZ-LIGHT K30L Series
<u>T30SP6R</u>	Through-Beam Optical Sensor
PIL430U	Fiber Optics, Glass Fiber, Diffuse, Length 1m, Thread
M18GRXN	2-Color Indic
M18GRXNQ	M18 Series EZ-LIGHT: 2-Color General Purpose Indic
<u>IT2.83SM6</u>	Opposed Mode Individual Glass Fiber
LCF04	Specific Product Information Not Available
PBP46UHF	Fiber Optics
PBPF215U	Fiber Optics, Glass Fiber, Opposed, Length 1m, Ferrule
PBF26UHF	Fiber Optics, Plastic Fiber, Opposed, Length 1m, Thread
SMBPVA16AB	Bracket
<u>EZS-1500</u>	Ezs-1500 1500mm Shield Ez Screen
BT210SM8M900 3024858	High Temperature Fiber Optic Cable
<u>T306EQ</u>	Through-Beam Optical Sensor
<u>DX70G2X6S4P8</u>	Sure Cross® DX70 Wireless Gateway
<u>DX70N2X6S8P4</u>	Sure Cross® DX70 Wireless Node
QM42VT1	Vibration and Temperature Sensor
DX80N2Q45VT	Wireless Q45 Vibration and Temperature Node
3087097 / DX80G2M6S- PM2	Gateway
K80LGRYB4NQ	EZ-LIGHT® 4-Color, Multi-Function Indicator
MQDC1-530	5-Pin Euro-Style Cordset
P/N: 3031934 Type: Q25SP6LPQ	sensor
Q40SP6FF400Q	sensor
SMBQ4XFAM10	Mounting Bracket for Q4X Series Sensors
Q4XTILAF300-Q8	photoelectric sensors
IVU2RGR12	iVu Series Gen2 Vision Sensor
<u>RD35</u>	Remote Display for Wireless Networks
SBF1 BANNER MULTI- BEAM	3/4 WIRE HIGH SPEED GLASS FIBER
PBP BANNER MULTI- BEAM	3 & 4 WIRE POWER BLOCK
LM3 BANNER MULTI- BEAM	LOGIC MODULE
26836 / SM312FQD	Sensor
NO5-Q08-AP7X2	BANNER PHOTOELECTRIC SENSOR
P/N: 3087097 Type: DX80N2X6S-PM2	Performance PM2 Node with IO Mapping
Q45BB6LLP	Wireless Q45 Sensor with Push Button
TL50GYRQ	Light Tower
P/N: 3090971 Type: IVU2PRBXC	Barcode Reader

Banner Engineering Page 6 / 16





Product	Description
P/N: 3088098 Type:	· · · · · · · · · · · · · · · · · · ·
WLS28-2XW145DSQ	LED Work Light Strip
P/N: 3029512 Type: RDM35	Remote Display Module
P/N: 3082482 Type: LEDGB150X150PW2-XQ	LED Area Light
<u>P/N: 3064179 Type:</u> <u>STBVP6</u>	SAFETY TOUCH BUTTONS
BWA-USB1WIRE-001	DOUBLE-ENDED CORDSETS
<u>P/N: 3047558 Type:</u> <u>Q45ULIU64BCRQ6</u>	Ultrasonic Sensor
3032723 / SMB30A	bracket
<u>BRT-40X23B</u>	BANNER REFLECTOR
BRT-100X18A	Retroreflective Target: Rectangular
BRT-80X50CM	BANNER MICROPRISM 80X50MM REFLECTOR USED WITH LT3
<u>BRT-42</u>	BANNER LIGHT REFLECTOR
BRT-42A	BANNER RETROREFLECTIVE TARGET: CIRCULAR - DIAMETE
BRT-2A	BANNER RETROREFLECTIVE TARGET: CIRCULAR - DIAMETER
<u>BRT-51X51BM</u>	BANNER LIGHT REFLECTOR
<u>DBQEZLPTL</u>	Demo Box for EZ-LIGHT Pick-to-Light
3066452 / QS18VP6LPQ8	Retroreflective, Polarized Optical Sensor
<u>BRT-84</u>	Retroreflective Target: Circular
3040071 / BRT-2X2	Retroreflective Target: Square
<u>VS25EVQ</u>	VS2 Series Opposed-Mode Emitter
<u>VS2RP5RQ</u>	VS2 Series Opposed-Mode Receiver
<u>P/N: 3070230 Type:</u> <u>QS30LD</u>	QS30 Series Laser Diffuse Sensor
<u>TL50GYRAOSQ</u>	Tower Light
K50LGRYPQ	indicator light
MBCC-412	4-Pin Mini-Style Cordset
T30SN6RQ	T30 Series Ultrasonic Sensor
<u>P/N: 3091681 Type:</u> <u>LE250IQ</u>	Optical Sensor
Q25AW3LPQ3	Q25 Series Photoelectric Sensor
MQAC-406RA	Right-Angle Micro-Style Cordset
QS18VP6LPQ5	Sensor
QS30DQPMA	QS30 Series Diffuse-Mode Sensor
P/N: 3033420, Type: T186EQ	Optical Photoelectric Sensor
P/N: 3033422 Type: T18SP6RQ	T18 Series Opposed-Mode Receiver
<u>SM312W</u>	PHOTOELECTRIC SENSOR
Q12AB6FF50Q	Q12 Series Fixed-Field Sensor
R58ECRGB1Q	R58 EXPERT Register Mark Sensor
P/N: 3075044 Type: R58ECRGB2Q	R58 EXPERT Register Mark Sensor

Banner Engineering Page 7 / 16





Product	Description
3087105 / DX80N2X6S- PM2	Gateways PM Series Node- LCD for Diagnostics; 2.4 GHz, IP67 /NEMA 6; Inputs:Four selectable NPN/PNP discrete; Two 0-20 mA; Outputs: Four PNP discrete; Two 0-20 mA
P/N: 16557, Type: 3GA5- 14	Optical Edgeguide System
P/N: 3061648 Type: QS18VP6CV45	Photoelectric Sensor
SM312LVMHS-50248	Photoelectric Sensor
QM42VT2	Vibration/Temp Sensor
MQDEC2-550RA	ELBOW TYPE CABLE SOCKET
P/N: 3076420 Type: T8LGRXPQP	T8 Series EZ-LIGHT 2-Color General Purpose Indicator
P/N: 3033200 Type: SMB18A	18 mm Right-Angle Mounting Bracket
QS18VN6LP (61627)	photoelectric sensör
SM30PRLBW/30	SM30 Series Polarized Retroreflective Sensor
<u>SLSR14-300Q8</u>	Safety Light Screen Receiver
<u>LM4-2</u>	Photo Sensor Module
SBDL1	Scanner Block
<u>PBT</u>	Power Block
<u>LM4-2M.1</u>	Logic block
P/N: 3078860 Type: DX80N2X6S0P0M4M4	System interface/media gateway for bus syste
P/N: 3800137 Type: DXM100-B1R3	DXM100 Series Wireless Controller with 2.4 GHz Radio
P/N: 3095667 Type: DX80N2X6S-P6	Sure Cross® wireless system
P/N: 94597 Type: QM42VT1	Wireless Vibration and Temperature Sensor
P/N: 95664 Type: BWA- BK-001	Mounting Bracket Kit for QM42VT1 Sensor
D10DPFPQ	Dual Discrete Outputs
PIT26U	Specific Product Information Not Available
<u>PKG6Z-2</u>	M8 Pico-Style Cordset, 6-Pin Female, 2 m
P/N: 67380 Type: LT3BDLV	LT3 SERIES 50 M RANGE TIME-OF-FLIGHT LASER SENSOR
QT50R-EU-AF2Q	Radar Sensor
3801918 / Q4XTKLAF600- Q8	Laser Sensor
WLB92X1100PBQ	WORK-LIGHT
M12FTH4Q	TEMPERATURE AND HUMIDITY SENSOR
DXM100-B1R3	INDUSTRIAL WIRELESS GATEWAY
BWA-BK-001	Mounting apparatus
P/N: 94773, Type: LMBWLS27SP	Bracket: For use with WLS27
P/N: 3036393 Type: S186ELDQ	S18 Series Laser Diode Emitter with M12 QD
OASBFV	BAFFLE SENSOR
SI-LS42WSG	Electromagnet
	· ·

Banner Engineering Page 8 / 16





Product	Description
DWA BI(000 (000070)	M . II . B . I . I (II (. O.15 O .) . O
BWA-BK-008 (802370)	Mounting Bracket Kit for Q45 Series Sensors
QDE-815D	Single Ended Cordset
SMBWLS28RA	Hand Mounting
WLS28-2CW285DXQ	Work Light Strip
LTF12IC2LDQ	Opto-sensor
P/N: 3029409, Type: S186E	Optical Photoelectric Sensor
P/N: 3029408, Type: S18SN6R	Optical Photoelectric Sensor
P/N: 3033421, Type: T18SN6RQ	Optical Photoelectric Sensor
Q12AB6FF30Q	CMI cap tightening sensor
<u>87489</u>	Industrial LED Light Bar
<u>87490</u>	Industrial LED Light Bar
<u>Q453E</u>	Q45 Series Photoelectric Sensor, 3-Wire DC
Q45VR3R	Q45 Series Opposed-Mode Receiver
<u>80458</u>	Ultrasonic material detection sensor
T30SN6FF200	sensor
SSA-EB1PLYR-12ECQ8	SSA-EB Series Lighted Emergency Stop Push Button
OTBVR81QD	Optical Touch Button with Bipolar Output
OTBVP6QD	Optical Touch Button with PNP Output
OTBA5QD	OTB Series Optical Touch Button with SPDT Relay Output
MQDEC2-415	M12 Euro-Style Cordset, 4-Pin Straight Female, 5 m
K50APLPGXDQ	K50 Series Illuminated Pick-to-Light Touch Button
<u>AG4-4E</u>	AG4 Series Safety Laser Scanner
<u>85068</u>	Q45 Series Retroreflective Sensor
805002	M12 Euro-Style Cordset, 5-Pin Female, 2 m
<u>72154</u>	SMB30A Mounting Bracket
18348 / AHC2158496	BANNER LMB30RA
807139	K50 Series Touch Button with Integrated Indicator
<u>807138</u>	Information Not Available
02879	Information Not Available
K50LGRAL1YPQ	Panel Mount Indicator
32311 / PVL500PQ	PVL Series Parts Verification Array
Q3XTBLD-Q8	Laser Contrast Sensor
<u>25620</u>	MINI-BEAM FIBER OPTIC AMPLIFIER
10137 / SA-M30TE12	Stand-Off Pipe Adapter/Cover
10443 / SOP-E12-150A	150 mm Elevated-Use Stand-Off Pipe
37628 / Q45AD9DLQ	Rugged rectangle sensor
32470 / T18SP6FF50	Information Not Available
26892 / SM312WQD	Photoelectric Sensor
WLS28XW285XQ	Work light strip
3029988 / SSA-EB1PLXR- 12ED1Q8	Surface Based Illuminated Emergency Stop Button

Banner Engineering Page 9 / 16





Product	Description
3085064 / XS26-2DE	<u> </u>
	Safety Controller Information Not Available
29510 / S18SP6RQ	FIBER OPTIC SENSOR
801976 / PGIRS66U-100	
87576 / DF-G3-PS-2M	FIBER OPTIC AMPLIFIER
20065 / IAT23PMSS	Information Not Available
SX5-B	Safety Laser Scanner
MIAD9LVAGQ	Opto sensor
QS18VP6LLPQ5	Photoelectric Sensor
<u>PBA</u>	Power Block
SC10-2ROE	Safety Controller
Q12RB6RQ5	Sensor
<u>Q126EQ5</u>	Sensor
3077763 / Q20NLP	Photoelectric sensor
SMBQ20L	Bracket
SLLP23-420P88	Safety Light Curtain Pair
QS18UPAQ8	sensor
MQDC-415	Cable Assembly
61631 \ QS18VP6LPQ	Gage
89583 \ SLLP40-910P55	Safety Light Curtain Pair
OTBVR81	Information Not Available
T18SP6FF100Q	T18 Series Photoelectric Sensor
<u>B-TL70-Q8</u>	TL70 Base Module
MQDC1-506	5-Pin M12 Euro-Style Cordset
3087105 / DX80G2M6S- PM2	WIRELES SIGNAL SENDER
BT210SM900	Fiber optik cable(red eye)
K50LGRXP	Panel Mount Indicator
K30LGRYP	Panel Mount Indicator
SLSP14-1500P88	Safety Light Screen Pair
SLSP14-450P88	Safety Light Curtain Pair
K30LGRXPQ	K30 Series LED Indicator
VS25EQ	ULTRA THIN MINIATURE SENSOR
3025366 / QT50R-EU-AFH	QT50R Series Radar Sensor
3061636 / QS18VP6LV	QS18 Series Photoelectric Sensor
p/n: 3097843, Type: WLB32ZC1130EPBQM	Work light bar
P/N: 71817, Type: LX24RQ	LX Series
P/N: 71802, Type: LX24EQ	LX Series Light Screen Emitter
SME312LPCQD	MINI-BEAM Expert Photoelectric Sensor
3072132 / Q12RB6LPQ	photocell
Q12RP6RQ3	MINIATURE SELF-CONTAINED SENSOR
BRT-44X29A6	Reflector
OPBT2QDH	Sensor
OSBF	Sensor Head
3071817 / LX24RQ	RECEIVER PHOTOCELL
OUT TOTT / LAZTING	HEGENETITIOTOGELE

Banner Engineering Page 10 / 16





Product	Description
3071802 / LX24EQ	EMITTER PHOTOCELL
45LM58	Mechanical switch
Q45BB6FQ5 (38667)	RUGGED FIBER OPTIC AMPLIFIER
Q45BB6LVAGCQ5-63649	Q45 Series Adjustable-Field Sensor
IAT23S	Information Not Available
IAT26S	Glass Fiber Optic Cable, 90° Angle, 6 ft
ES-UA-5A	Emergency Stop Safety Module
SI-LS42DMSIF	SAFETY SWITCH SPRING LOCK
SM912FQD	Miniature Photoelectric Sensor with Quick Disconnect
S18AW3D	18 mm Barrel Sensor, Diffuse Mode
SSA-EB1P-02	Emergency Stop Push Button, 40 mm Actuator, 2NC Contacts
SMBQ4XFAM12	Mounting Bracket for Q4X Series Sensors with M12 Connector
MAR4816PX485Q	MultiHop Data Radio, 2.4 GHz, 16 I/O Points, RS-485 Interface
MAE4816Q	MultiHop Modbus I/O Data Radio, 2.4 GHz, 16 I/O Points
RP-LS42F-75L	Heavy Duty Plastic Emergency Stop Rope Pull Switch
WLH60XW640B	WLH60 High Temperature LED Strip Light
T30R-1515-KIQ	T30R Series Ultrasonic Sensor with Analog Output
BWA-BK-013	Bracket
AT-FM-10K	AT-FM Series Fiber Optic Amplifier with Analog Output
P/N: 71561, Type: QS30EXQ	sensor
MQDEC3-530SS	M12 Euro-Style Cordset, 5-Pin Double-Ended, 9.2 m
MQDC-4506SS	M12 Euro-Style Cordset, 4-Pin Double-Ended, 1.83 m
RSD1QP	Remote Sensor Display with Quick-Disconnect
MQDC2S-815 \ 3070976	connecting cable
<u>3076959 /</u> <u>K50LGRYBWPQ8</u>	LED display, beacon
SI-MAGB2SM	COVER MAGNETIC SENSOR RECEIVER
79217 / SLM20B6	rugged metal slot sensor
SM312FQD-40396	Sensor
3002661 / LX3EQ	Optical Sensor
QS30FF400	QS30 Series Fiber Optic Sensor, 400 mm Range
<u>SM312D</u>	Photoelectric Sensor
MQDC-406	Cable Assembly
LS2TR30-600Q8	Light Curtain Receiver
<u>LT3PUQ-79783</u>	Sensor
SM912LVAG	VALU-BEAM® 912 Series Polarized Retroreflective Sensor
Q60VR3AFV1000	Q60 Series Adjustable-Field Visible Red Sensor
<u>QDEG-8100D</u>	M12 Euro-Style Double-Ended Cordset, 8-Pin, 1 Meter
<u>Q45BW13LP</u>	rectangle sensor
SM2A31RQD	Mini-beam series industry standard sensor
OTBVN6	OTB Series Optical Touch Button with NPN Output
P/N: 58979, Type: BRT-84	retroreflective target reflector
MQDEC2-515	Cable Assembly
ES-FA-9AA	Emergency Stop Safety Module

Banner Engineering Page 11 / 16





Product	Description
T30SN6R W/30 EZ-BEAM	Sensor receiver
T306E W/30 EZ-BEAM	Sensor
K50L2RGBKQ	programmable multicolor indicator
K30APT2FXBF2QP	Indicator
S18-2VPDL-Q8	Photoelectric Sensor
S18RW3DL	Photoelectric Sensor
88407	Q45 Series Retroreflective Sensor
SM312FQD	Optic amplifier
MPC3	Amplifier Module
<u>VSM-2M5APD100-2M</u>	VSM-2 Series 5 mm Barrel Diffuse Sensor
27060 / SE61RNCMHS	SE61 Series Safety Light Curtain Receiver
25971 / SE61EMHS	ECONO-BEAM® SE61 Series High-Speed Emitter
TL70BGYRAPQ	Stack Light Complete Unit
SOK-TL70-150A	Pipe Brkt Kit
MAQDC-830	Cable Assembly
MAQDC-8125	Single-Ended Cordset
STBVR81 / 64190	Self-Checking Touch Button
QS18EP6XLPCQ5	Retroreflective, Polarized Optical Sensor
WLC60XW640AQ	Work Light
<u>EA5E600Q</u>	Optical Sensor
EA5R600PUXMODSRLCQ	measuring light curtain
<u>45LM5</u>	Q45 Series Logic Module with Delay Functions
3092336 / TL70GYRQ	LED display
<u>P/N: 8004811 Type:</u> <u>WAKC4K</u>	connector
FIC-M12F4	M12 Euro-Style Field Wireable Connector, 4-Pin Female
S18SP6DLQ	Photoelectric Sensor
3002667 / LX3RQ	Photoelectric Sensor
3077761 / Q20PLP	sensor
QS18UPA	Optical Sensor
810628 / S15C-I-MQ	In-Line Converter
812240 / DXMR90-X1	Controller
812041 / R45C-B22-SQ	In-Line Converter
<u>3096764 /</u> <u>K50APT2GRYF2Q</u>	Assembly sensor
MQDC2S-815	Single-ended cordset
3097183 / VELC85-BG	image processing, lens cover
3097184 / VELC85-PC	image processing, lens cover
3047553 / Q45ULIU64ACRQ	ultrasonic sensor, reflection sensor
PTL110S-FF100TD3- QP150 / 805482	LED light modules
SLPR25-550P8	receiver
DELPE-81D	Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m
LPA-MBK-11	EZ-SCREEN Low Profile End Mounting Bracket

Banner Engineering Page 12/16





Product	Description
QS18VP6LDQ8	Diffuse Optical Sensor
<u>3087484 /</u>	Work lamps, line lamp
WLB32C1130PBQ	work lamps, line lamp
<u>TUR3802557</u>	
T18SP6LPQ	photoelectric sensor
S30SP6RQ	Photoelectric sensor, thru-beam sensor (receiver)
<u>S306EQ</u>	Photoelectric sensor, thru-beam sensor (transmitter)
51127 / AHC1929749	BANNER MQDC1-506
83214 / AHC1965454	BANNER TL50GYRAQ
R55FVQ-14341	R55F Series Fiber-Optic Color Mark Sensor
<u>SLSE14-600Q8</u>	Personal protection light curtain, transmitter
SMB30SC	Mounting Fixings Bracket
OTBVP6	OTB Series Optical Touch Button with PNP Output
<u>T18-2VPRL-Q8</u>	Through-Beam Optical Sensor
3029508 / S18SP6DQ	Photoelectric sensor, reflection light sensor
3053981 / Q45VR3LV	Photoelectric sensor, reflection light barrier
MBCC2-506	Cordset
SM91RFQD	SIGNAL TURNER
<u>36150</u>	CYLINDRICAL INDUCTIVE SENSOR PNP
<u>25530</u>	SIGNAL CONVERTER
WLS27PXRGBW285DSQ	LIGHT STRIP
MQDC-506	PRO CONVERTER
CSB-M1251FM1251M	CONNECTOR
<u>PSW-24-1</u>	DC Power Supply
<u>ESL-41/60-ENES</u>	Energeney stop
MQDEC2-430RA	Cordset
T18-2VPFF100IR-Q8	Background Suppression Optical Sensor
BA1.53SMETAM600	Photoelectric Sensor
WLH60XW340GB	WLH60 Series High Temperature LED Light
Q4XTBLAF500-Q8	Laser distance sensor
<u>SLM10B6, 74965</u>	SLM Series 10 mm Slot Sensor with Bipolar Output
T18-2VPRL-Q8, 802607	T18-2 Series Polarized Retroreflective Sensor
QS30EXQ	photoelectric sensor
QS30RRXQ	photoelectric sensor
<u>LX3EQ</u>	Safety Light Curtain
M18TUP14Q-77118	Temperature sensor
<u>VE200G1A</u>	image processing, smart camera
<u>VE201G1A</u>	image processing, smart camera
<u>SI-LS83PBD</u>	SI-LS83 Series Safety Interlock Switch
<u>3813083 /</u> <u>K100PLRGB7AQ</u>	tower light
K50LGRYP	Rearable
S18UBAQ	proximity sensor
MACP-1	Safety Light Curtain
BMEL3032A	Photoelectric Sensor

Banner Engineering Page 13 / 16





Product	Description
BMRL3032A	Photoelectric Sensor
WLB32ZC850EPBQMEF	Work light bar
R45C-KUU-UUQ	Interface Module
WLS27PXRGBW570DSQ	Led Lighting Bars & Strips
S15CM-PF-UQ	Circular Metric Connector
BFW-M12M4-6X	Circular Metric Connector
BFW-M12F4-6X	Circular Metric Connector
87852 / LMBWLB32-180S	Mounting Bracket
73661 / MQDEC2-406	Cordset
S18-2VPLPC-Q8	Photoelectric Sensor, Polarized Retro, 6m, 10-30VDC, PNP, QD, S18-2
BRT-60X40C	Reflector, Rectangular, 60mm x 40mm
Q60BB6AF2000Q	Photoelectric Sensor, Adjustable Field IR, 2m, 10-30VDC, NPN/PNP, QD
T30UXDCQ8	T30UX Series Ultrasonic Sensor with Discrete Output
Q240RA-Z2CN	Radar Sensor
QS18VN6RBQ5	Opto-sensor, one-way light barrier (receiver)
SLPMP25-690P128	safety light curtains
QS18VP6LQ	photoelectric sensors
SMU315D	Photoelectric Sensor
OTBA5	photoelectric sensor
SM312F	Photoelectric Sensor
3022317 / IAT2.53SM600	Glass Fiber Optic Cable, 2.53 mm Diameter, 600 mm Length
QT50R-EU-AFHQ	R-Gage Series Photoelectric Sensors Radar Sensor
QCM50-K1D60-Q8-4	BRACKET
SMBQCM50L	Stainless Steel Right-Angle
CSB-M1251M1251B	DIVERTER CABLE
T30SP6FF400	cylindrical optical sensor
QS18EN6D	Photoelectric Sensor
QS30EDVQ	Diffuse Optical Sensor
Q12AP6FF30Q3	Background Suppression Optical Sensor
T18-2VNFF50IR-2M	Background Suppression Optical Sensor
86746 / LE550IQ	Distance Sensor
<u>45LM5D</u>	Q45 Series Logic Module with Delay Functions
WLC90IGL30RQ	LED LAMP
QS30EXQ-17527	Photoelectric Sensor
QS30ARXQ-17528	Photoelectric Sensor
QS30ARXQ-17530	Photoelectric Sensor
QS30EXQ-17529	Photoelectric Sensor
OTBVP6QDH	Photoelectric Sensors
<u>RP-LM40D-6</u>	cable pull switch
802619 / T18-2NAES-Q8	Photoelectric Sensor
810672 / WL50-3W	work lamps, spot light
<u>RSBF</u>	Right-Angle Bracket for T30 Series Sensors
RLM8	MAXI-BEAM Logic Module with One-Shot and Delayed One-Shot Functions
TM18VP6LPQ8	Retroreflective Optical Sensor
<u>T18-2NAEL-Q8</u>	Through-Beam Optical Sensor

Banner Engineering Page 14 / 16





Product	Description
45007 / BRT-41AHT	RETROREFLECTIVE TARGET
SM30SRLMC1 W/30 70987	Through-Beam Optical Sensor 492.13' (150m) NPN/PNP - Dark-ON/Light-ON
SMA30SELMC1 W/30 70923	Through-Beam Optical Sensor 492.13' (150m)
IA23S	Fibre Optic Sensor
Q10AP6DQ	Photoelectric Sensor
802139 / K30L2RGB7	
803770 / MQDC-506-USB	usb
77986 / K50LGRYA120Q	Indicator Light
<u>TUR3808760</u>	
S22AMTSGRY3T	
K30PLKQ	Industrial Panel Mount Indicator
3801130 / LTF12KC2LDQ	Photoelectric Sensor
71562 / QS30ARXQ	Photoelectric Sensor
STBVR81Q	Touch Button
MBCC-512	Sensor Cables / Actuator Cables
WLB32ZC850PBQMB	LED light strips and light strips
WLB32ZC285PBQMB	LED light strips and light strips
LQMAC-306B	CABLE
83435 / K50FLGRYPQ	
91290 / Q4XTBLAF100-Q8	Q4X Series: Laser Adjustable Field, Range: 100 mm; Input: 10-30 V dc, Outputs: Bipolar: 1 NPN; 1 PNP, Connection: 5-pin M12 Integral Connector
<u>IT23SM900</u>	Fiber Optic Sensor
<u>SM912F</u>	Photoelectric Sensor
K50RBT2RGHQ	
3806614 / QCM50-K3D60- Q8-5	Photoelectric Sensor
3815694 / Q90R-4040- 6KIQ	Radar Sensor
<u>L9SS</u>	Small sensor parts
3037619 / Q45AD9LP	Q45 Series Rugged Rectangle Sensor
QCM50-K1D40-Q8-4	
MQDC-406 / 45136	Sensor cable
SLM120B6QPMA / 75034	Distance Sensor Module
SLM120N6QPMA/804148	Distance Sensor Modules
VTBP6GRLQ	Opto Touch, 24VDC, Illuminated, Red Green
MQDC1-515RA	Cable Opto Touch 5m M12
3077199 / M12PRQ8	M12 Series Metal Barrel Sensor
3801150 / SG-TL70-ALM	TL70 Loud Multi-Tone Audible Tower Light Module
<u>3813073 /</u> <u>K100PBLGYRAQ</u>	K100 Pro Daylight Visible Beacon
<u>SI-LS42DMG</u>	Switch
<u>SI-LS42DSH</u>	Switch
MQDC1-515	Circular Cable Assembly Unshielded
<u>SOK-TL50-150A</u>	TL50 PIPE BRACKET KIT; ADAPTER

Banner Engineering Page 15 / 16





Product	Description
3809276.TURCK	Banner - Pick-to-Light Sensor
ULM150KIQP	
<u>IM-T-9A</u>	SAFETY MOD LIGHT CURAIN W/EDM
QS18VP6DVSQ8	
QS18EP6DVQ8	
LC25C-WLF12-KQ	
CSB4-M1251M1250	
WLF12PXRGB300SQP	
<u>WLB32C285Q</u>	WORK LIGHT STRIP
WLB32C285PBQ	WORK LIGHT STRIP

Banner Engineering