







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Baner Eeg

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

iRAND'SPORUDCBTS

Oneoduc	Dtsunp cpe
<u>/:307554</u>	Eltron 4hyristor 2river
T7Q5TZ	4emperature -ontrol
Q3R3 7/373	-ontrol relay temp.
<u>7TRZ07</u>	/ing Yeater
<u>27S 27IM</u>	4hermostate
<u>UNE33Z</u> -	GNLN-HCE EC2 GEALG PR6 K GNLN-HCE
<u>-YLF17Z9TZZ1G</u> 4	-eramic Most 4erminal -over NnsulatorsZQ387R3W
MBZSZQ3D	Electronic Daseboard /elay
<u>/4EG</u>	End Geal
<u>G/BE17R1Z-4 P4Z6</u>	Gelf1/egulating Bedium 4emperature Yeating -able
<u>4/N1RIQI</u>	-omponent Yeater
G:W1ZQ30 ZQ3SZ3I8 Q333ST333W S MC(QR0755	Nndustrial Electric Yeater
G:W1ZQR0ZQ38 QR33W QR0ZZØC(QR0ZZ3	ZQ38, Q.RUW
BBAFZ1T37777 G-/,TMY,T3A,7Z31QI38	G-/ Mower Mak
53R317/AZ7 53R3 7S75,/ly,/ly,Ana,2ig ZQ1QI	Limit -ontroller
53Q31A/3737 53Q3 7S75,Ana,/ly,/GQIR,Z	Limit -ontroller
<u>4/N1T57Z</u>	blower heater
<u>)43T</u>)ND/E:LAGG)NFNC: 4AME
YN1GG1Z701T3FF	Yeating element
<u>TIIT75</u>	Gelf /egulating YEA4NC: -ADLE
/A21RZRT8	/adiant heater
<u>7T3III</u>	4YO/NG4H/
<u>CD3Q39Z</u> D	GelbstbegrenVendes YeiVkabel
<u>ZQ337I5L</u>	Gpecific product details not available
<u>-YLF17TR9TT1G</u> 4	/NC: YEA4E/ M-C
<u>A133 Y4 /NC:7Z387M 7ZRW</u>	7TRZT9
A133 Y4 /NC:7Z387M 7R3W	7TRZQ0
A133 Y4 /NC:7Z387M Z33W	7TRZRR
A173 Y4 /NC: 7Z38 7MY Z33W	Yigh14emperature /ing Yeater
A173 Y4 /NC: 7Z38 7MY ZR3W	Yigh14emperature /ing Yeater
A173 Y4 /NC:7Z387M T33W	7TRZI3
A17R Y4 /NC:7Z387M Z33W	7TRZ9I
A17R Y4 /NC:ZQ387M Z33W	7TRT33
A17R Y4 /NC:7Z387M T33W	7TRT79
A17R Y4 /NC:ZQ387M T33W	7TRTZ0
<u>-YLF17TRTTR1G</u> 4	7TRTTR

Enapart :roup z -nit T :reen Lane Workshops Ashingto n CE5T 3E) -nited Uingdom z /A2WA/2 L42 -nited Uing dom z K QQ Z3 I7R07T33 z salesXenapart.co.uk z www.enaprt.co.uk

-hromalo! Mage 7 S TT





Product	Description
MQDEC2-515	Cable Assembly
ES-FA-9AA	Emergency Stop Safety Module
T30SN6R W/30 EZ-BEAM	Sensor receiver
T306E W/30 EZ-BEAM	Sensor
K50L2RGBKQ	programmable multicolor indicator
K30APT2FXBF2QP	Indicator
S18-2VPDL-Q8	Diffuse Optical Sensor
S18RW3DL	Photoelectric Sensor
<u>88407</u>	Q45 Series Retroreflective Sensor
SM312FQD	Optic amplifier
MPC3	Amplifier Module
VSM-2M5APD100-2M	VSM-2 Series 5 mm Barrel Diffuse Sensor
27060 / SE61RNCMHS	SE61 Series Safety Light Curtain Receiver
25971 / SE61EMHS	ECONO-BEAM® SE61 Series High-Speed Emitter
TL70BGYRAPQ	Stack Light Complete Unit
<u>SOK-TL70-150A</u>	Pipe Brkt Kit
MAQDC-830	Cable Assembly
MAQDC-8125	Single-Ended Cordset
STBVR81 / 64190	Self-Checking Touch Button
QS18EP6XLPCQ5	Retroreflective, Polarized Optical Sensor
WLC60XW640AQ	Work Light
<u>EA5E600Q</u>	Optical Sensor
EA5R600PUXMODSRLCQ	measuring light curtain
<u>45LM5</u>	Q45 Series Logic Module with Delay Functions
3092336 / TL70GYRQ	LED display
<u>P/N: 8004811 Type:</u> <u>WAKC4K</u>	connector
FIC-M12F4	M12 Euro-Style Field Wireable Connector, 4-Pin Female
S18SP6DLQ	Photoelectric Sensor
3002667 / LX3RQ	Photoelectric Sensor
3077761 / Q20PLP	sensor
QS18UPA	Optical Sensor
810628 / S15C-I-MQ	In-Line Converter
812240 / DXMR90-X1	Controller
812041 / R45C-B22-SQ	In-Line Converter
<u>3096764 /</u> <u>K50APT2GRYF2Q</u>	Assembly sensor
MQDC2S-815	Single-ended cordset
3097183 / VELC85-BG	image processing, lens cover
3097184 / VELC85-PC	image processing, lens cover
3047553 / Q45ULIU64ACRQ	ultrasonic sensor, reflection sensor
PTL110S-FF100TD3- QP150 / 805482	LED light modules
SLPR25-550P8	receiver

Banner Engineering Page 12/16





Product	Description
DELPE-81D	Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m
LPA-MBK-11	EZ-SCREEN Low Profile End Mounting Bracket
QS18VP6LDQ8	Diffuse Optical Sensor
<u>3087484 /</u>	Work lamps, line lamp
WLB32C1130PBQ	work lamps, line lamp
<u>TUR3802557</u>	
T18SP6LPQ	photoelectric sensor
S30SP6RQ	Photoelectric sensor, thru-beam sensor (receiver)
<u>S306EQ</u>	Photoelectric sensor, thru-beam sensor (transmitter)
51127 / AHC1929749	BANNER MQDC1-506
83214 / AHC1965454	BANNER TL50GYRAQ
R55FVQ-14341	R55F Series Fiber-Optic Color Mark Sensor
SLSE14-600Q8	Personal protection light curtain, transmitter
SMB30SC	Mounting Fixings Bracket
OTBVP6	OTB Series Optical Touch Button with PNP Output
<u>T18-2VPRL-Q8</u>	Through-Beam Optical Sensor
3029508 / S18SP6DQ	Photoelectric sensor, reflection light sensor
3053981 / Q45VR3LV	Photoelectric sensor, reflection light barrier
MBCC2-506	Cordset
SM91RFQD	SIGNAL TURNER
<u>36150</u>	CYLINDRICAL INDUCTIVE SENSOR PNP
<u>25530</u>	SIGNAL CONVERTER
WLS27PXRGBW285DSQ	LIGHT STRIP
MQDC-506	PRO CONVERTER
<u>CSB-M1251FM1251M</u>	CONNECTOR
<u>PSW-24-1</u>	DC Power Supply
<u>ESL-41/60-ENES</u>	Energeney stop
MQDEC2-430RA	Cordset
T18-2VPFF100IR-Q8	Background Suppression Optical Sensor
BA1.53SMETAM600	Photoelectric Sensor
WLH60XW340GB	WLH60 Series High Temperature LED Light
Q4XTBLAF500-Q8	Laser distance sensor
<u>SLM10B6, 74965</u>	SLM Series 10 mm Slot Sensor with Bipolar Output
T18-2VPRL-Q8, 802607	T18-2 Series Polarized Retroreflective Sensor
QS30EXQ	photoelectric sensor
QS30RRXQ	photoelectric sensor
<u>LX3EQ</u>	Safety Light Curtain
M18TUP14Q-77118	Temperature sensor
<u>VE200G1A</u>	image processing, smart camera
VE201G1A	image processing, smart camera
SI-LS83PBD	SI-LS83 Series Safety Interlock Switch
<u>3813083 /</u> K100PLRGB7AQ	tower light
K50LGRYP	Rearable
S18UBAQ	proximity sensor

Banner Engineering Page 13 / 16





Product	Description
MACP-1	Safety Light Curtain
BMEL3032A	Photoelectric Sensor
BMRL3032A	Photoelectric Sensor
WLB32ZC850EPBQMEF	Work light bar
R45C-KUU-UUQ	Interface Module
WLS27PXRGBW570DSQ	Led Lighting Bars & Strips
S15CM-PF-UQ	Circular Metric Connector
BFW-M12M4-6X	Circular Metric Connector
BFW-M12F4-6X	Circular Metric Connector
87852 / LMBWLB32-180S	Mounting Bracket
73661 / MQDEC2-406	Cordset
S18-2VPLPC-Q8	Photoelectric Sensor, Polarized Retro, 6m, 10-30VDC, PNP, QD, S18-2
BRT-60X40C	Reflector, Rectangular, 60mm x 40mm
Q60BB6AF2000Q	Photoelectric Sensor, Adjustable Field IR, 2m, 10-30VDC, NPN/PNP, QD
T30UXDCQ8	T30UX Series Ultrasonic Sensor with Discrete Output
P/N: 93530, Type: Q240RA-Z2CN	Radar Sensor
QS18VN6RBQ5	Opto-sensor, one-way light barrier (receiver)
SLPMP25-690P128	safety light curtains
QS18VP6LQ	photoelectric sensors
SMU315D	Photoelectric Sensor
OTBA5	photoelectric sensor
<u>SM312F</u>	Photoelectric Sensor
3022317 / IAT2.53SM600	Glass Fiber Optic Cable, 2.53 mm Diameter, 600 mm Length
QT50R-EU-AFHQ	R-Gage Series Photoelectric Sensors Radar Sensor
QCM50-K1D60-Q8-4	BRACKET
SMBQCM50L	Stainless Steel Right-Angle
CSB-M1251M1251B	DIVERTER CABLE
T30SP6FF400	cylindrical optical sensor
QS18EN6D	Photoelectric Sensor
QS30EDVQ	Diffuse Optical Sensor
Q12AP6FF30Q3	Background Suppression Optical Sensor
<u>T18-2VNFF50IR-2M</u>	Background Suppression Optical Sensor
86746 / LE550IQ	Distance Sensor
<u>45LM5D</u>	Q45 Series Logic Module with Delay Functions
WLC90IGL30RQ	LED LAMP
QS30EXQ-17527	Photoelectric Sensor
QS30ARXQ-17528	Photoelectric Sensor
QS30ARXQ-17530	Photoelectric Sensor
QS30EXQ-17529	Photoelectric Sensor
OTBVP6QDH	Photoelectric Sensors
RP-LM40D-6	cable pull switch
802619 / T18-2NAES-Q8	Photoelectric Sensor
810672 / WL50-3W	work lamps, spot light
<u>RSBF</u>	Right-Angle Bracket for T30 Series Sensors

Banner Engineering Page 14 / 16





Product	Description
RLM8	MAXI-BEAM Logic Module with One-Shot and Delayed One-Shot Functions
TM18VP6LPQ8	Retroreflective Optical Sensor
T18-2NAEL-Q8	Through-Beam Optical Sensor
45007 / BRT-41AHT	RETROREFLECTIVE TARGET
SM30SRLMC1 W/30	
70987	Through-Beam Optical Sensor 492.13' (150m) NPN/PNP - Dark-ON/Light-ON
SMA30SELMC1 W/30	Through-Beam Optical Sensor 492.13' (150m)
<u>70923</u>	
<u>IA23S</u>	Fibre Optic Sensor
Q10AP6DQ	Photoelectric Sensor
802139 / K30L2RGB7	
803770 / MQDC-506-USB	usb
77986 / K50LGRYA120Q	Indicator Light
<u>TUR3808760</u>	
S22AMTSGRY3T	button
K30PLKQ	Industrial Panel Mount Indicator
Q90R2-12040-6KDQ	RADAR SENSOR
3801130 / LTF12KC2LDQ	Photoelectric Sensor
71562 / QS30ARXQ	Photoelectric Sensor
STBVR81Q	Touch Button
MBCC-512	Sensor Cables / Actuator Cables
WLB32ZC850PBQMB	LED light strips and light strips
WLB32ZC285PBQMB	LED light strips and light strips
LQMAC-306B	CABLE
83435 / K50FLGRYPQ	
91290 / Q4XTBLAF100-Q8	Q4X Series: Laser Adjustable Field, Range: 100 mm; Input: 10-30 V dc, Outputs: Bipolar: 1 NPN; 1 PNP, Connection: 5-pin M12 Integral Connector
<u>IT23SM900</u>	Fiber Optic Sensor
SM912F	Photoelectric Sensor
K50RBT2RGHQ	
3806614 / QCM50-K3D60- Q8-5	Photoelectric Sensor
3815694 / Q90R-4040- 6KIQ	Radar Sensor
<u>L9SS</u>	Small sensor parts
3037619 / Q45AD9LP	Q45 Series Rugged Rectangle Sensor
QCM50-K1D40-Q8-4	
MQDC-406 / 45136	Sensor cable
SLM120B6QPMA / 75034	Distance Sensor Module
SLM120N6QPMA/804148	Distance Sensor Modules
VTBP6GRLQ	Opto Touch, 24VDC, Illuminated, Red Green
MQDC1-515RA	Cable Opto Touch 5m M12
3077199 / M12PRQ8	M12 Series Metal Barrel Sensor
3801150 / SG-TL70-ALM	TL70 Loud Multi-Tone Audible Tower Light Module
<u>3813073 /</u> <u>K100PBLGYRAQ</u>	K100 Pro Daylight Visible Beacon

Enapart Group ! Unit 3 Green Lane Workshops Ashington NE63 0EF United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Banner Engineering Page 15 / 16





Product	Description
SI-LS42DMG	Switch
SI-LS42DSH	Switch
MQDC1-515	Circular Cable Assembly Unshielded
SOK-TL50-150A	TL50 PIPE BRACKET KIT; ADAPTER
3809276.TURCK	Banner - Pick-to-Light Sensor
<u>ULM150KIQP</u>	
<u>IM-T-9A</u>	SAFETY MOD LIGHT CURAIN W/EDM
QS18VP6DVSQ8	
QS18EP6DVQ8	
LC25C-WLF12-KQ	
CSB4-M1251M1250	
WLF12PXRGB300SQP	
<u>WLB32C285Q</u>	WORK LIGHT STRIP
WLB32C285PBQ	Task Light
SGSA-Q20PLPQ5	Photoelectric Sensor
<u>CL50GRXAOSPQ</u>	Stack Light Complete Unit
QS18VP6FF150Q8	
DF-G2-PS-Q7	
<u>DXM700-B1R3</u>	
DX80N2X6S-P2	
SMBQS18Y (68865)	Side Mount Bracket
<u>LS10RL-38435</u>	
LS10EL-38434	
SM31RQD	Continuous Beam Optical Sensors 118.110" (3m) NPN/PNP - Dark-ON/Light-ON
QS186LE	
QS18VP6D	PHOTOELECTRIC SWITCH
DX80N9X6S-PM8	
<u>LT3PILVQ</u>	distance sensors
S22AMTSGRY3	S22 Pro Touch Button
K50PSLRGB7Q	Series K50
QM30VT2	
<u>CSB-M1250M1250-T</u>	
<u>DEE2R-515D</u>	Sensor Cables / Actuator Cables Cordset
<u>DEE2R-550D</u>	Sensor Cables / Actuator Cables Cordset
OTBVN6QD (+CABLE)	
Q45VR2FQ (37005)	Photoelectric sensor
ED1G-L21SMB-1N	

Banner Engineering