



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

# Burn

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## dyRAND'S yPNOUC'

Tnouct	NescTiptin
<a href="#">N174 CCBCT3T 8ype4 -CTC-C13T0T90CF0--0T-C19BF</a>	pl 2eter
<a href="#">p1n4 B6THDF, 8ype4 DCDBHH1CCC0D360DC303CD0-C0HT1CCC</a>	Nressure transmitter
<a href="#">p1n4 B6TH3C, 8ype4 DCDBHH1CCC0DHC0DC303CD0-C0HT1CCC</a>	VL2S d8RA75 pBC Nressure 8ransmitter
<a href="#">p1n4 DTHD3H, 8ype4 -C-9TC1CT06FC09H</a>	Glow assembly for T 8ransmitter
<a href="#">p1n4 CCD3HB3-, 8ype4 NM0Xnterface mit LmsetPer 188U</a>	NM0Xnterface mit LmsetPer L5K188U
<a href="#">CCDFCBTD</a>	programmable paperless recorder with compact memory card
<a href="#">p1n4 DF33FT, 8ype4 FCBCDD1T9T0CCC0-31CCC</a>	Mompact controller for panel installation
<a href="#">p1n4 D6B--9, 8ype4 FCT33C1T9T0CCC0-B1CCC</a>	/igital display instrument
<a href="#">p1n4 D6DT3H, 8ype4 FCT33C1T9T0DCC0-B1CCC</a>	/igital display instrument
<a href="#">p1n4 3DB6DH, 8ype4 6C-C-B1TC0DC-0TCCB0T0H0TCC0TCD1C</a>	Resistance thermometer
<a href="#">p1n4 DBCCHFT-, 8ype4 DCTCCT1CCC0DHT0DC303C-H-CCCT0</a>	2X/A5 NRE55LRE 8RA752X88ER 0 C...3 KAR
<a href="#">HCCCCD96</a>	/ouble thermostat
<a href="#">p1n4 HCCCTCCD, 8ype4 HCBC-T1CT0-0C-30BC0TCC00CC0T C0CCC0CC0H1CCC</a>	8emperature controller
<a href="#">p1n4 HCCCTCDH, 8ype4 HCBC-H1C-C-0-0C-30BC0TCC00CC0T C0CCC0CC0H1CC</a>	8hermostat
<a href="#">p1n4 HCCCT-6C, 8ype4 HCBC-T1FC0-0CH-0CC0TCC00CC0T C0CCC0CC0H13FD,</a>	8hermostat
<a href="#">p1n4 HCCC-TT-, 8ype4 HC-C-T1CCC-0CDH0CCC03C00CC00CC0CC0CCC0CC091</a>	8hermostat
<a href="#">HCCCBT6D 1 HCBCFC1CCC-0H0C-T0CCC0-30C0CCC0T0TF0-C0C C1DC-,6</a>	8emperature switch
<a href="#">HCCCB--D 1 HC-CBC 1 C-0C-90CCC0-30-CCC0DC0TB0BBDIC0T FCF</a>	8IER2S58A8
<a href="#">p1n4 HCH6DC3C, 8ype4 HCHFTC1-C0TB0-C0T-C091CCC</a>	5screw0in protective sleeve
<a href="#">p1n4 HCH6HC-B, 8ype4 HCHFTC1-C0TB0-C0-CC0T31CCC</a>	5screw0in protective sleeve
<a href="#">FCTT3C190CT0C-3B0-CCT0-B1CC3</a>	5afety temperature limiter1monitor
<a href="#">p1n4 3D9FBH, 8ype4 FCTT3C190CT0C-3B0-CCT0-B1CC3</a>	8emperature limiter
<a href="#">CC3H6F6C</a>	8emperature limiter type
<a href="#">p1n4 DD-CCB, 8ype4 FCBCD-1T9T0CCC0-B1CCC</a>	NX/0Regler
<a href="#">FCFCBC199T0CCB0CC31CCC.CCC C..TCC#M</a>	8wo0wire transmitter for form V
<a href="#">HCBC-T1-C0T0CDH03C0C0CC0-C0TB0-C0HCC0TC0H1CCC</a>	Monstruction thermostad
<a href="#">p1n4 DD-CCH, 8ype4 FCBCDB1T9T0DCC0-B1CCC</a>	Mompact controller for panel mounting
<a href="#">E810FC , HCCCTBF-</a>	8emperature switch
<a href="#">p1n4 DD-F6T, 8ype4 FCT33CYBCDT1 1 1l - i t e</a>	1ler mounti

[illegible]























Product	Description
<a href="#">YA2CL6BOX</a>	LUG
<a href="#">BIT2/0</a>	Aluminum Multiple Tap Connector, Clear Insulated, 2 Port, 1 Sided Entry, 14-2/0 AWG, Al/Cu Rated
<a href="#">GAR154C</a>	Grounding connector
<a href="#">CASEUDIES8</a>	Plastic Case for 8 U-Die Sets
<a href="#">BD12</a>	12-Inch Flexible Copper Braid Jumper
<a href="#">GG182</a>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<a href="#">GAR6426</a>	Mechanical Grounding Connector for Cable to Rod or Pipe
<a href="#">YAV2CL2TC14FX</a>	Copper Compression Lug
<a href="#">YGHA252N</a>	Copper Compression Grounding Lug, Heavy Duty, 2-Hole, 1/0 AWG, 1/2" Stud, 1.75" Spacing, Short Barrel
<a href="#">7370820 BURNDY YAV120M12</a>	
<a href="#">YAV952M8</a>	Copper Compression Terminal, 95 mm <sup>2</sup> , M8 Stud, 2 Holes, Tin Plated
<a href="#">YAV95F2M8</a>	Copper Compression Terminal, 95 mm <sup>2</sup> , M8 Stud, 2 Holes, 44.5 mm Spacing, Standard Barrel with Inspection Window
<a href="#">DV27L</a>	Crimp Die
<a href="#">DV25L</a>	Crimp Die
<a href="#">YS6CLBOX</a>	Copper Compression Butt Splice, Standard Barrel, 6 AWG
<a href="#">K2C26</a>	SERVIT POST Mechanical Grounding Connector, 2 Cables to Flat, 2 AWG to 2/0 AWG
<a href="#">PATCUT245LI</a>	PATRIOT® Battery-Powered Cable Cutter, 2.45-inch Jaw Opening
<a href="#">MR15</a>	Burndy Ratched Tool
<a href="#">GAR2226</a>	Mechanical Grounding Connector, Cable to Rod or Pipe, 4 AWG (Solid) to 2/0 AWG (Stranded), 4" Pipe, 4"-4.5" Rod
<a href="#">GAR174C package (100 pcs)</a>	Mechanical Grounding Connector, Cable to Rod or Pipe, 8 AWG (Solid) to 4 AWG (Stranded), 1.5" Pipe, 1.625"-1.875" Rod
<a href="#">YAV240M10</a>	Copper Compression Lug, 1 Hole, 240 mm
<a href="#">9999015 - UC2W30</a>	Copper Parallel Groove Clamp, 2 AWG Solid to 300 kcmil Stranded Conductors
<a href="#">GC2929</a>	Conn. 2 Copper Cable to Bar
<a href="#">KSU29</a>	slotted pin clamp with separator
<a href="#">9999015 - B4D12</a>	12-Inch Flexible Copper Braid Jumper
<a href="#">QA1C-B</a>	1Awg Copper 1-Hole Terminal Lug
<a href="#">KA4C</a>	Copper Terminal, 1 Hole, 14 AWG (Solid) to 4 AWG (Stranded), 1/4" Stud, 1 Screw
<a href="#">G-STUD14HY</a>	Grounding Stud, 1/4"-20 Thread, 1.5" Length
<a href="#">YGC8C8</a>	C-Tap
<a href="#">YGF29-2N</a>	Compression Ground Connector Plate
<a href="#">YGHS26</a>	Compression Ground Splice
<a href="#">YGHP29C6W6W</a>	C-Tap 3/8"
<a href="#">YSHG3434</a>	Double H-Tap Connector
<a href="#">YA4C-L3</a>	Hole Short Chamfered Barrel Copper Compression Lug
<a href="#">K2C31</a>	350 Split Bolt Connector
<a href="#">KSV28</a>	Mechanical Grounding Connector, 2 AWG to 2/0 AWG
<a href="#">YAV25M8/25MM<sup>2</sup></a>	Non-Insulated Copper Compression Terminal, 25 mm <sup>2</sup> , M8 Stud
<a href="#">YC4C4</a>	Copper C-Tap Compression Connector
<a href="#">YAV14T34F</a>	20-14 Frklug
<a href="#">YAV185M12</a>	Non-Insulated Copper Compression Terminal, 185 mm <sup>2</sup> , M12 Stud

Product	Description
<a href="#">YS32-L</a>	400Mcm Butt Splice
<a href="#">Y444SBH</a>	11-Ton Dieless Remote C-Head Crimper with Male Couplers
<a href="#">PAT750LILCB</a>	battery press
<a href="#">KK4A36U4N</a>	Aluminum Universal Terminal, 4 Conductor, 2 AWG (Str) to 600 kcmil, 4-Hole, 1/2" Stud, 1.75" Spacing, 8 Screws, Al/Cu Rated
<a href="#">TP1614</a>	16-Ton Hydraulic Crimping Tool with 1.4" Jaw Opening
<a href="#">TP1414</a>	Vinyl-Insulated Ring Terminal for 16-14 AWG Wires
<a href="#">TP1014</a>	Vinyl-Insulated Ring Terminal for 22-18 AWG Wires
<a href="#">TN1814F</a>	Nylon-Insulated Fork Terminal for 22-18 AWG Wires
<a href="#">TN1414F</a>	Nylon-Insulated Fork Terminal for 16-14 AWG Wires
<a href="#">TN1014F</a>	Nylon-Insulated Fork Terminal for 12-10 AWG Wires
<a href="#">YAE18N2BOX</a>	Nylon-Insulated Ring Terminal for 22-18 AWG Wires
<a href="#">YAE14N2BOX</a>	Nylon-Insulated Ring Terminal for 16-14 AWG Wires
<a href="#">YAE12N2BOX</a>	Nylon-Insulated Ring Terminal for 14-12 AWG Wires
<a href="#">K4A29U4N</a>	Aluminum Universal Terminal, 4 Conductor, 2 AWG (Str) to 600 kcmil, 4-Hole, 1/2" Stud, 1.75" Spacing, 8 Screws, Al/Cu Rated
<a href="#">YA4CL4BOX (7818105525066)</a>	Copper Compression Lug, 1 Hole with Inspection Window, 4 AWG, 3/8" Stud, Short Barrel, Tin Plated
<a href="#">TP106Z</a>	Vinyl-Insulated Ring Terminal for 12-10 AWG Wires
<a href="#">YAV50F10</a>	Compression Cable Lug for Fine-Stranded Conductors, 50 mm <sup>2</sup> , M10 Hole
<a href="#">YAV70FM6</a>	Compression Terminal, 70 mm <sup>2</sup> , M6 Stud
<a href="#">KSU34</a>	High Strength Cu Alloy Servit with Spacer
<a href="#">12MM P/N: YAV95M12</a>	Cable terminals
<a href="#">YAV25M6</a>	Compression Terminal, 25 mm <sup>2</sup> , M6 Stud
<a href="#">YAEV6CRS</a>	Nylon-Insulated Right-Angle Ring Terminal for 6 AWG Wires
<a href="#">QDA1C</a>	
<a href="#">YGLR29C34</a>	connector
<a href="#">420030</a>	U-O Die
<a href="#">YAB28CG2</a>	Terminal Ring uninsulated
<a href="#">YA6C</a>	6Awg Copper 1-Hole Lug 502175
<a href="#">GIE4CG4</a>	Stainless Steel Grounding Connector, Heavy Duty, For Vehicle Grounding
<a href="#">NA18A-4N-H</a>	Connector
<a href="#">NAR45A-4N-90</a>	Terminal
<a href="#">NNTR36A36A</a>	Connector
<a href="#">BE6M53D (101.106.050)</a>	
<a href="#">BE6M65D</a>	
<a href="#">YAZV2C2TC38FX</a>	Copper Compression Lug
<a href="#">YAZ6CTC14</a>	Copper Compression Lug
<a href="#">YAZ8C2TC14FX</a>	Copper Compression Lug
<a href="#">YAZV102TC14E1</a>	Copper Compression Terminal
<a href="#">GX2929</a>	Mechanical Grounding Connector
<a href="#">10058504 / KSU28</a>	Connector
<a href="#">YS25</a>	Butt connector
<a href="#">KS22</a>	SCREW CONNECTOR
<a href="#">7370985 BURNDY YAV240M16</a>	

Product	Description
<a href="#">QA34-B</a>	Heavy-Duty Copper Lug Connector for 400-500 kcmil Conductors
<a href="#">QA28-B</a>	Heavy-Duty Copper Lug Connector for 3/0-4/0 AWG Stranded Conductors
<a href="#">Q3A40-4N</a>	Heavy-Duty Copper Terminal for 600-800 kcmil Conductors, 4-Hole
<a href="#">7371030 BURNDY YAV300M16</a>	
<a href="#">KA34</a>	TERMINAL FOR CABLE TO BAR
<a href="#">YA36</a>	1-Hole Lug
<a href="#">YH2929WCC</a>	Copper H-Tap 250-250 W/Clear Cover
<a href="#">K2A36U-2N</a>	Terminal, KA-U Series
<a href="#">RYA2UC</a>	Tap Kit
<a href="#">K2C22</a>	specific connector
<a href="#">YA252TC38</a>	Copper Compression Terminal, 1/0 AWG, 2-Hole, 3/8" Stud, 1" Spacing, Long Barrel
<a href="#">YAV28L2NTCFX</a>	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 2-Hole, 1/2" Stud, 1-3/4" Spacing, Standard Barrel
<a href="#">YAV28LTC12FX</a>	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 1-Hole, 1/2" Stud, Standard Barrel
<a href="#">YA34L2TC38</a>	Copper Compression Terminal, 500 kcmil, 2-Hole, 3/8" Stud, 1" Spacing, Standard Barrel
<a href="#">YA26LBOX</a>	Copper Compression Lug, 2/0 AWG, 1-Hole, 3/8" Stud, Standard Barrel with Inspection Window
<a href="#">YAV35M8 (package 100)</a>	Copper Compression Lug, 35 mm <sup>2</sup> , M8 Stud, Standard Barrel
<a href="#">YF1410ITL</a>	Covered Ferrule for 14 AWG
<a href="#">YF1610ITL</a>	Covered Ferrule for 16 AWG
<a href="#">YS27-LBOX</a>	Copper Compression Splice
<a href="#">YAV14T5</a>	Uninsulated Ring Terminal for 20-14 AWG, #4-6 Stud
<a href="#">YA8CL145</a>	Copper HYLUG
<a href="#">KA36U</a>	Terminal
<a href="#">KA36U2N</a>	Terminal
<a href="#">KITMAK1850B</a>	Mechanical Lug Kit for 1850 kcmil Conductors
<a href="#">NAR36A4N</a>	substation - aluminium Bolted Terminal
<a href="#">UV8L</a>	Stainless Steel Nest Die
<a href="#">Y34PL</a>	Crimp Die Indenter
<a href="#">OH18A3</a>	Aluminum Bus Support
<a href="#">NS18A18A</a>	Aluminum Bolted Coupler
<a href="#">NBC18A2N</a>	Aluminum T Connector
<a href="#">YGHC2C2</a>	Compression connector
<a href="#">YGHP34C26</a>	Compression Ground Rod Connector
<a href="#">B2D12</a>	12-Inch Flexible Copper Braid Jumper
<a href="#">YAV25LNT14FX</a>	Compression Terminal for 1/0 AWG Flexible Copper Conductors, 1-Hole, 1/4" Stud, Narrow Tongue
<a href="#">K2C25</a>	Electrical connector
<a href="#">UV8L</a>	Stainless Steel Nest Die for #8 AWG, Index 38
<a href="#">Y34PL</a>	Indenter Die for Crimping Applications
<a href="#">YA2CLBOX</a>	1-Hole lug
<a href="#">YAV70M6/70MM<sup>2</sup></a>	HOLE AND INSPECTION HOLE TUB. COMPRESS.TYPE SHOE WITH BOLT
<a href="#">YAV70M10/70MM<sup>2</sup></a>	CONDUCTOR STOP, INSPECTION HOLE TUBULAR COMPRESSION
<a href="#">YA44LNT12FX</a>	Compression Terminal



Product	Description
<a href="#">GG171</a>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<a href="#">GG1815</a>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<a href="#">MY2911</a>	Dieless Mechanical Compression Tool
<a href="#">W27VT</a>	Stainless Steel W-Die for 3/0 AWG Conductors, Die Index 14, Orange
<a href="#">W27RT</a>	W-Die Set for Hydraulic Crimping Tools, Capacity: 3/0 AWG, Die Index: 14, Orange
<a href="#">X27RT</a>	Crimp Connector
<a href="#">OUR840</a>	Popper Hytool Full Cycle Ratchet Tool
<a href="#">U27RT</a>	Stainless Steel U Die for 3/0 AWG Conductors, Orange, Index 14
<a href="#">SCB22A</a>	22-Ton C-Head Remote Hydraulic Crimper
<a href="#">SWXHP22A5</a>	22-Ton Hydraulic Crimping Tool with 5-Foot Hose
<a href="#">YSV27LFX</a>	Compression Splice for 3/0 AWG Flexible Copper Conductors
<a href="#">14MM P/N: YAV95M14</a>	Compression Terminal for 95 mm <sup>2</sup> Copper Conductors, 14 mm Stud
<a href="#">YGF294N</a>	Grounding Plate
<a href="#">P44RT</a>	HYGROUND "P" MATRIX FOR HYDRAULIC PRESS PLIERS
<a href="#">PUADP1</a>	"U" MATRIX ADAPTER FOR HYDRAULIC PRESS PLIERS
<a href="#">CT18075C00</a>	Standard Nylon Cable Ties:
<a href="#">CT50400SSBBB</a>	Stainless Steel Cable Ties
<a href="#">YAZ34NT38FX</a>	Lug
<a href="#">YA28-2LN</a>	Compression Terminal for 4/0 AWG Copper Conductors, 2-Hole, 1/2" Stud
<a href="#">GAR1429</a>	Ground Connector
<a href="#">NSNT3434</a>	Substation Copper T Connector, 90 Degrees
<a href="#">YAE18N</a>	cabl shoes
<a href="#">Y35/Y35-2 REPAIR KIT</a>	Repair kit
<a href="#">MRE1022NV</a>	
<a href="#">QA4C-B</a>	Heavy Duty Copper Lug Connector
<a href="#">KSU25</a>	CONECTOR BIMETAL
<a href="#">YAZV26TC38FX</a>	Lug Terminal
<a href="#">YA8CL45</a>	Lug Terminal
<a href="#">YA26-2N, 2001525753</a>	
<a href="#">YAV25L251</a>	
<a href="#">YAV25L218</a>	
<a href="#">YAZ34TC38</a>	ZAPATA OJILLO
<a href="#">GAR184C</a>	Connector
<a href="#">GAR1726</a>	Connector
<a href="#">GAR174C</a>	
<a href="#">YGS2C</a>	Grounding Irreversible Compression Splice; Accommodates: #2 Str.; 2.41" Length.
<a href="#">PENAA4</a>	PENETROX- A CONDUCTIVE PASTE - 4 oz/120ml BOTTLE
<a href="#">YA272N</a>	Double eye compression terminal
<a href="#">YA27A3</a>	One-eye compression terminal
<a href="#">GD-1829</a>	Connector for 120mm <sup>2</sup> cable to 2" fence pipe
<a href="#">GB29</a>	staple
<a href="#">KS31</a>	Copper clamp for 95mm <sup>2</sup> cable
<a href="#">DEF95-10TSV</a>	

Product	Description
<a href="#">DEF95-12TSV</a>	
<a href="#">MR15 / 1725071990</a>	Ratchet Crimper for #22-#10 AWG, Vinyl Insulated
<a href="#">OEM840NCP</a>	Pneumatic Bench Press
<a href="#">YGHP34C29</a>	Terminal
<a href="#">YS29-L</a>	Compression glove
<a href="#">YS30-L</a>	Compression glove
<a href="#">QPX4428</a>	Parallel Clamp
<a href="#">MR15DIESETD1</a>	die set
<a href="#">BDBLCS3K3</a>	
<a href="#">YAE22G16BOX</a>	Insulug #4 Nylon Insulated Small Terminal, (Pack of 100 pcs)
<a href="#">YAE22G13BOX</a>	Insulug #4 - #6 Nylon Insulated Small Terminal
<a href="#">UPRECRIMP34</a>	
<a href="#">UPRECRIMP58</a>	
<a href="#">YAEV10</a>	
<a href="#">YAES18N2</a>	Ring Terminal
<a href="#">YAES18N3</a>	Ring Terminal
<a href="#">YAES18N5</a>	Ring Terminal
<a href="#">YAES14N8</a>	Ring Terminal
<a href="#">YAES10N12</a>	Ring Terminal
<a href="#">YAEV6CLM</a>	
<a href="#">YAEV6CL2M</a>	nylon ring terminal
<a href="#">YAEV2CL1</a>	Ring Terminal
<a href="#">YAEV2CL</a>	Ring Terminal
<a href="#">YAES18N50</a>	Ring Terminal
<a href="#">YAES10N57</a>	Ring Terminal
<a href="#">YGHR26C58</a>	Connector
<a href="#">KKA31U2N</a>	
<a href="#">YS2C-L</a>	
<a href="#">K2A31U</a>	luminum/Copper 2-Hole Terminal Lug
<a href="#">YAV10M5 (7370520)</a>	
<a href="#">BE1M65D (101.101.060)</a>	
<a href="#">QDA31</a>	
<a href="#">YAEV6CRS1</a>	Terminal
<a href="#">YAEV8CRS1</a>	Terminal
<a href="#">YAEV2CRS</a>	Terminal
<a href="#">GAR1126</a>	2/0Awg Ground Connector
<a href="#">T1414</a>	
<a href="#">YA8CTC14</a>	
<a href="#">YA2C2N</a>	
<a href="#">B3D12</a>	
<a href="#">YCHC34TC34</a>	
<a href="#">YGLR29C100</a>	Compression Ground
<a href="#">Y10D</a>	Plier-Style Crimper
<a href="#">U2CET</a>	Crimping Circular Butting U Die
<a href="#">U8CET</a>	Circular Butting Twin U Die, AN8

Product	Description
<a href="#">YA39LNT38</a>	
<a href="#">GAR2126</a>	mechanical grounding connector
<a href="#">YA30L7</a>	
<a href="#">UTG01619P</a>	Circular Connector