



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Burndy

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
NA174N	Copper Bolted Terminal
NHNT3434	2900KH Copper Bolted T-Connector
B38-0309-00	BW Flint Igniter
BBB14412F	Bare Copper Busbar
BBB-14416H	Copper busbar
DV2L	THE NEST
DV4L	AIRCRAFT NEST DIE
DV6L	service
DV8L-1	THE
9999015 - GBM26	connector
GBM29	Grounding
GXP1828RF	Stainless Steel Ground Connector
K22A36U-2	Aluminum/Copper 2-Hole Terminal
KA26U 2/0	Copper/Aluminum Mechanical Lug
KA28	4/0 Copper 1-Hole Terminal Lug
KC26	connector
KS15	connector
KSU23	Slotted bolt clamp
MR20	Ratchet Crimper for #22-#10 AWG, Uninsulated
MR410M	Burndy HYTOOL
MR4C	Hytool Full Cycle Ratchet Hand-held Tool
MR8-9Q	Crimper
MR8G98	RATCHET TOOL
MY28	Dieless Mechanical Crimper
P8A PENETROX™ A	Copper Electrical Joint Compound
PAT-750C-LILCB	Battery Actuated Crimping Tool
PAT750LI - Special	BATTERY AND WITHOUT MATRIX) -WITHOUT CHARGER
PENA138	Pen Al-Al,Al-Cu Syn Sqez
U1CART	Round crimp
U25ART	Compression Connection
U25RT	Stainless Steel Circular Butting Twin U Die
U26ART	Compression Connection
U26RT	SS Radial Butting Twin Die, Index 13
U27ART	Compression Connection
U28RT	Stainless Steel Circular Butting Twin U Die
U29RT	SS Radial Butting Twin Die, Index 16

Product	Description
U2CABT	421295 SS Radial Butting Twin Die, Index 348
U2CRT	Stainless Steel U Die
U30RT	SS Radial Butting Twin Die, Index 17
U31RT	(BURNDY U-THE)
U32RT	(BURNDY U-THE)
U34RT	Radial Butting Twin Die
U36ART	U Crimping Die
U36RT	Burndy U-DIE 600 kcmil, CU lug YA36
U39ART2	(BURNDY U-THE)
U39RT	(BURNDY U-THE)
U4CABT	Compression Connection
U5CRT	DIE SET
U6CABT	Compression Connection
UDIEKITCU	10095062 Hydraulic Crimping Die Kit 6 AWG CU
UT06104PH	STECKER 4POL. STIFT IP67
UTG10AC	Black Connector Backshell
UTG16AC	circular connector
UTG18PG	PG ADAPTER
UTG61412SN	STECKER 12POL. BUCHSE
UTG61823PN	STECKER 23POL. STIFT
UTG61823SN	STECKER 23POL. BUCHSE
Y1MRTC	HYTOOL Mechanical crimping tool
Y29PL	Crimp Die
Y34PA	Crimping jaw
Y35	12-Ton C-Head Hand Operated Hydraulic Crimper, CU/AL
Y35-2	Hydraulic Hand Operated Crimping Tool
Y60BHU	Hypress 60-Ton Single Acting Remote Head
Y8MRB1	Hand Held Full Cycle Ratchet Crimping Tool
YA1CL2NT14	Copper Compression Lug
YA25	(Burndy 1-Hole lug AWG1/0)
YAV70FM10	Tubular cable lug for fine stranded conductors
YAZV102TC14	Compression Terminal
YS8C	HYLINK SPLICE
MY2913GE2	Handpresszange
T10-10	ring lug
T14-10	ring lug
KC23	Connector
YAV50M10	Copper Compression Lug
YAV70FM10 / YAV26LM105	Rohrkabelschuh f. feindrahtige Leiter
YAV50M8 / YAV1CLM84	Rohrkabelschuh
DE70-8SV / 7R8	Rohrkabelschuh
YAEV06M6	Compression Terminal
YCUT129ACSR	Latch Manual Hydraulic Cutter
Y35P3	Inventor Adapter
YA25L4BOX	Burndy 1-Hole lug AWG1/0 (50mm ²)

Product	Description
YA25TC38	Burndy 1-Hole lug AWG1/0 (50mm ²)
Y750CHSXT	12-Ton Covered C-Head Crimper
YF1606IW	Burndy Single Insulated Wire Fe
YF2212IW	Burndy Single Insulated Wire Fe
TP168BF	Burndy 22-18V/I 8 Block Spade
TP148BF	Burndy 16-14V/I 8 Block Spade
TP108F	Fork
UT061412PH	Connector
UT061823PH	STECKER 23POL. STIFT IP67
UT0S14PG00T+	PG ADAPTER GESCHIRMT GR.14
PAT750LI	Battery Actuated Crimping Tool
MD78	Burndy hand operated Tool
YAEBAS26NTN	Burndy STRGHT
YAEBAS27NTN	Straight Style Battery Post Terminal
YAEBAS28NTN	Burndy STRGHT
18-BUR-YAV28LNT12FX	Compression Terminal
15-BUR-PENE5GAL	Penetrox™ Electrical Joint Compound
YAV26L2NT14FX	Copper Compression Lug
YAV25L2NT14FX	Copper Compression Lug
YAV14R	Terminal
YAV10	Solderless Terminal
PT292792	Burndy Pres. Test Gauge
Y4439R	CONNECTOR
YA2C-L4BOX	Cable shoe
YAL26T38	Cable Shoe
MY293	22 5/8 inL Dieless Crimper, 8 to 250 KCMIL
NAH2934N	Substation Copper Terminal
N22RVMT10	Crimptools
PENA13 QT	Contact grease type Burndy Penetrox A13, can 1 kg
QQA34	Heavy-Duty Mechanical Lug
YS5C	HYLINK SPLICE
YS3C	HYLINK SPLICE
YS2C	HYLINK SPLICE
YS1C	HYLINK SPLICE
YS26	HYLINK SPLICE
YS29	HYLINK SPLICE
YS30	HYLINK SPLICE
YS31	HYLINK SPLICE
YRB39U34	Aluminum Compression Reducer Butt Splice
YAV10T3	Uninsulated Ring Terminal
YAV8CL3	Uninsulated Ring Terminal for 8 AWG
KC23	Slotted bolt attachment clamp
YSV1014G2 (1*500)	Copper Reducer Butt Splice
CTB150RA4C	Aluminum Mechanical Lug
UTG61619PN	STECKER 19POL. STIFT

Product	Description
TP166	Vinyl-Insulated Ring Terminal for 22-16 AWG
TP146	Vinyl-Insulated Ring Terminal for 16-14 AWG
TP106	Vinyl-Insulated Ring Terminal for 22-16 AWG
TP166F	Fork
TP146F	Vinyl-Insulated Fork Terminal for 16-14 AWG
TP106F	Vinyl-Insulated Fork Terminal for 12-10 AWG
SP16	Vinyl-Insulated Butt Splice for 16-14 AWG
SP14	Vinyl-Insulated Butt Splice for 16-14 AWG
SP10	Vinyl-Insulated Butt Splice for 12-10 AWG
7370475 - YAV06M6	Non-Insulated Metric Compression Terminal for 6 mm ² Conductors
YAV10M10	tubular cable lug
YAV16M10	Non-Insulated Metric Compression Terminal for 16 mm ² Conductors
YAV25M10	Copper Compression Lug
YAV35M12	Non-Insulated Copper Compression Terminal for 35 mm ² Conductors
YAV50M12	Non-Insulated Copper Compression Terminal for 50 mm ² Conductors
YAV70M10	Rohrkabelschuh
YAV70M12	Tubular lug
7370770 - YAV95M12	Non-Insulated Copper Compression Terminal for 95 mm ² Conductors
YAV120M10	Non-Insulated Copper Compression Terminal for 120 mm ² Conductors
YAV120M12	Burndy Terminals, YAV Series
YAV150M12	Tubular lug
YAV400M14	Non-Insulated Copper Compression Terminal for 400 mm ² Conductors
YAV630M16	Non-Insulated Copper Compression Terminal for 630 mm ² Conductors
BSD2050Y	Burndy Static Discharge Reel
KA26U (1x50)	AL-Schraubkabelschuh VZ
YA34-L37	Electrical Connector
FD675D8	Stud Connector
YGF342N	Cast Copper Alloy Grounding Plate
YCHC39TC39	Copper C-clamp
Y81KFT	crimping tool head
YGL34C34	Cross Grid Connector
YGF344N	Burndy Copper Compression Grounding Plate
YGHC34C34	Burndy Copper Compression C Connector
YGHC34C26	Burndy Copper Compression C Connector
YA26L2NT14	Compression Terminal
UTG61412PN	RUNDSTECKVERBINDER
UTG14AC	Backshell with Cable Clamp for Size 14 UTG Series Connectors
UTG02020S	Circular Connector Receptacle, 20 Contacts, Size 20 Shell
UTG62020PN	Circular Connector Plug with 20 Pin Contacts, Size 20 Shell
UTG20PG	Cable Gland for Size 20 UTG Series Connectors
RC24M9K	Machined Crimp Contact, Size 16, 24-20 AWG, Gold Plated
KS25	Connector
PAT750CXT18VCE250V	Burndy 120kN battery press
7370705 BURNDY YAV70M10	Copper Compression Lug
YA8CTC10	Burndy 1-Hole lug AWG8 (10mm ²)

Product	Description
YA2CTC14	Lug
YA6CTC10	Burndy 1-Hole lug AWG6 (16mm ²)
YQE150	End connector
GAR1529	Mechanical Grounding Connector
GK6426	Grounding connection
GAR6429	Mechanical Grounding Connector for Cable to Rod or Pipe Connections
NNTR42A42A	Cast Al Alloy T-Connector
YAV352M10	Non-Insulated Compression Ring Terminal for 35 mm ² Conductors
YA4CL2TC14 (1 box = 50 pcs)	Copper Compression Terminal, 2-Hole, 1/4" Stud, 5/8" Spacing, Standard Barrel, 4 AWG
KSA2/0	Aluminum Split Bolt Connector, Tin Plated
MY70M	Handpresszange
YAV25L2	Uninsulated Ring Terminal, 1/0 AWG, 1-Hole, 5/16" Stud, Standard Barrel
YAV1CL1	Uninsulated Ring Terminal for 1 AWG, 1-Hole, 1/4" Stud
YAV2CL4	Uninsulated Ring Terminal for 2 AWG, 1-Hole, 1/2" Stud
YAV4CL4	Uninsulated Ring Terminal for 4 AWG, 1-Hole, 5/16" Stud
YAV8CL1	Uninsulated Ring Terminal for 8 AWG, 1-Hole, 1/4" Stud
KS17	Copper Split Bolt Connector for #8 AWG Stranded to #6 AWG Solid Conductors
KS20	Copper Split Bolt Connector for #8 AWG Stranded to #4 AWG Solid Conductors
YGHC26C2	Compression Ground Tap
7370520	Specific product information not available
MD6	Hytool Hand Operated Crimping Tool with BG/D3 Grooves
P8A (pack x 12pcs)	Contact grease
YA26L2NT14E1	Copper Compression Terminal, 2/0 AWG, 2-Hole, 1/4" Stud, 1" Spacing, Narrow Tongue
YBM2CL (VPE=100 Stk)	Flag Terminal
YAL27T38FXBCG1	Aluminum Compression Terminal, 4/0 AWG, 1-Hole, 3/8" Stud, Standard Barrel
Y500CTHS	crimping tool
BCC1000CUAL	Battery Actuated Cable Cutter
PENE8 / Penetrox E	Oxide Inhibitor
PENA134	Specific product information not available
Y29BH	hydraulic press
DV26L	Heat-Treated Stainless Steel Nest Die for 2/0 Aircraft Non-Insulated Copper Connectors
S-6A	Specific product information not available
Y29PBL	DIE INTENDOR
MR8-1A	Cast Aluminum Crimping Tool with Ratchet Control
MR8-33T-1	Burndy hand crimp tool for 18-10 AWG
YAZV28TC12FX	1H COMPRESSN LUG
YAV50M10	Connector
QR4C	Heavy Duty Copper Splice Reducer
YA25L2NT14	Copper Compression Terminal, 1/0 AWG, 2-Hole, 1/4" Stud, 5/8" Spacing, Narrow Tongue
YAZ6C2TC38	Compression Lug
PENA138	Pen Al-Al, Al-Cu Syn Sqez
N14HT5	Crimp Die set
N14HT	Crimp Die set
YSR25FX4CFXLTKITC	Compression CU Reducer/Splice kit

Product	Description
YAZ4C2TC14	Compression Lug
GAR144C	Connector
Penetrox E (PENE8)	Contact grease type Burndy Penetrox E
PENA134	contact grease
YA28	Copper Compression Lug
YGHP29C26	Burndy C-Klemme
QPX-342C-Y	Universal Parallel Clamp
YA342N	Copper Compression Terminal, 500 kcmil, 2-Hole, 1/2" Stud, 1-3/4" Spacing, Long Barrel
YAZ29TC12	Copper Compression Terminal, 250 kcmil, 1-Hole, 1/2" Stud, Long Barrel with Inspection Window
Y35/Y39REPKITA	Accsry Repair Kit
KSU31	High Strength Cu Alloy Servit with Spacer
QA31B	Heavy Duty Copper Lug Connector, 250-350 kcmil, 1/2" Stud, 1 Screw
YSV26L	2/0 Butt Splice
YSV8CL	butt splice
YAV185FM12	
YAV185FM10	Pipe-shaped tobacco
YAV185FM16	Tubular cable lug for fine stranded conductors
YAV95M10	
YAV70FM10 (Pack of 20 pcs)	Copper Compression Lug, 1 Hole, 70 mm
YRV4CV8CL	connective
YRV8CV14L	connective
YRV6CV8-L	connective
YAV6CL2TC14FX	Burndy 2-Hole lug
YAZV2C2TC14FX	Copper Compression Lug
PENE8	Contact grease
YAGB28LTC12FX	Copper Battery Terminal Lug, 4/0 AWG, 1-Hole, 1/2" Stud
YAEBAS28PTN	Battery Terminal, 4/0 AWG, Copper Alloy, Tin-Plated
YC8C8	TAP CONNECTOR
YSV1014G2	kablo
KVS44	Bolt Connector
Y35BH	Hydraulic head
Y29B	Hydraulic C - head
PAT750LI250V	Battery charge Electrohydr. Pressing tool
KPA28	Pressure Bar Style Copper Lug, 1/0-4/0 AWG Stranded, 1-Hole, 3/8" Stud, 1 Screw, Tin-Plated
KPA4C	Mechanical Pressure Bar Style Copper Lug, 14 AWG Solid to 4 AWG Stranded, 1-Hole, 1/4" Stud, 1 Screw, Tin-Plated
YGHP2C2	HYTAP™ Type YGHP-C Figure 6 Irreversible Compression Ground Tap Connector, #6 Solid to #2 Stranded Copper Conductors
YA6CL6	Copper Compression Lug, 6 AWG, 1-Hole, 1/2" Stud, Standard Barrel
YA26L6BOX	Copper Compression Lug, 2/0 AWG, 1-Hole, 1/2" Stud, Standard Barrel
38NWBOX	Specific product information not available
50NWBOX	1/2" Internal Tooth Washer, Silicon Bronze
50X100HEBBOX	1/2" x 1" Hex Bolt, Silicon Bronze

Product	Description
GIE2CG3	Mechanical Grounding Connector, 2-6 AWG, for Flexible Rubber Sheath Cable
K2C23B1	Mechanical Grounding Connector
YGHA2C2N	Grounding Lug
YGHA26-2N	2-Hole Ground Terminal
YGHA282N	Grounding Lug
50X125HEBBOX	1/2" x 1-1/4" Hex Head Bolt, Silicon Bronze
50CHENBOX	1/2" Hex Nut, Silicon Bronze
50FWBOX	Silicon Bronze Washer
50SWBOX	1/2" Split Washer, Silicon Bronze
KPA25	Tin Plated High Copper Alloy Material
KCKF23	Mechanical Bulkhead Ground Connector Kit
MR25H3 (A469008)	Crimping Tool SBI-Burndy MR25H3 6 to 25 mm2
YAEV10-T7	Cable Lug
YAEV10-T11	Cable Lug
YAEV10BOX	Cable Lug
YAEV10T3 BOX	Cable Lug
YAEV10-T2	Cable Lug
YAEV14-T5	Cable Lug
YAEV14-T1	Cable Lug
YAEV14-T2	Cable Lug
YAEV14-T3	Cable Lug
YAV25M8	Compression Terminal
PENA13 QT (Qty 16)	PENETROX™ A13 Oxide Inhibiting Joint Compound, 1 Quart
YAV95FM10	Compression Terminal
PENA138	Pen Al-Al,Al-Cu Syn Sqez
YAV70FM12	Copper Compression Lug, 1 Hole, 70 mm
YAV70FM8	Copper Compression Lug, 1 Hole, 70 mm
YAV35M8	Copper Compression Lug, 1 Hole, 35 mm
MRC840	crimp tool
TYPE GC-A	Dual-Rated Ground Clamp for Copper and Aluminum Cable
YAV70M8	Tubular lug
YAV120FM12	Tubular cable lug for fine stranded conductors
YA26A1	Aluminum Compression HYLUG™ Terminal, 2/0 AWG, 1-Hole, 1/2" Stud
BTCGC250	Cable Tray Ground Clamp
GK6429	Grounding connection
GD1726	Mechanical Grounding Connector for Two Parallel Cables to Rod or Pipe
GD1826	Mechanical Grounding Connector for Two Parallel Cables to Rod or Pipe
BSD20100	Heavy-Duty Static Discharge Reel with 100 ft Aircraft Steel Cable
PAT46LWSLI	CRIMPER:HYDRAULIC,
Y750HSXT	12-Ton C-Head Hydraulic Hand-Operated Crimping Tool
FORCEGAUGE1215	Force Test Gauge for 12 & 15 Ton Tools
YA4C-L4BOX	Copper Compression Lug, 1-Hole, 3/8" Stud, Long Barrel, 4 AWG
YA6C-L3BOX	Copper Compression Lug, 1-Hole, 5/16" Stud, Long Barrel, 6 AWG
B7513	Mechanical Hardware
KA-2-U	Aluminum Universal Terminal

Product	Description
PAT750XT18V	Battery Actuated Crimping Tool
CTSS500400316L	Stainless Steel Cable Tie
PENE8 Burndy Penetrox E type contact grease	Oxide-Inhibiting Compound
YAV10H	Solderless Terminal
KA29HEX	Hexagonal Crimping Die
YAV10-R	Uninsulated Right-Angle Ring Terminal
YAV10R3	Mechanical Hardware
YA25L4TCG1	4-Hole Standard Barrel Lug
PAT750L5	5ah crimper tool
UDIEKITHYGRD	Stainless Steel U Die Kit
YA28L4TCG1	4/0 AWG Copper Compression Terminal
KS39	Bolt Connectors, KS Series
YA8CLNT8	.
YSV18BOX	Vinyl-Insulated Seamless Butt Splice
YSV10BOX	Uninsulated Butt Splice for 12-10 AWG
T1014	
YAV8CL1BOX	Uninsulated Ring Terminal for 8 AWG
YRV8CV10L	Uninsulated Reducing Splice for 8 AWG to 12-10 AWG
YRV6CV8CL	Butt Splice
YA2C-L	2 AWG Copper Compression Lug with Long Barrel
YAK34A2G1	Aluminum Compression Stacking Terminal
YAK34A2G2	Aluminum Compression Stacking Terminal
YA34N	
QPX282C	Mechanical Connector
YAV14T32FBOX	Fork Terminal
YAEV8CL	Ring Terminal
YAEV8CL1	Nylon-Insulated Ring Terminal for 8 AWG
YAEV4-CL2	Bulk Lug
YAEV2CL4	Ring Terminal
TP168E	Fork
TP1610F	Fork
TP142E	Vinyl-Insulated Fork Terminal for 16-14 AWG
TP148E	Fork
TP1410F	Fork
TP1010E	Fork Terminal 10-12 Awg
YF1/025IDL	Covered Ferrule for 1/0 AWG
YF1418IDL	Covered Ferrule for 14 AWG
YF1608ID	Insulated Wire Ferrule for 16 AWG
YF0415ID	Insulated Wire Ferrule for 4 AWG
YF1/016IDL	Covered Ferrule for 1/0 AWG
TP1410	Vinyl-Insulated Ring Terminal for 16-14 AWG
YGIBW283382N	Structural Steel Compression Grounding Connector
YAV95FM12	Compression terminal
PENEQT	Electrical Joint Compound

Product	Description
P/N: PENA13 QT, Type: Penetrox A13	contact grease
YSM10	Parallel Splice
U8CABT	Stainless Steel Hexagonal Butting Twin U Die
YGL29C29	Burndy Terminals
YGHC26C26	Terminals
YGHC29C26	C-Tap Connector
YGHC29C29	BURNDY TAP
YCHC2TC2	C-clamp
YAV26L2NT38FX	Compression Terminal
YAV50FM12	Copper Compression Lug, 1 Hole, 50 mm
PT29831	Repair Kit
KA8C	Mechanical Lug
PG3951	Test mandrel
PG3961	Test mandrel
PG3971	Test mandrel
PG3981	Test mandrel
14SH60	Stainless Steel U-Die, Index 14SH
30AH60	Stainless Steel L-Die, Index 30AH
Y60LW	Hypress 60-Ton Single Acting Light Weight Tool
KA25	Lugs
KS29	Copper Split Bolt Connector
CTB075RA4M	Nylon Cable tie mounting bases
BBB14412E	12-inch Copper Busbar with 18 Holes
YC26C2	Copper C-Tap Compression Connector
YS45A1	Aluminum Compression Splice
Y10R4BY9	cable releaser
YAZ8CTC14	Solderless Terminals
14-2T-2R KS22DB 16-25	Copper Split Bolt
GAR644C	Mechanical Grounding Connector
LB20A	Corona Bell-Internal
KS23	Split pin connector
QA26B	Heavy-Duty Copper Lug Connector for 1/0-2/0 AWG
YF1408ID	Single Insulated Wire Ferrule for 14 AWG
YAEV10BOX	Nylon-Insulated Ring Terminal for 12-10 AWG
YAEV14BOX	Cable Lug
KVS34	
KVS31	
KVS26	2-Piece High-Strength Copper Alloy Service Connector
Certificate of conformity	Certificate of Conformity for Burndy Products
YS28	Copper Compression Splice, Long Barrel, 4/0 AWG
Y2825R	Copper Compression Splice Reducer, 4/0 AWG to 1/0 AWG
YAV12G2	Solderless Terminal
YAV9CL36BOX	Solderless Terminal
YAV8CL	Solderless Terminal

Product	Description
YAV4CL	Solderless Terminal
MB526 / 7500056	Hand crimping pliers
YAV2CLTC38FX	Solderless Terminals, YAV Series
RHCC2156ACSR	Remote Hydraulic Cutter
YPC26R8U	compression connector
YA27	Copper Compression Lug, 3/0 AWG, 1-Hole, Long Barrel
P8A	contact grease
YA25L6BOX	Compression Lug
YAV10M6	Solderless Terminals
YA40LNTM20FX	Terminal
UV25L	U-Die for 250 kcmil Aluminum and Copper Conductors
YA6C2N	Copper Compression Lug, 6 AWG, 2-Hole, Long Barrel
YGHP29C29	Copper Compression Ground Tap Connector, Figure 6
UP45R36R	Heavy Duty Parallel Clamp
GX4C4C	
KA26UAR	Set Screw Connector
YAV16M6	
BE6M84D	
AT.NO.P8A	Specific product information not available
YA26-L	Cuhylug 2/0 Shrtbarrel 3/8Stud
YAL70-10-T32	Electrical terminal
YAV10T2 (box)	Electrical terminal
GC2626W	Specific product information not available
M-223	Type CC-2 Molds
B106	Handle Clamps
38392200	Mold Cleaning Brush
38013500	Cable Cleaning Brush
38030900	Flint Ignitor
Y35-SG1	HYDRA TERMINAL CRIMPING PLIERS W/CASE WITHOUT DIE-
GIE4CG3	264327 Grounding Connector
YAZV2CTC38FX	Copper Compression Lug
YAZV6C2TC14FX	Copper Compression Lug
YH292CWC	Copper Compression H Tap with Cover
YH2929WC	Copper Compression H Tap with Cover
HSIC440FR	end cap
M8ND	Hand Tool
YSR34FX28FXLTCKITC	Hyreducer Reducer Splice Kit, Blue/Purple
YA27L4BOX	Copper Compression Lug
YCA28R2N	Aluminum Compression Lug
YA30L24	Terminals
K2A29U	Aluminum Universal Terminal Lug, 2 Conductor, 1-Hole, #6 AWG Str-250 kcmil
KVS44A	Connector
BAP25M64	bap ring tongue clamp
YGIBS283382N	Copper Compression Connector
GG192	Connector

Product	Description
GG202	Connector
YSV14	Solderless Terminal
AYPO750	Pin Adapter
7307171, 4-6B	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M6 Hole, Blue
7307161, 4-5B	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M5 Hole, Blue
7307151, 4-4B	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M4 Hole, Blue
7307141, 4-3B	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M3 Hole, Blue
7307011, 1-4R	Non-Insulated Crimp Ring Terminal, 10mm ² , M4 Hole, Red
7307021, 1-5R	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm ² , M5 Stud, Red
7307001, 1-3R	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm ² , M3 Stud, Red
7307031, 1-6R	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm ² , M6 Stud, Red
U-167/U-568	die
NS15A15A	TYPE NS-A COUPLER FOR ALUMINUM AND COPPER TUBE TO TUBE
CP29A29A	Aluminum Alloy Parallel Groove Clamp
W8CRT	Crimp Connector
NAR42A-4N	Substation - Aluminum Bolted Terminal
YAZ2CTC516	2 AWG Copper Compression Terminal, 1 Hole, 5/16" Stud, Long Barrel
YAV14T1BOX	1/0 AWG Copper Compression Terminal, 1 Hole, Long Barrel
YAV10M8 (7370530)	tubular cable lug
YAV35-M10	tubular cable lug
YAV50F-M8	Tubular cable lug for fine-stranded cable
YAV50F-M10	Tubular cable lug for fine-stranded conductors
YAV95F-M8	tubular cable lug for fine-stranded conductors,
YAV50F-M6	Cable lug
YAV35M6	tubular cable lug
YA40A1	Uninsulated Aluminum Compression Terminal, 800 kcmil
KA6U	Aluminum Universal Terminal, 14-6 AWG
YAEV8CL2	Nylon-Insulated Ring Terminal for 8 AWG
K2G26 COD:2180	Grounding Connector Bus Pin
YH292CWCC	Copper Compression H-Tap Connector with Clear Cover
7370985 - YAV240M16	Copper Compression Terminal, 240 mm ² , 1 Hole, M16 Stud
7370555 - YAV16M8	Copper Compression Terminal, 16 mm ² , 1 Hole, M8 Stud
7370430 - YAV025M5	Copper Compression Terminal, 2.5 mm ² , 1 Hole, 5 mm Stud
KS28	Copper Split Bolt Connector, Run/Tap: #1-4/0 AWG
Penetrox A	contact grease
PG135-1	Copper Compression Parallel Groove Connector
PG136-1	Copper Compression Parallel Groove Connector
PG137-1	Copper Compression Parallel Groove Connector
PAT46CLWSLILCBPB	Crimper
KA29U	Aluminum Universal Terminal, 6 AWG to 250 kcmil
YA1CL4-BOX	Electrical terminal
YA2CA3	Compression terminal
YA27A1	Compression terminal
YA25A3	Compression terminal
P34PR	indenter p die

Product	Description
B32D	stainless steel holding die
PG1211	Go/NoGo Gage for MR4C
PG1251	Go/NoGo Gage for MR8C
PG1331	Go/NoGo Gage for MR12C
YA28N	
YA25N	Copper Compression Terminal, 1/0 AWG, 1 Hole, 1/2" Stud, Long Barrel
YA26N	
YAV26LTC516FX	Copper Compression Terminal, 2/0 AWG Flex, 1 Hole, 5/16" Stud, Standard Barrel
YAV28LNT516FX	Terminal
L724	Copper Compression Lug, 4/0 AWG, 2 Holes, 3/8" Stud, Long Barrel
UD3	HYDRAULIC COMPRESSOR
PENA138 (only for 42 packs)	Oxide Inhibiting Electrical Joint Compound, 8 oz
WLB22A	WEEB-LUG with 2 Mounting Holes
PT2990010	connection unit
KS26	Split Bolt, Servit
GC2626	GRD Conn. 2 Copper Cable to Bar
YA4CL1BOX	Copper Compression Lug, 4 AWG, 1 Hole, Short Barrel, with Inspection Window
GG-19-25	Not specified
GAR6426-W	Mechanical Grounding Connector, Cable to Rod or Pipe
PAT444ST3U03A2	Crimping Tool
Y4PC834	6-Ton 4-POINT® Dieless C-Head Crimper
YAZ262TC14	Copper Compression Terminal, 2/0 AWG, 2-Hole, 1/4" Stud, Long Barrel
U997	Stainless Steel Radial Non-Butting Twin U Die, Orange, Index 997
YA30L	Electrical terminal
GBM4C	Mechanical Grounding Connector, Cable to Bar
GB4C	Mechanical Grounding Connector, Cable to Bar
GB26	Mechanical Grounding Connector, Cable to Bar
GC4C4C	Grounding
K2C20	SERVIT POST™ Mechanical Grounding Connector, 2 Cables to Flat
K2C23	SERVIT POST™ Mechanical Grounding Connector, 2 Cables to Flat
7370630 BURNDY YAV50M8	
FFGC8	Fence Fabric Mechanical Ground Connector
YRV4CV6CL	Terminal
YPC2A8U	CRIMPIT™ Figure 6-Shaped Compression Connector
QR26	Copper Splice Terminal for 1/0 to 2/0 AWG Conductors
YS44A1	Aluminum Compression Splice for 1000 kcmil Conductors
NAR45A4N	Substation Terminal for 900-1250 kcmil Conductors
YS4C	Copper Compression Splice, Long Barrel, 4 AWG
YA39A5	Aluminum Compression Lug, 2-Hole, 1/2" Stud, 1-3/4" Spacing, 750 kcmil
YA444N	Copper Compression Lug, 4-Hole, 1/2" Stud, 1-3/4" Spacing, 1000 kcmil
YGHA282NTN	Grounding Lug
QQA312N	Twin Clamping Two-Hole Mounting Heavy Duty Copper Lug Connector, 250-350 kcmil, 1/2" Stud, 1-3/4" Spacing
ES4W4W	White Polyolefin Heat Shrink End Cap, 1.10" Inside Diameter, 4.00" Length
BD18	18-Inch Flexible Copper Braid Jumper

Product	Description
YA2CL6BOX	LUG
BIT2/0	Aluminum Multiple Tap Connector, Clear Insulated, 2 Port, 1 Sided Entry, 14-2/0 AWG, Al/Cu Rated
GAR154C	Grounding connector
CASEUDIES8	Plastic Case for 8 U-Die Sets
BD12	12-Inch Flexible Copper Braid Jumper
GG182	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
GAR6426	Mechanical Grounding Connector for Cable to Rod or Pipe
YAV2CL2TC14FX	Copper Compression Lug
YGHA252N	Grounding Lug
7370820 BURNDY YAV120M12	
YAV952M8	Copper Compression Terminal, 95 mm ² , M8 Stud, 2 Holes, Tin Plated
YAV95F2M8	Copper Compression Terminal, 95 mm ² , M8 Stud, 2 Holes, 44.5 mm Spacing, Standard Barrel with Inspection Window
DV27L	Crimp Die
DV25L	Crimp Die
YS6CLBOX	Copper Compression Butt Splice, Standard Barrel, 6 AWG
K2C26	SERVIT POST Mechanical Grounding Connector, 2 Cables to Flat, 2 AWG to 2/0 AWG
PATCUT245LI	PATRIOT® Battery-Powered Cable Cutter, 2.45-inch Jaw Opening
MR15	Burndy Ratched Tool
YAV025M6 / 7370435	tubular cable lug
GAR2226	Mechanical Grounding Connector, Cable to Rod or Pipe, 4 AWG (Solid) to 2/0 AWG (Stranded), 4" Pipe, 4"-4.5" Rod
GAR174C package (100 pcs)	Mechanical Grounding Connector, Cable to Rod or Pipe, 8 AWG (Solid) to 4 AWG (Stranded), 1.5" Pipe, 1.625"-1.875" Rod
YAV240M10	Copper Compression Lug, 1 Hole, 240 mm
9999015 - UC2W30	Copper Parallel Groove Clamp, 2 AWG Solid to 300 kcmil Stranded Conductors
GC2929	Conn. 2 Copper Cable to Bar
KSU29	slotted pin clamp with separator
9999015 - B4D12	12-Inch Flexible Copper Braid Jumper
QA1CB	1Awg Copper 1-Hole Terminal Lug
KA4C	Copper Terminal, 1 Hole, 14 AWG (Solid) to 4 AWG (Stranded), 1/4" Stud, 1 Screw
G-STUD14HY	Grounding Stud, 1/4"-20 Thread, 1.5" Length
YGC8C8	C-Tap
YGF29-2N	Compression Ground Connector Plate
YGHS26	Compression Ground Splice
YGHP29C6W6W	C-Tap 3/8"
YSHG3434	Double H-Tap Connector
YA4C-L3	Hole Short Chamfered Barrel Copper Compression Lug
K2C31	350 Split Bolt Connector
KSV28	Mechanical Grounding Connector, 2 AWG to 2/0 AWG
YAV25M8/25MM²	Non-Insulated Copper Compression Terminal, 25 mm ² , M8 Stud
YC4C4	Copper C-Tap Compression Connector
YAV14T34F	20-14 Frklug
YAV185M12	Non-Insulated Copper Compression Terminal, 185 mm ² , M12 Stud

Product	Description
YS32-L	400Mcm Butt Splice
Y444SBH	11-Ton Dieless Remote C-Head Crimper with Male Couplers
PAT750LILCB	battery press
KK4A36U4N	Aluminum Universal Terminal
TP1614	16-Ton Hydraulic Crimping Tool with 1.4" Jaw Opening
TP1414	Vinyl-Insulated Ring Terminal for 16-14 AWG Wires
TP1014	Vinyl-Insulated Ring Terminal for 22-18 AWG Wires
TN1814F	Nylon-Insulated Fork Terminal for 22-18 AWG Wires
TN1414F	Nylon-Insulated Fork Terminal for 16-14 AWG Wires
TN1014F	Nylon-Insulated Fork Terminal for 12-10 AWG Wires
YAE18N2BOX	Nylon-Insulated Ring Terminal for 22-18 AWG Wires
YAE14N2BOX	Nylon-Insulated Ring Terminal for 16-14 AWG Wires
YAE12N2BOX	Nylon-Insulated Ring Terminal for 14-12 AWG Wires
K4A29U4N	Aluminum Universal Terminal, 4 Conductor, 2 AWG (Str) to 600 kcmil, 4-Hole, 1/2" Stud, 1.75" Spacing, 8 Screws, Al/Cu Rated
YA4CL4BOX (7818105525066)	Copper Compression Lug, 1 Hole with Inspection Window, 4 AWG, 3/8" Stud, Short Barrel, Tin Plated
TP106Z	Vinyl-Insulated Ring Terminal for 12-10 AWG Wires
YAV50F10	Compression Cable Lug for Fine-Stranded Conductors, 50 mm ² , M10 Hole
YAV70FM6	Compression Terminal, 70 mm ² , M6 Stud
KSU34	High Strength Cu Alloy Servit with Spacer
12MM P/N: YAV95M12	Cable terminals
YAV25M6	Compression Terminal, 25 mm ² , M6 Stud
YAEV6CRS	Nylon-Insulated Right-Angle Ring Terminal for 6 AWG Wires
QDA1C	
YGLR29C34	250Mcm Ground Rod Connector
420030	U-O Die
YAB28CG2	Terminal Ring uninsulated
YA6C	6Awg Copper 1-Hole Lug 502175
GIE4CG4	Stainless Steel Grounding Connector, Heavy Duty, For Vehicle Grounding
NA18A-4N-H	Connector
NAR45A-4N-90	Terminal
NNTR36A36A	Connector
BE6M53D (101.106.050)	
BE6M65D	
YAZV2C2TC38FX	Copper Compression Lug
YAZ6CTC14	Copper Compression Lug
YAZ8C2TC14FX	Copper Compression Lug
YAZV102TC14E1	Copper Compression Terminal
GX2929	Mechanical Grounding Connector
10058504 / KSU28	Connector
YS25	Butt connector
KS22	SCREW CONNECTOR
7370985 BURNDY YAV240M16	
QA34-B	Heavy-Duty Copper Lug Connector for 400-500 kcmil Conductors

Product	Description
QA28-B	Heavy-Duty Copper Lug Connector for 3/0-4/0 AWG Stranded Conductors
Q3A40-4N	Heavy-Duty Copper Terminal for 600-800 kcmil Conductors, 4-Hole
7371030 BURNDY YAV300M16	
KA34	TERMINAL FOR CABLE TO BAR
YA36	1-Hole Lug
YH2929WCC	Copper H-Tap 250-250 W/Clear Cover
K2A36U-2N	Terminal, KA-U Series
RYA2UC	Tap Kit
K2C22	specific connector
YA252TC38	Copper Compression Terminal, 1/0 AWG, 2-Hole, 3/8" Stud, 1" Spacing, Long Barrel
YAV28L2NTCFX	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 2-Hole, 1/2" Stud, 1-3/4" Spacing, Standard Barrel
YAV28LTC12FX	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 1-Hole, 1/2" Stud, Standard Barrel
YA34L2TC38	Copper Compression Terminal, 500 kcmil, 2-Hole, 3/8" Stud, 1" Spacing, Standard Barrel
YA26LBOX	Copper Compression Lug, 2/0 AWG, 1-Hole, 3/8" Stud, Standard Barrel with Inspection Window
YAV35M8 (package 100)	Copper Compression Lug, 35 mm ² , M8 Stud, Standard Barrel
YF1410ITL	Covered Ferrule for 14 AWG
YF1610ITL	Covered Ferrule for 16 AWG
YS27-LBOX	Copper Compression Splice
YAV14T5	Uninsulated Ring Terminal for 20-14 AWG, #4-6 Stud
YA8CL145	Copper HYLUG
KA36U	Terminal
KA36U2N	Terminal
KITMAK1850B	Mechanical Lug Kit for 1850 kcmil Conductors
NAR36A4N	substation - aluminium Bolted Terminal
UV8L	Stainless Steel Nest Die
Y34PL	Crimp Die Indenter
OH18A3	Aluminum Bus Support
NS18A18A	Aluminum Bolted Coupler
NBC18A2N	Aluminum T Connector
YGHC2C2	Compression connector
YGHP34C26	Compression Ground Rod Connector
B2D12	12-Inch Flexible Copper Braid Jumper
KSU26	Split Bolt Connector with Spacer.
YAV25LNT14FX	Compression Terminal for 1/0 AWG Flexible Copper Conductors, 1-Hole, 1/4" Stud, Narrow Tongue
K2C25	Electrical connector
UV8L	Stainless Steel Nest Die for #8 AWG, Index 38
Y34PL	Indenter Die for Crimping Applications
YA2CLBOX	1-Hole lug
YAV70M6/70MM²	HOLE AND INSPECTION HOLE TUB. COMPRESS.TYPE SHOE WITH BOLT
YAV70M10/70MM²	CONDUCTOR STOP, INSPECTION HOLE TUBULAR COMPRESSION
YA44LNT12FX	Compression Terminal

Product	Description
GG171	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
GG1815	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
MY2911	Dieless Mechanical Compression Tool
W27VT	Stainless Steel W-Die for 3/0 AWG Conductors, Die Index 14, Orange
W27RT	W-Die Set for Hydraulic Crimping Tools, Capacity: 3/0 AWG, Die Index: 14, Orange
X27RT	Crimp Connector
OUR840	Popper Hytool Full Cycle Ratchet Tool
U27RT	Stainless Steel U Die for 3/0 AWG Conductors, Orange, Index 14
SCB22A	22-Ton C-Head Remote Hydraulic Crimper
SWXHP22A5	22-Ton Hydraulic Crimping Tool with 5-Foot Hose
YSV27LFX	Compression Splice for 3/0 AWG Flexible Copper Conductors
14MM P/N: YAV95M14	Compression Terminal for 95 mm ² Copper Conductors, 14 mm Stud
YGF294N	Grounding Plate
P44RT	HYGROUND "P" MATRIX FOR HYDRAULIC PRESS PLIERS
PUADP1	"U" MATRIX ADAPTER FOR HYDRAULIC PRESS PLIERS
CT18075C00	Standard Nylon Cable Ties:
CT50400SSBBB	Stainless Steel Cable Ties
YAZ34NT38FX	Lug
YA28-2LN	Compression Terminal for 4/0 AWG Copper Conductors, 2-Hole, 1/2" Stud
GAR1429	Ground Connector
NSNT3434	Substation Copper T Connector, 90 Degrees
YAE18N	cabl shoes
Y35/Y35-2 REPAIR KIT	Repair kit
MRE1022NV	
QA4C-B	Heavy Duty Copper Lug Connector
KSU25	CONNECTOR BIMETAL
YAZV26TC38FX	Lug Terminal
YA8CL45	Lug Terminal
YA26-2N, 2001525753	
YAV25L251	
YAV25L218	
YAZ34TC38	ZAPATA OJILLO
GAR184C	Connector
GAR1726	Connector
GAR174C	
YGS2C	Grounding Irreversible Compression Splice; Accommodates: #2 Str.; 2.41" Length.
PENA4	PENETROX- A CONDUCTIVE PASTE - 4 oz/120ml BOTTLE
YA272N	Double eye compression terminal
YA27A3	One-eye compression terminal
GD-1829	Connector for 120mm ² cable to 2" fence pipe
GB29	staple
KS31	Copper clamp for 95mm ² cable
DEF95-10TSV	
DEF95-12TSV	
MR15 / 1725071990	Ratchet Crimper for #22-#10 AWG, Vinyl Insulated

Product	Description
OEM840NCP	Pneumatic Bench Press
YGHP34C29	Terminal
YSL70-T32	Compression glove
YS29-L	Compression glove
YS30-L	Compression glove
QPX4428	Parallel Clamp
MR15DIESETD1	die set
BDBLCS3K3	
YAE22G16BOX	Insulug #4 Nylon Insulated Small Terminal, (Pack of 100 pcs)
YAE22G13BOX	Insulug #4 - #6 Nylon Insulated Small Terminal
UPRECRIMP34	
UPRECRIMP58	
YAEV10	
YAES18N2	Ring Terminal
YAES18N3	Ring Terminal
YAES18N5	Ring Terminal
YAES14N8	Ring Terminal
YAES10N12	Ring Terminal
YAEV6CLM	
YAEV6CL2M	nylon ring terminal
YAEV2CL1	Ring Terminal
YAEV2CL	Ring Terminal
YAES18N50	Ring Terminal
YAES10N57	Ring Terminal
YGHR26C58	Connector
KKA31U2N	
YS2C-L	
K2A31U	aluminum/Copper 2-Hole Terminal Lug
YAV10M5 (7370520)	
BE1M65D (101.101.060)	
QDA31	
YAEV6CRS1	Terminal
YAEV8CRS1	Terminal
YAEV2CRS	Terminal
GAR1126	2/0Awg Ground Connector
T1414	
YA8CTC14	
YA2C2N	
B3D12	
YCHC34TC34	
YGLR29C100	Compression Ground
Y10D	Plier-Style Crimper
U2CET	Crimping Circular Butting U Die
U8CET	Circular Butting Twin U Die, AN8
YA39LNT38	

Product	Description
GAR2126	mechanical grounding connector
YA30L7	
YAV95M12	25020104 Copper Compression Lug
YAV10T2	Ring Terminal
YAV120F-M10	CABLE ENDS 120 MM2 (M10)
GC15A	Ground Clamp
GC18A	Ground Clamp
PENA1/2	PENETROX A, 1/2 OZ TUBE
BBB14416G	1/4X4X16 24-Hole Busbar
YAV6CL-CU2TC10FX#6(61/24)	
HYPRESS Y 35	
BTCGC1/0SS	Aluminum soil tray clamp
YS26LBOX	2/0 Str. Copper Butt Splice
BA16EF6	fork
YAZV6C2TC10FX	Compression Terminal
9999015 / QA8C-B	
YS4CL	502752 Copper Compression Splice
YAV4CL2NT10FX90	
YA29-L	
GAR204C	Grounding Connector
GAR1926	
YAV10-R3BOX	
YAZ29TC38	
KPA4CHEXGR 387095	Connector Bolted Lugs & Terminals, Tin
YA8CL2BOX	
T148F	
YAD108F	
YAD1410F	
YAZ392N	750Kcm 2-Hole Long Lug
YAZ442N	
YAZ282N	4/0Awg 2-Hole Long Lug
YAZ292N	2/0 250Kcm 2-Hole Long Lug
YAZ312N	350Kcm 2-Hole Long Lug
YAZ252N	1/0Awg 2-Hole Long Lug
368544005	
368542005 Male	
0368543005	
YA4CLBOX	
BCB14212	
FD65C6T14	
YA26L7	Copper Compression Lug
YAV29LTC58FX	Cu Tubing Compression Terminal
YA32LTC58FX	Lug
YA34LTC58FX	Cu Compression Lug
YAV25LTC12FX	Copper Compression Lug

Product	Description
YAV2CLTC12FX	Copper Compression Lug
YAV4CLTC12FX	Copper Compression Lug
N8CT	
UTG016-19S	Standard Circular Connector
HSW12T300PF	Tubing
YAV26TC38FXB	compression lugs
TN18-8	
YC33R26U	Aluminum Compression Tap Connector
YPC28U4	Extra Wide Range Universal Connector
KA31U	cable lugs
U8CRT	Stainless Steel Radial Butting Twin Die, Index 49
YAV10-M5	
PAT81K2U05A2	Crimper
NAH342N	
YC4C6	
YC2C4	
U10C	
U16C	
Y6R3BA1	Press cable lug pliers
YA31-350KCM	
GAR1734	
YAZ6C-2TC14	
YAZ6C-TC14-90	
YAZV10-TC14	
YA2C-2LN	
YAEV10-L36	Ring Lug
KSSB31U	
YE40P78X156FX	
YA-362N	
YA40LTC38FX	
YA44L2TC38FX	Cu Compression Lug
BS10	Butt Splice
U50C	Stainless Steel Nest U Die, Index 50
YAZ6C2TC14E2	Lug
U4CRT	U-die
GB26-W	Grounding connector/terminal
QA4C-B-W	Grounding terminal
QA1C-B-W	Grounding terminal
QA26-B-W	Grounding terminal
QA28-B-W	Grounding terminal
YAV150FM12	Compression Terminal
GP-6426	
N3A445A-2N-SG1	terminal connector
N445A-4N-SG1	terminal connector
N3445A-4N-SG1	terminal connector

Product	Description
NA445A-4N-SG1	terminal connector
NA445A-4N-90	terminal connector
NNTR45A45A	Bolted T-Connector
NAR29A2N	
NAR45A2N90	
YSR25FX6CFXLTCKITC	Splice Kit
YSR2CFX6CFXLTCKITC	Splice Kit
YGL34C29	Connector
GX2626	connector
UC4W28	connector
YA1CL6BOX	compression connector
UC6W25	universal connector
CASEUDIES15	Plastic Case
UDIEKITAL	U-Die Kit for Aluminum Connectors
QA28-2N	4/0 Copper 2-Hole Terminal Lug
YA-6 C-L	
YA-4C	
CB14212	