







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





## **Camloc**

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## **BRAND'S CRPDOUTS**

Ccrdutl	Domtcaelars
149 L02 L- LLX0 - GTLX- UR	Nalve
-B-C-LKCX-K P 149 RLP7 LK LL00 - 1ofA 7flach	9ydraulic Nalve
549 R0PB K7	Sorged steel ball valve
149 RLP7 LK LBX0 L	
<u>-B-CXC-L0 PP 149 RLPB -X LLLK</u> L	
149 RLP7 LK LLLK 7 GT0	
<u>149 RL 70 LLLK L</u>	
J49 6T70 5AE Xpsi 6P6 BB7K	
<u>149 LP7TGU LK LLB0 L</u>	1lock ball valves
-M78 66CAT 7BN 63T	
<u>54K RKPB 7- 7L7K L 2</u>	
<u>J49 6TB- 5AE Xpsi 6P6 BB7K</u>	
S49 6TL GTLX- KB7K L SL	
14K L-2 -8 LL7K L 2 1rL00	
<u>S/49 6T7 ((MK</u>	
149 RLP7 LK LLLLK L RU6	A/UxAU)J, GTExFAU3/
<u>14K RLPB -X BB7K </u> 2	
<u>149 RLPB -X LLLK L P -B-CXC-L</u> 0	1all valves blockCtype
S49 6T8- GTLX 0MBB SB HXKC-8-C0V	1all valve
<u>14K</u>	KCWay 6iverter 1all valve
<u>U49 RLPB -X KBMM - 6f</u> R	Nalve
<u>B49 RL 70 7L7K L (C-X</u>	BCway valve
J49 RLPB -X BB7K	
LM-C-8-C-DD, S/49 6T8- 5AE Xpsi KM7K L	Slange ball valve
14K 82 -X LL7K L 2 1G 50	KP7 Way valve
<u>J49 0PBTGU K7 BB7</u> 0	Nalve
S149 6TB-5AE Xpsi LL7K L H0B-C-B-C7V	valve
<u>149 L75 -8 LLLK - 1GB 7E5</u>	NA2NE
<u>149 78C2 70 LLLK</u>	1A22 NA2NE
<u>149 772 7- LLLK</u>	1A22 NA2NE
<u>149 L72 L- LLLK L 105UE 5NL7</u>	1A22 NA2NE
<u>149 L82 LX LL7K L P -B-C-LXC-K</u> L	
<u>149 KPBTGU 7- LL70</u>	NA2NECG35UEJ
149 L82 LX LL7K H-B-C-LXC-KLV	1A22 NA2NE
<u>149 L02 LX LL7K</u>	1A22 NA2NE
149x 6T7- LL70 L AN	

Enapart Rroup Y xnit K Rreen 2ane Workshops Ashington TEXK -ES xnited 4ingdom Y JA6WAJ6 2U6 xnited 4ing dom Y j BB 7- 8L0DLK-- Y salesOenapart.co.uk Y www.enapart.co.uk

Gister Gage L P X





Product	Description
40S41-11SW	locking pin
4002-NS FÜHRUNGSRING	Edelstahl-Führungsring für 4002-Serie
V40G26-1N SPRENGRING	Sicherungsring für Vierteldreh-Schnellverschlüsse
40S41-11SW VERSCHLUSSZAPFEN MIT	
<u>FLÜGEL</u>	Flügelkopf-Bolzen für 4002-Serie Vierteldreh-Schnellverschlüsse
4002-SW-SS HALTESCHEIBE	Geteilter Sicherungsring aus Edelstahl für 4002-Serie
<u>991R2-5AR</u>	retaining support
<u>GS-G-8135 1500N</u>	Gasfeder mit 1500 N Kraft
SWF6E1060105S6L-160N-139488-17/02	Gasfeder mit 160 N Kraft und Endlagendämpfung
<u>991S02-17-1AGV</u>	Fixed Wing Head Stud for 991F Series Fasteners
<u>991S01-21-1AGV</u>	Locking pin, slotted head
<u>SDF1B4190235B45-1050N</u>	Gas spring
<u>1460L01-1-1ASN V</u>	Squeezer lock
<u>W2600-LW-7</u>	Retaining Washer for 2600 Series Fasteners
<u>312-125</u>	Rivet/Screw Mounting Receptacle for 2600 Series Fasteners
<u>991R2-2AZ</u>	Retaining socks, weldable
<u>991S01-10-1AGV</u>	plug, slotted head
<u>991W04-1ASNV</u>	Retainer
<u>V951L7-1BP</u>	rivetable counter hook
<u>991R2-1BP</u>	Cam lock, Staking
<u>D244-16-FGV</u>	Retaining socks
<u>4002T02-1BP</u>	Mounting tool
<u>D4002-8AGV</u>	Slotted Recess Head Stud for D4002 Series Fasteners
HGRTL-8X	Heavy-Duty Grommet Retained for D4002 Series Fasteners
2383RT01-06-1AY	Tool
<u>2383HT02-1AY</u>	Tool
<u>4-GM-1</u>	Tool
<u>T92-1</u>	Tool
<u>2383T01-1BP</u>	Live Lock Panel Fasteners tool
<u>991S2991-6AGV</u>	Folding Bail Handle Stud for 991F Series Fasteners
<u>991S2991-9AGV</u>	Locking pin folding bracket
<u>D4002-10AGV</u>	Locking pin
<u>50W204-01K</u>	Holding disc
<u>991S02-6-1AGV</u>	Closing pins
<u>991S2991-8AGV</u>	Closure pin hinged bracket
<u>50E21-7S</u>	Slotted recess head stud
<u>50E21-8S</u>	Slotted recess head stud
<u>4002-N3-B</u>	GUIDE RING
HHSTLFB-8Z	Folding ring axle
<u>HHSRF33Z</u>	Receptacle
<u>HHSWPS</u>	Retaining washer
<u>HHSTLWF-8Z</u>	
<u>50 E8-7WS</u>	Lock pin with wing handle
<u>D4002-15AGV</u>	
SWV1080800110182	Specific Part Information Not Available

Camloc Page 8 / 14





Product	Description
SWF6E1060105S6L-110N-187390-40/08	Gas spring
50E8-10WAGV	Lever closure
V26R6-1AGV	Deep Drawn Socks
991S02-10-1AGV	Locking pin
50E8-30WAGV	Fixed Wing Head Stud for 50F/3700N Series Fasteners
KM610-64	snap closure
SWV6050500035	Gas Spring
715S12-08-3BP (550 pcs)	Stud Assembly for 715F Series Fasteners
715S12-08-3BP (5000 pcs)	Slotted Recess Stud for 715F Series Fasteners
SWY8S81 50209S8L-650N	Gas shock absorber
V18L01-1-1BP	Standard tension lock
V18L13-1-1BP	rivetable counter hook
V951L04-1X1BP	Turnbuckle with safety
V951L04-1X1BP (100 pcs)	Safe toggle lock
2383RT01-1AY	Assembly tool
244-16B-RF - 25 pcs	CONTINUE OCKING
244-16B-RF - 100 pcs	CONTINUE OCKING
D4002-N-AGV	Guide ring waistband protruding
<u>D214-16NFGV</u>	HOLDJACKS
<u>720R01-3B</u>	Spring clip snap-in 13.5
<u>40R18-1</u>	Rigid Receptacle for 4002 Series Fasteners
D244-16C-FGV	Floating Receptacle with Countersunk Rivet Holes for D4002 Series Fasteners
SWA8PC085150PC L-500N	Gas spring 8/18, KRAFT 500N
V951L03-1-1BP - 300 pcs	Concealed Base Tension Latch with Adjustable Drawhook
SWF6F1060100FIL-150N	Gas spring
<u>991R6-2AK7</u>	holding socks
<u>KN524J</u>	Keenserts threaded insert
<u>2700-8S</u>	closing pin
<u>D40S47-12AGV</u>	locking pins,
<u>V26S02-10AGV</u>	Slotted Recess Head Stud for V26S Series Fasteners
<u>26R16-1FGV</u>	Encapsulated support
<u>V18L01-1X1AGV</u>	Tension lock
<u>39 S01-5-1 AA</u>	quick lock screw
SWV4ECV400001	gas strut
<u>V50R1-1-2AZ</u>	retaining lug
<u>V27W01-1AN</u>	Wing Head Stud for V27W Series Fasteners
<u>991 S 02 - 24 - 1AGV</u>	Fixed Wing Head Stud for 991F Series Fasteners
<u>991S01-3-1AGV</u>	locking faucet
SWA8P5200250P5L-550N	gas spring
<u>V96H01-1-1A0</u>	Heavy-Duty Adjustable Latch with Safety Catch
<u>D40S5-9AGV</u>	Slotted Recess Head Stud for D4002 Series Fasteners
<u>V803L46-1-1AGV</u>	Specific Part Information Not Available
P/N: SWY8S8100159S8, Type: L-650N	Standard lift gas strut
<u>99R10-01A1</u>	a retaining cam

Camloc Page 9 / 14





Product	Description
<u>26S51-3</u>	Quarter Turnlock Stud Assembly, 0.82 in L, Stainless Steel, Passivated
SWF6F1060100F1L-95N	Gas Spring with 95 N Force and Fixed Force
<u>50E8-50W0AGV</u>	locking spigot
<u>99R10-01A1</u>	holding socks
SWF8PK140190PKL-650N	Gas Spring with 650 N Force and Progressive Damping
SSV1B4100140B4	Stainless Steel V1B Series Stud
99 S 10-05 A1	Quarter-Turn Stud for 99 Series Fasteners
<u>V 2600-LW-7</u>	retaining disc
39S01-3-1AA	locking pins
991S01-26-1AGV	locking pin, slotted head
V18L01-1X1BP	Toggle lock with safety
214-16S	Rigid retaining cams
D4002-3BP	Slotted head locking pin
D4002-4BP	Slotted head locking pin
 D4002-5BP	Slotted head locking pin
991S01-12-1AGV	locking pins
V26S04-6AGV	locking pin with wing
V26S02-5AGV	Cross Recess Pan Head Stud for 2600 Series Fasteners
50E91-8AGV	Hexagonal slot locking pin
50E91-4AGV	Hexagonal slot locking pin
SWV1S1250290S1AU-1200N	Adjustable Force Gas Spring with 1,200 N Force
V951L03-1X5BP (package)	Toggle closure
4002-7D	LOCKING PINS
D4002-12AGV	LOCKING PINS
D4002-9AGV	LOCKING PINS
 D4002-17AGV	LOCKING PINS
991S01-9-1AGV	locking pins
V951L03-1-5BP	Turnbuckles
V951L7-1AGV	counterhook
50E21-17AGV	Specific Part Information Not Available
V46L38-1-1AGV	Toggle closure
V26S22-16AGV	locking pin leverback
V26S02-16AGV	Cross recess locking pin
V27S02-4AGV	Phillips locking pin
V26S02-2AGV	locking pin, cross recessed
1449L02-1X1BP	tension lock with safety
V18L01-1-1AGV	Standard tension lock
SSA8F2100135F24-650N	Gas Spring
50E8-12WS	wing head locking pin
D4002-36WBP	wing head locking pin
D40W02-1DR	spacer plate
991S05-49-1AGV	180° Folding Wing Head Stud for 991F Series Fasteners
V951L04-1X5AGV	Toggle lock
991S05-11-1AGV	Sealing pins
<u>D4002-G-AGV</u>	guide ring
<u> </u>	galao iliig

Camloc Page 10 / 14





Product	Description
<u>D4002-H-AGV</u>	guide ring
D4002-5AGV	Sealing pins
D4002-6AGV	Sealing pins
112L31-3X1AA	Tension lock
D40S5-2AGV	Cross Recess Head Stud
D40S5-3AGV	Cross Recess Head Stud
D4002-G-AGV	Flush mounting grommet
<u>D40S5-2BP</u>	Phillips locking pin, stainless steel
<u>D40S5-3BP</u>	Phillips locking pin, stainless steel
<u>D40S5-4BP</u>	Phillips locking pin
<u>V26S04-7AGV</u>	Fixed Wing Handle Stud for 2600 Series Fasteners
SWV1ECV100001	Steel Gas Strut
<u>214-16</u>	Receptacle
<u>991S05-5-1AGV</u>	Sealing pin
<u>991S05-6-1AGV</u>	Sealing pin
<u>V18L13-1-1AGV</u>	Rivetable counter hook
<u>V951L02-1-5AGV</u>	Rivetable buckle
<u>V2600-LW-7</u>	Retaining disc
D40S5-6AGV	Cross recess locking pin
SWY8060600056	gas spring
<u>V951L7-5BP</u>	Counter hook
991S02-11-1AGV	Locking pin, wing head
SWY8060600057	Steel Gas Strut
<u>V951L03-1X5AGV</u>	Turnbuckle with safety
<u>1429L9-1BP</u>	Counter hook
<u>40S83-13B</u>	Locking pin or knurled screw
<u>991S3459-11ASNV</u>	Specific Part Information Not Available
<u>991S54-1ASNV</u>	Sealing pin
<u>50E8-9W0AGV</u>	Sealing pin
<u>1429L02-2X1BP</u>	Tension lock
<u>1429L9-1BP</u>	Counter hook
<u>2600-15</u>	Locking pin
<u>V26S22-16AGV</u>	Sealing pin
<u>50E91-16AGV</u>	Hexagonal slot plug
<u>991S03-50-1AGV</u>	Wing handle fixed on the side
<u>V26S04-4AGV</u>	Sealing pin
<u>V27S02-3AGV</u>	Phillips locking pin
<u>40S5-5</u>	Quarter-Turn Fastener Stud
SWF6E106I05S6H-160N	Gas Spring
234-455 / SWV1080800027	gas strut
SWF8PK140190PKL-650N-297305-17/22	damper
3375R01-1AGV	Haltenocken
50E61-28AGV	Hex recess head stud
<u>V26S02-4AGV</u>	Phillips locking pin
<u>D40S5-4AGV</u>	Cross recess sealing pin

Camloc Page 11 / 14





Product	Description
D40S5-5AGV	Cross recess sealing pin
50E82-2AGV	Quarter-Turn Fastener Receptacle
waz3.1	· ·
991R2-3ASNV	Quarter-Turn Fastener Receptacle
SDV1F4250390F4L	Cylinder
EDV1F4250368F4L	Cylinder
<u>50E8-17AGV</u>	Sealing pins
<u>V951L50-1AGV</u>	counterhook, rivetable
<u>V951L50-1BP (1piece)</u>	Counter hook
SWV4B6500575B6L	Adjustable Force Gas Strut
<u>50E8-33AGV</u>	Slothead plug
Type 991R2-2AR	Haltenocken
<u>D4002-13 AGV</u>	Quarter-Turn Fastener Stud Assembly
<u>D4002-11 AGV</u>	Quarter-Turn Fastener Stud Assembly
SWV4101000110186	Vari Lift press gas spring
<u>D40S5-11AGV</u>	Cross recess pin
<u>50E8-16</u>	Slotted recess head stud made from stainless steel, part of the 50F Series, known for its durability and strength.
716S12-03-4BP Pack 100 pcs	Quarter-turn fastener with slotted recess head, designed for quick and secure fastening.
<u>GS-G-8135A-1500N</u>	
<u>V212-12-2FGV</u>	Haltenocken
V212-12-2FGV - 100 pcs,	Information on this specific part is not readily available.
<u>V212-12-1FGV</u>	Quarter-Turn Lock Receiver
SXV6PE200235PEL	Information Not Available
<u>V18L13-1-2BP</u>	Information Not Available
<u>V18L01-1X2BP</u>	Clasp with safety
<u>D40S5-27AGV</u>	Cross Recess Head Stud
<u>V26S02-3AGV</u>	Cross Recess Pan Head Stud
<u>V26S22-3AGV</u>	Folding Bail Handle Stud
old code 40S5-5/ new code D40S5-5AGV	Cross Recess Head Stud
991S02-09-1BP	Fixed Wing Handle Stud
<u>991S02-10-1BP</u>	Fixed Wing Handle Stud
991S500-12-1AGV	Folding Wing Handle Stud
<u>991S04-12-AGV</u>	Star Form Handle Stud
991S500-50-1AG V	Folding Wing Handle Stud
<u>V951L03-1-5ABP</u>	Concealed Base Tension Latch
<u>V951L7-58P</u>	Open Strike for Tension Latch
SWF4FD400474FDL	PISTON
<u>D4002-0-AGV</u>	Guide ring waistband protruding
<u>D40E28-6AGV</u>	Locking pin
<u>D40E28-8-AGV</u>	Locking pin
<u>D40E28-9-AGV</u>	Locking pin
50E83-11CP	T-head plug
<u>D40E28-5AGV</u>	Hexagon socket plug

Camloc Page 12 / 14





Product	Description
LM4076	Stainless steel holder ring
991S500-7-1AGV	Locking pin
RS-686-941-V/20-202334-37/10	RF Cable Assemblies
V99S10-07AG	Cross Recess Head Stud
SWV1080800030700	Gas spring
991S2991-7AGV	Folding Bail Handle Stud
camv27s0220agv	Cross Recess Flush Head Stud
SWF8P8100139P8L - 20mm oil - 320N	Gas Spring
991S05-13-1AGV	Folding Wing Handle Stud
26R16-1	Locking pin with string
V26S22-6AGV	Locking pin with string  Locking pin folding bracket
V26S22-8AGV	Locking pin folding bracket  Locking pin folding bracket
	STUDS - QUARTER TURN BOLT
<u>V27S01-7 AGV</u>	
NAS1473A3	NUT-SELF LOCKING
MS20426AD3-5	Solid Rivet - PERCIN
<u>991S02-5-1AGV</u>	1/4 turn fastener
SWF6E1060105S6L - 20MM - 32AWS - 160N	Gas Spring
GS-SXV6PE150185PEL	Gas spring
<u>SWF6F1060100FIL-95N</u>	gas shock absorber
<u>V26S01-10AGV</u>	
<u>720R01-1B</u>	
<u>720R01-2B</u>	
<u>720R01-4B</u>	
<u>991S01-18-1BP</u>	
<u>991S03-22-1AGV</u>	
<u>991S03-24-1AGV</u>	
KCA-991S03-22-ZS	
KCA-991S03-24-ZS	
<u>MPPWFS</u>	
MPPTL-3N	
<u>MPPRZZ</u>	
<u>MPPNZ</u>	
<u>15S11-1AC</u>	
<u>15R1-1AC</u>	
991S01-14-1AGV	
VT67510281450 1450N	
KNHML16X2,0/M16X2,0	
KRTM16-02	
V18L01-1Y1AGV	
V46L38-1-6AGV	
991S01-19-1AGV	Screws
V26S04-11AGV	
39S10-1-1AA	
FSC-4010SS	stainless steel Camloc mounting Rivets ( countersink head ) 4mm diameter 8mm long

Camloc Page 13 / 14





Product	Description
<u>PS15X - 2.4-4.8</u>	
HHSTLHS-8Z	TurnLock Quarter
<u>V26S04-9AGV</u>	
SWF8P5200250P5L-550N	
ECY8B2200239B2R - 650N	
<u>50E61-16AGV</u>	
<u>50E8-5W0AGV</u>	clear passivation galvanized steel wing handles
<u>50W17-1BP</u>	stainless steel check washer
SWF6P2100140P2-270N	Gas Spring
<u>76002-00001</u>	
<u>50E8-31W0AGV</u>	
<u>50E8-31W0S</u>	
991S01 L=6-1BP	
RS686-941	
LLLCHS25C	
LSCHS25Z	
D40S5-18BP	
D4002-23WBP	Stud Assembly
<u>D4002-T-AGV</u>	Grommet and Ring
<u>D40011-3K</u>	Grommet

Camloc