



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk



Car

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

LCneBRANDC'BSPOA

DU Tord	BaurUctdc s
16536126L11C	toroidal potentiometer
-03,1H2SHC3jBF	Oagnetventil CRC -03,1H2SHC3jBF
61211116 RR CRC -03,1H2SHC3jBF	solenoid valve
GEFD Jiltersteuerung GOHUj3 Oicro	
Art. -r. 6121116T	Molenoid valve
S-P 26511166	Sneumatic solenoid valve assembly
B-CLHANHC3jBF RR S-P 51611132	GEFD jentildeckel
6121CT16	Bifferential pressure monitor
OHC62 F.66.16 IN	Jilter control
GOHC11F Slug and Slay AKE4	filter control
GOHNj 2 R 2j	valve module
GOHUj 6C BS Tj AKE4	filter control
LT16111C H GOHNj 2 R 3j	valve module
Y15G-HJ L(6.LmmV 6m	connection cable
Y15G-HJ L(6.LmmV Cm	connection cable
Y15G-HJ L(6.LmmV 61m	connection cable
Y15G-HJ L(6.LmmV 1.Cm	cable adapter
SR-P 62111T1C KypeP GOHC62F.6L.16	filter control
GOHC1) FU 6T IN 1j	filter control
GOHT11 F	Jilter control
GOHC62 FU.61	Jilter control
5161113/	jalve cover
CRC -3.LH)SHC3jBF	
6121TC/C GOHUj 6C BS 61j AKE4	filter control
GOHNj62 R 62111T3/	E(pansion Oodule
GOHC62 F.61.16	Jilter control system
GOHNj62.61 862111T31"	e(pansion module
1T111161	KGA-MOZKKEG® SGEMMIGE
GOHTL1 FK8612133TL"	Srofibus
GOHUj).61.13 861211TC/"	Mtand Alone Mystem
6121116T	Molenoid valve
6121C311	differential pressure switch
62111L11	
GOHBSF	GEFD BifferenXdruckw!chter
GOHTL1 F.16.16	filter control
SR-P 612/5635, KypeRGOHj62 BS	Jilter Fontrol



Product	Description
CLM-5X-BUD	Clip Buddy
CLM-4MFS-BUD	Front Mount, Side Orientation
CLM-4CBL2-BUD	Quick-Disconnect Cable Assembly
CLM-605-RB	Rest button
CL-4-ABPT-1.75-S	Adjustable Ball Lock Pin
PM-7-12-4.0	Bushing
PM-35-20-25	Bushing
CL-3-BLPT-3.00	Ball Lock Pins (T Handle)
CL-261-HK-S	Hand Knobs (Stainless Steel)
CL-516212-CC	Cone Spindel ASS Y
CL-5-RB	Rest Button
CL-6-BLPT-4.50	Ball Lock Pin
CL-20-CLPK-1.00	carr lock spare-parts kit
CL-35-CLPK-1.50	carr lock spare-parts kit
CL-3-BLPB-2.25	ball lock pin
CL-28-SSC	Swivel Screw Clamp with Large Foot, 3/8"-16 Thread
CL-8-BLPT-5.50	Ball Lock Pins (T Handle)
CLM-6-DEP-50-C	Metric Detent Pin, M6 Diameter, 50mm Grip Length, Steel with Cable
CL-23-SKA-8.0-LR	Cable Assembly
CL-12-SKR	Stainless Cable Ring
CL-3W-188	gage bushing
CLM-8-KESA	Extruded Hand Knob Swivel Feet
CL-2-C-100FT	Coiled Spring Pin, 1/8" Diameter, 100 ft Length, Steel
CL-6-MDP-2.00-S	marine detent pin
CL-550-SH-S	Solia handle
CL-4-MBPB-1.00-S	Marine Ball Lock Pins (Button Handle)
CL-4-BLPT-2.00-S	Ball Lock Pins (T Handle)
CL-2W-124	Gage Handles – Single End (Green)
CL-2W-152	Gage Handles – Single End (Green)
CL-4W-301	Gage Handles – Single End (Green)
CL-3W-252	Gage Handles – Single End (Green)
CL-3-GHD	Gage Handles – Double End (Green and Red)
TTB-24-.1935	THREADED TEMPLATE BUSHING
H-20-6-.1875	HEAD PRESS FIT BUSHING
CLM-8-SP	SHOULDER PIN
H-20-6-.1910	HEAD PRESS FIT BUSHING
P-64-24-.7500	PRESS FIT BUSHING
P-20-5-.1875	PRESS FIT BUSHING
P-20-8-.1285	PRESS FIT BUSHING
CL-80-SBPN-3	Ball plunger
CLM-4-SSC-BO	Swivel Screw Clamps (Small Foot)
CLM-47-SHS-BO	Swivel Head Screws (Ball Foot)
CLM-6-TSB	Adjustable-Torque Thumb Screw, M6 Thread
CLM-1-SCB-S	Shoulder-Type Construction Ball, 12mm Ball Diameter, Stainless Steel
CL-6A-HKE4T	Extruded Hand Knob Assemblies



Product	Description
CLM22SSCBON	Swivel Screw Clamp (Ball Foot), M22 Thread, Stainless Steel
CL-71-SPN-1	Short Spring Plunger, 1/2"-13 Thread, Steel Body with Delrin® Nose
CL-8000-SHR-1	Swivel Hoist Rings (Standard Ring)
CLM-8-HRP-S	Hand-Retractable Plungers – Knurled Head (Locking Type)
CLM-8-HRPT	Hand-Retractable Plungers – Threaded Stud for Knob Handle (Locking Type)
CLM-10-BTS-50	Ball-end Thrust Screw
CL-10-BLPB-4.50-S-C	Pin ball lock
CL-8-BLHB-1.25-S-C	Heavy-Duty Ball Lock Pin with Button Handle, 1/2" Diameter, 1.25" Grip Length, Stainless Steel, with Cable
CL254	Standard Ball Lock Pin with Button Handle, 1/4" Diameter, 1.00" Grip Length, Stainless Steel
CL33214SHR	Heavy-Duty® Swivel Hoist Ring, 5/16"-18 Thread, 800 lbs Load Capacity
CL33316SHR	Heavy-Duty® Swivel Hoist Ring, 3/8"-16 Thread, 1,200 lbs Load Capacity
CL-100-HK-10A	HAND KNOB
CL-132-KA-12.0-.194TABA-8	Cable Assembly, Type 13, 12.0" Length, #2 Cable, Tab Left End, Cable Ring Right End
CL-10-SPF-S	SWIVEL PAD FOOT
CL-132-SKA-3.0-.194TABA-8	Cable Assembly, Type 13, 3.0" Length, #2 Cable, Tab Left End, Cable Ring Right End
PM-5-6-2.50	press fit metric bushing
PM-7-12-4.00	press fit metric bushing
PM-15-25-10.00	press fit metric bushing
PM-18-20-12.00	press fit metric bushing
CLM-12-BLPT-80	Ball Lock Pins
CLM-25-SHR	Safety Hoist Ring
CL-3W-220-PACKOF2	Gage bushing
CLM-10-KK	Knurled Knob, M10 Thread, Steel
CL-6-HWAF	HAND WHEEL
CL-310-PA-S	latch-action toggle clamp
HM-22-16-14.00	head press fit metric bushing
CLM-4-HK-4	Hand Knobs (Cast Iron)
CL-6-BLPR-1.25	Ball Lock Pins (Ring Handle)
CL-179-PHSC-5	Pull Handle, Square Design, Counterbored, Thermoplastic
CLM-5B-BUD-SS	clip buddy
CLM-4B-BUD	clip buddy
CL-260-HK-S	Hand Knob
CL-6-SN	Swivel Nut
A-25415-1.2969	Drill Bushing, Press Fit, 1.2969" Inner Diameter
A-25415-1.3750	Air-Feed Drill Bushing, 1.3750" Inner Diameter
A-25415-.9219	Air-Feed Drill Bushing, 0.9219" Inner Diameter
A-25415-.9950	Air-Feed Drill Bushing, 0.9950" Inner Diameter
CL-8-BLPT-1.00	Ball Lock Pins (T Handle)
CL-27-TP	T pin
CL-25-TP	T pin
CL-LB-1	adjustable locating button
CLM-10T-HKE-30	HAND KNOB EXTRUDED ALUMINUM



Product	Description
CLM-8-CSHKA-35	Captive Locating Screw with Hand Knob
CL-6-MBPM-2.25-S	Ball pins
CL-6-BLHB-1.50-S-C	Ball lock Pin
CL-41-BSS	Swivel Head Screw with Large Foot
CL-4E-FSS	Extra-Large Foot for Swivel Screws
CL-27-LP	L PIN
CL-850-LVTC	VERTICAL-HANDLE TOGGLE CLAMP WITH SAFETY LOCK
CL-4-LFPM-1.50-S	Lifting Pins
CLM-10-LE	lifting eye
CLM-3B-BUD-SS	Stainless Steel Jaws
CLM-4A-BUD	Ball-Ended Urethane-Tipped Detent Pin
H-48-8-.5000	Quick-Ship Head Press-Fit Bushings (H)
CL-16-BLPL-5.00-C	ball lock pin
CLM-8-HRP	Hand-Retractable Plungers – Knurled Head (Locking Type)
CL-36521-FAS	Forged Anchor Shackles
CL-8-KHS	Knurled-Head Screw
CL-9-KHS	Knurled-Head Screw
SFM-12-20-6.30	slip/fixd renewable metric bushing
CL-6-BLPT-1.50	Ball Lock Pins (T Handle)
CL-7C-HKE4T	Extruded Hand Knob Assemblies
CL-7-HKE4T	Extruded Hand Knob Assemblies
CL-8-SBH	Speed Ball Handles (Double Arm)
CL-6-SPA	Swivel Pads (Steel)
CL-2-HDRP	Heavy-Duty Rest Pads (Rectangular Pad)
CL-1-HDRP	Heavy-Duty Rest Pads (Square Pad)
CLM-2-HK2T	Hand Knob Assemblies
CLM-4-JRB	REST BUTTON
CLM-14A-JRB	REST BUTTON
CLM-6A-JRB	REST BUTTON
CLM-39-SSC-BO	SWIVEL SCREW
CLM-1000-SHR-1	HOIST RING
CLM-29-SHA-1	STRAP CLAMP
CLM-6-LCP-B	LOCKING CLAMPING PIN (COMPLETE ASSEMBLY)
CLM-8-SSC-BO	Swivel Screw Clamps
TTR-24-6	Retainer Ring
CLM-10X80-STUD	Clamping Hardware
P-26-24-.2570	Press-Fit Bushing
CL800SHR2C	SWIVEL HOIST RING (CADMIUM PLATED)
L-32-16	BUSHINGS L ID .3125 STEEL
CL-17-SHS	Swivel Head Screw with Large Foot
CLM-16-SLF	stud leveling foot
CL-16-BLPL-5	Ball Lock Pins (L Handle)
CL-6-MDP-4.0-S-C-QP	MARINE DETENT PIN
CL-8-HWAF	Aluminum Handwheel with Revolving Handle
CL-5-SPF-S	SWIVEL PAD FOOT



Product	Description
CL-16-BLPL-5.00	Ball Lock Pin with L Handle, 1" Diameter, 5.00" Grip Length
CLR1545100K	Specific product information not found
CL-1-KN	Knurled Nut
FM48-16-.3750	centering rings
CL-147	spherical washer
CL-8-ABPL-1.00-S	ADJUSTABLE BALL LOCK PIN
CL-1-SS	Bolt with Rectified Body
CL-5-BLPR-3.00	Ball Lock Pin with Ring Handle, 5/16" Diameter, 3.00" Grip Length
CL-7B-SHK4T	Swivel-Washer Hand Knob Assemblies
CL-7A-SHK4T	Swivel-Washer Hand Knob Assemblies
CL-5-BLPB-1.00	BALL LOCK PIN
CLR-9210-132	ROEMHELD Connecting Insert, 10mm Diameter
CL-24-H	Specific product information not found
CLR-807-F	Specific product information not found
CLR-810-F	ROEMHELD Hydraulic Fitting, Port Plug G1/4
CLR-1824-161-EXD	ROEMHELD Block Extending Clamp, Size 1
CLM-6-ATK	Adjustable-Torque Knobs
CL-5-HWFA	Aluminum Handwheel with Revolving Handle, 5" Diameter
CLM-12-BLPL-100	Ball Lock Pin
CLM22-SHS-BO-N	SWIVEL HEAD SCREW
CLM-15-SSC-BO-N	Swivel Screw Clamp with Small Foot, 1/2"-13 Thread, 2" Length, Black Oxide Finish, with Delrin® Foot
CLM-12-BDP	pin
CLM-12-BRP	pin
CLM-12-B	bushing
CL-13-BDP	pin
CL-13-BND	pin
CLB-13000	Specific product information not found
CL850VTC	Vertical-Handle Toggle Clamp, 1000 lbs Holding Capacity
CLR-102-AP	Air Power Unit with Remote Air Valve
CLR-2952-521-V	ROEMHELD Pressure-Relief Valve, 0-7250 psi Adjustment Range
CLR-402-F	Specific product information not found
CLR-1824-161	ROEMHELD Block Extending Clamp, Size 1
CL-4-EXP-2.00	Expanding Pin
CLM-8-CSHKA-35-SS	Captive locating screw
CL-6-BLPT-2.00-S	Ball lock pin
CL-122-SKA-10.0-.281TABS	
CLM-12-SNW	Spherical Nuts & Washers
CLM-4-LP	L Pins
CLM 16 RG	Round Gripper
CLM-16-RGF	Round Gripper
CLM-1625-GSB	Gripper Swivel Contact Bolt
CLM-1650-GSB	Gripper Swivel Contact Bolt
CL-23515	Knurled-Head Screw
CL-23207	Knurled-Head Screw



Product	Description
CLM243KSM	Key Insert Installation Tool for Heavy-Duty Key Inserts
CL-3811-TW	FLANGED WASHER
CL-436-DPT	DIAMOND LOCATING PIN
CL-38314-SA	HEX- HEAD SPINDLE
CLM-8-CSHKA-45	Captive Locating Screws
LSM-2-PACKOF5	Lockscrew
CL-MF40-2501	SWIVEL CONTACT BOLT
CL-13-CH	CAM HANDLE
CL-23-CAC	
CL-4-EXP-0.75	EXPANDING PIN
CL-4-EXP-1.00	EXPANDING PIN
CL-4-EXP-1.50	EXPANDING PIN
CL-50-SAC	Serrated adjustable edge clamp
TR-20	
CLM-812-SS	Shoulder Screws
CLM-12-SP	Shoulder Pins
CL-14-LP	L Pins
CL-25-CLC-1.00	Carr Lock® Clamps
CL-1220-KS	Key insert (heavy duty)
CL-1-HKE2T	Extruded Hand Knob Assembly
H-26-4-2510	
P-48-22-.3750	Press fit bushing
P-64-8-.7500	Press fit bushing
P-48-8-.5000	Press fit bushing
P-48-8-.4375	Press fit bushing
P-56-22-.6250	Press fit bushing
P-26-16-.2500	Press fit bushing
P-32-8-.3750	Press fit bushing
P-32-12-.3020	Press fit bushing
CLM-12-SPS-1	spring plunger
CL-4B-FSSN	Screw Clamps
CL-17-BSS	Bodies for Swivel Screw Clamps
CL-18-BSS	Bodies for Swivel Screw Clamps
CL-5-HWAF	HAND WHEEL
SPM-10-16-6.00	Serrated Press-Fit Bushings – Metric (SPM)
CL-50-BP-1	BALL PLUNGER
CL-6-JN	JAM NUT (BLACK OXIDE FINISH)
CL-127	FLANGE NUT
CL-4W-311	
CL-9-SPG	CLAMP SPRING
CL-13615	CLAMP REST
CL-13717	CLAMP REST
CLM-5-HTS	Half-Turn Screw
CL-550-LHTC	Toggle Clamps
CL-38314-FC-PACKOF2	Toggle Clamps



Product	Description
CL-8-HWFS	
CLM-8-BRP	Bullet-Nose Round Pin
CLM-6-BRP	Bullet-Nose Round Pin
CLM-8-B	Bushing for Bullet-Nose Pin
CL-642-PGH	Palm grip handle
CL-12-BLPT-2.50	
L-48-6	Liner Bushing
CLM-10-BLHT-100-S	HEAVY-DUTY BALL LOCK PIN
CL-7-PPK4T	Four-Prong Knobs – Stud Type (Phenolic)
CL-5-LFN-S	
CL-8-BLPT-5.00	Ball Lock Pin
CL-2W-131	COLLET
CL-215-KA-3.00	LANYARD, COILED
CL-518208-FC	CLAMP SPINDLE
CL-100-PC	CLAMP, TOGGLE, LINEAR
CL-200-PA-S-L	latch plate
CLM-12-ATK	ADJUSTABLE-TORQUE KNOB
CLM-100-DPY	
CLM-815-RB	Rest Button
CL-8-LFPM-1.50-S	Lifting Pin
CL-35-LP	L Pins
CL-160-PHR-5	Pull Handles
PM-15-25-9.40	Press-Fit Bushings
CL-10-TP	Pins
CL-14-SP	Shoulder Pins
P-20-8-.1875	PRESS FIT BUSHING
CL-830-GSF	GRIPPER SWIVEL SCREW
L-28-12	LINER BUSHING L 1/4 X 7/16 X 3/4
CL-38212-FC	FLAT-CUSHION SPINDLE
CL-4-BLPB-0.75	Ball Lock Pins (Button Handle)
CL-36340-SPHR	Heavy-Duty side-pull hoist ring
CL-4-BLPB-0.50	Ball Lock Pin
CL-132-PHSC-5	Pull Handle
CL-7C-SHK4T	SWIVEL-WASHER HAND KNOB ASSEMBLY
CL-4-LHRP	Hand-Retractable Plungers – L Handle, Long Stroke (Locking Type)
CL-10-KSA	KNOB SHOE ASSEMBLY SWIVEL FOOT SCREWS ON/OFF (LEFTHAND THREAD)
CL-11420	
CL-144	SPHERICAL WASHER
CL-16412	KNURLED KNOB
CL-50-JP	JIG PIN
CLM-4-KSA	KNOB SHOE ASSEMBLY SWIVEL FOOT SCREWS ON/OFF (LEFTHAND THREAD)
H-26-4-.2500	HEAD P/F BUSHING (OD=13/32" ID=1/4" L=1/4")
CL-7-LTP-B	LOCKING T PIN



Product	Description
CL-4-HSLB	SLOTTED LOCATOR BUSHING (HEAD TYPE)
P-32-6-.3125	PRESS FIT BUSHING P 5/16 X 1/2 X 3/8
clm-31a-eb	Eye Bolt
CL-11-KA-11.8	
SFM-8-10-2.60	Fixed Renewable Bushing
CL-8-BLPT-6.00	Ball Lock Pin
CL-6-HRPK-L W/ CL-6-FJN	
CL-8-BLPB-5.50	
CL-122-LKA-12 0 194TABA	
CLM-100-B	BUSHING FOR BULLET-NOSE DOWEL
CL-5-CLB	CONE LOCATOR BUSHING
CL-10-AFL	Taper-Lok Air-Feed Lockscrews
CL-5-ABPL-0.75-S	ADJUSTABLE BALL LOCK PIN
CL-8125-SLFK	
CL-5-QTS	QUARTER-TURN SCREWS
CL-41-SHS	SWIVEL HEAD SCREWS(LARGE FOOT)
CL-8-BLPL-5.00	ball lock pin
CLM-10-BLPT-30	
CLM-4X-BUD	
50015330	Swivel Head Screw
50015411	Head Screw Swivel
CL-211-TC	Vertical-handle toggle clamp
CL-3-BLPB-0.75	ball lock pin
CLR-1374-010	Staple
CL-34-SHS-BO	
CL-36531-FAS	FORGED ANCHOR SHACKLE
CL-20-CLCK-0.75	Assembly button
CL-6-BLHT-1.75-S	Assembly button
CLM-20-CLSL-20	Assembly Button
CLM-1220-SRB	
CLM-9000-SHR-2	
CL-72-KA-12.0	
CL-1147-KS	Key Inserts – Heavy Duty, Steel (Inch)
CL-12-HN	Hex Nuts
CL-12-LF-BO	LEVELING FOOT
CLM-12-KK	Knurled Knobs
CL-100-LSPC	PUSH/PULL TOGGLE CLAMP WITH SAFETY LOCK
CL-9-BLPT-3.00	Ball Lock Pins
CL-22-SKA-10.6	
CL-25-CLPL-1.00	LOCK PRIMARY LINER BUSHING
L-88-24	bushings
CL-2-FN-PACKOF2	Flange Nuts
CLM-10-BLPL-50	BALL LOCK PIN
CLM-4MA-BUD	Angle Mount
CLM-5C-BUD	Clip Buddy



Product	Description
HM-12-16-8.00	HEAD PRESS FIT METRIC BUSHING
CL- 4-BLPT-3.00-S-NL	
CL-4-BLPL-5.00-S-NL	
CL-4-BLPT-1.25-S-NL	
CL-4-BLPT-1.50-S-NL	
CL-4-BLPL-1.50-S-NL	
CL- 3-BLPL-1.5-S-NL	
CL-3-BLPL-3.00-S-NL	
L-36-12	Liner bushing
HL-48-8	Head Liner bushing
CL-30-CLPL-0.75	
L-40-10-24	LINER BUSHING
CL-2-HRC-PACKOF2	Hoist-Ring Clips
CL 8 BLPL 5.00 C	
CLM-22006-SIP	Straight Index Plunger
CLM-12-FK	
CLM-29-HK-9	
CLM-16-HRP	
CLM-12-HRP	HAND RETRACTABLE PLUNGER 8 MM
CLM-12-SLF-BO	
CLM-1008-SS	
CLM-6-SPS-1	
CL-37340-SPHR	HOIST RING
CLM-29-SHS-BO	
CLM-10-ATK	DYNAMOMETRIC NUT
CL-71146-HE	
CL-18-SKR	Cable ring
CL-2-SC-50FT	Cable
CLM-44-SHS-BO	swivel head screw
CL-6-BLPL-2.50-S	BALL LOCK PIN
CL-6-EXP-2.00	Expanding Pins (Cam Handle)
CL-9-HK-9	
PM-22-16-14.00	
DGM-18-20-12.00	
CLM-80-RP	
CL-120-DPX	
CLM-26-PFK	
CL-6-RCP	ROUND CARBIDE PAD
CL-8-BLPB-.75-C	BALL LOCK PIN
CL-8-BLPB-2.50-C	BALL LOCK PIN
CL-6425-PB	BALL KNOB
CL-8-BLPB-1.25-C	BALL LOCK PIN
CL-3-BLPB-1.00-S	ball release pin
CL-3-SC-61.0	
CLR-1942-107	



Product	Description
SF-16-12-1290	Slip/Fixed Renewable Bushing
CLM162-KSM	KEY INSERT (HEAVY DUTY)
CL-13-HCLC-1	
CL-13-CLFR	
CL-5HWAFA	
CLM-58-SKS	KEY INSERT (THINWALL)
HM-48-25-30.01-AF	
CL-10-RHRP	
CL-22132-TIPB	
CL-22118-TIP	
CLM-1006-SS	Shoulder Screw
CLM-1-SCW	Swing C Washer
CL-46-SS	Shoulder Screw
CL-6-BLPL-6.00	Ball Lock Pins (L Handle)
HM-30-20-20.01	
CL-7-BLPL-2.5	
CLM-10-BLPL-100	
CL-23210	
CL-2500-SHRB-1	
CL-7000-SHRB-1	
CL-13-CLBR	Knurled-Head Screws
CLM 12 CAC	Hook Clamps
CL-40-SBPN-2	BALL PLUNGERS
CL-2-PH	TAPERED HANDLE
CLM-442-PB-PACKOF2	Ball Knobs (Phenolic)
CL-10-SCB	construction ball
CLM-120-B	BUSHING FOR BULLET-NOSE DOWEL
CL-18-LP	L-PIN
TW-2-PACKOF5	LOCKSCREW
cl-4-clsa-1.25	
P-20-6-.1875	
CL-3-BLPT-2.00-S	ball lock pin
CL-5-BLPB-2.00	BALL LOCK PIN
CL-200-LPA	Safety Lock
CL-8-HK-8	Hand Knobs (Cast Iron)
CL-7-BLHL-1.50-S	Heavy-Duty Ball Lock Pins
CL-16-LFPM-2.00-S	Lifting Pins (Stainless Steel)
CLM-10-BLHT-40-S	Ball lock pin
28-SHS	
27-SHS-BO	
20 HR	
CL-251-PA	Toggle Clamp
CL-12-BLRT-4.50	
CL-21-KA-5.0 LR	CABLE ASSEMBLY
CLM-10-HRPK-L	HAND-RETRACTABLE PLUNGER



Product	Description
CL-16524	HANDLE - KNURLED
CL-2-SH	Solid Handles
CL-22-KA-6.0-L	
CL-6-DEP-3.00-S	DETENT PIN
CL-6-HSLB	SLOTTED LOCATOR BUSHING
CLM-1015-SRB	Screw Rest Button
CL-25-HK-2A-6	HAND KNOB
PM-12-16-6	Bushing
H-28-8-.2500	Bushing
PM-10-10-5.10	Bushing
CL-12-BLPB-2.50-C	Ball Lock Pin
CL-21-KA-5.0 LR HTS	CABLE ASSEMBLY
CL-3-DPZ	Diamond pin
CL-312-BLT-ZC	
CL-303-HVTC	
CL-8-DEP-2.50-S	detent pin
CLM-13-CLPL-13	lock primary liner bushing