







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Circutor

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
R2425R CFB-46/100-6B	3-phase power capacitor
<u>CFB-46/100-6B</u>	3-phase power capacitor
<u>CFB-46/25-6B</u>	capacitor
R2425K CFB-46/50-6B	power capacitor
<u>M-CVMk2 - ITF-405</u>	Netzanalyser,
<u>CIRR10872</u>	Reactive power regulator
COMPUTER MAX12 / R10872	Max 12 computers
M55911 / CVM-C10-ITF-485-ICT2	Analyzer
M54402 / CVMk2 - ITF-402	analyzer
<u>M54410</u>	Netzanalyser
CVMK2-ITF-402 (M54402)	net analyzer
<u>CVMk2 - ITF-405</u>	Three-Phase Power Analyzer
M317C4 / CVM Mini EDMK-MID-ITF-RS485-C	Three-Phase Electronic Energy Meter
CVM-NRG 96	Netzanalyser
M51900 / CVM-NRG96-ITF	Netzanalyser
CVMNRG96-ITF-RS485-C (M51911)	Three-Phase Power Analyzer
LM 4A/2IO-M/ M31565	meter memory
<u>LM4I/4O-M/ M31563</u>	counter memory
M12931 (HLC 96 47-53 Hz 230 V)	Frequency Meter
P/N: M15051 Type: MEG 1000	insulation tester
P/N:M15051-00-A; Type: MEG 1000	Insulation gauge
<u>M15051-00-A</u>	Insulation measuring device
<u>M25511</u>	CFE
M51911 / CVM-NRG96-ITF-RS485C	Three-Phase Power Analyzer
M5ZZF1	Mounting frame 72 x 72 mm
Art. Nr. M61020, type EDS-Deluxe	Datenlogger / Konverter
<u>M72136</u>	TC6 420-300 A
AR6-FLEX-4-Kit	Netz- und Ladegerät
P10131, WGS 20	transformer
<u>P10132</u>	Differenzstromwandler
P10132, WGS 30	transformer
<u>P10151 / WGC-25</u>	Residual Current Transformer
P10152 / WGC-35	transformer
P10155 / WGC 110	transformer
P10156 WGC 140	transformer
WGC-220x105 (CIRP10158)	Earth Leakage Transformer (rectangle)

Enapart Group ! Unit 3 Green Lane Workshops Ashington NE63 0EF United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Circutor Page 1 / 15





Product	Description
WGC-350x150 (P10159)	Earth Leakage Transformer (rectangle)
P11941001, type RGU - 10	Differenzstrom-Auswerterelais
P12204, RG1M-0.03	Residual current relay
P12231	Residual Current Relay RGE-R1
QNA-500	Quality Analyser
CLZ-FP 440 V / 25 kvar / 50 Hz 400 V / 20 kvar / 50 Hz	3-phas. power capacitor
R2425K	Power capacitor 3-phase
R2425R	Power capacitor 3-phase
RGU - 10 C P11944	Residual current evaluation relay
TCP1RS-TCP+/ M62121	Converter RS 232/485 to Ethernet
M54033 Type TCP2RS-TCP+	RS-232/485 to Ethernet Converter TCP2RS+
WGC 180 (Art-Nr. P10157)	Differential current converter
CIRWATT B 410-QT5A-95B10	energy meter
CIRWATT B 410-QD1A-95B10 (QB4B3)	Energy Meter
AR5L Kit 4	Portable Power Analyzer AR5L Kit 4
AR6 Circutor	Power supply and charger
CVM-C10-ITF-485-ICT2 / M55911	net analyzer 4-quadrant measurement
WGC 80 (P10212)	Residual Current Transformer
RGE-R1 (P12231-003)	Residual current assessment relays
TP-88 800/5A (M70137)	Transformer
P/N: M54402 Type: CVMk2 - ITF-402	Network analyzer
RGU-10 (CIRP11941)	Differenzstrom-Auswerterelais
TRM180 5000/5A CIRP50167	current Transformer
<u>M7122C)</u>	SHB 50 A / 60 mV shunt Form A with insulation base
M54033,TCP2RS+ ,SN: 9081324126	Converter RS 232/485 to Ethernet
P/N: M54400 Type: CVMk2 - ITF-405	Network analyzer
<u>M70362</u>	TC 8 500/5A current transformer KI.0,5 7,5 VA
<u>M10230 + M102XK</u>	interchangeable scale for EC 96 500/5A P2
P/N: M54040 Type: RS485	usb converter
RB-80-400, (P70155)	Filter reactor
M7037G) TC 10 400/5A	Aufsteckstromwandler
M56011 CVM-B100	Three-Phase Power Analyzer
M56111 / CVM-B150-ITF-RS485-I2-C2-T2	Three-Phase Power Analyzer
<u>R12213</u>	RGU-10A Residual Current Relay
<u>TC 5 40/5A</u>	Aufsteckstromwandler
<u>TC 5 125/5A</u>	Aufsteckstromwandler
TC 6 400/5A	Aufsteckstromwandler
<u>TC 10 1000/5A</u>	Aufsteckstromwandler
TC 10 1200/5A	Aufsteckstromwandler
TC 12 2000/5A	Aufsteckstromwandler
<u>TC 12 2500/5A</u>	Aufsteckstromwandler
P/N: M55911, Type: CVM-C10-ITF-485-ICT2	Network analyzer 4-quadrant measurement
R2058G CLZ-FP 46/25	Kondensator
Art. Nr. C59610 , type EMS96-PFS	Netzanalyser 4-Quadranten Messung
R2324L CSB-44/60	Leistungskondensator

Circutor Page 2 / 15





Product	Description
R2425D CFB-46/12,5-6B	Leistungskondensator
R2425G CFB-46/25-6B	Leistungskondensator
<u>M51900</u>	Netzanalyser
<u>R2057E</u>	3-phas. Leistungskondensator
<u>R205EF</u>	3-phas. Leistungskondensator
<u>P10154</u>	WGC-80 Residual Current Transformer
M70823	Meßwertumformer für Wechselströme
M70822	Meßwertumformer für Wechselströme
M71043	Meßwertumformer für Wechselströme
M71046	Meßwertumformer für Wechselströme
M71047	Meßwertumformer für Wechselströme
MEG 1000	Insulation measuring device
M80821	Kit 4
AR6	Netz- und Ladegerät
R2415R	Leistungskondensator
BLRCS104A125B40	VarplusCan SDuty-Kondensat
BLRCS150A180B40	VarplusCan SDuty-Kondensat
BLRCS200A240B40	VarplusCan SDuty-Kondensat
BLRCS050A060B40	VarplusCan SDuty-Kondensat VarplusCan SDuty-Kondensat
BLRCS075A090B40	VarplusCan SDuty-Kondensat VarplusCan SDuty-Kondensat
CVMNRG96ITF RS485 1DO	Power analyzer
M73122	Current Transformer
Art. Nr. M55911 , type CVM-C10-ITF-485-ICT2	
P24622	Netzanalyser Differenzstrom
P10153	Differenzstromwandler
CLZ-FP-44/25N	Capacitor
<u>CLZ-FF-44/25IN</u> M70154	·
	TP-816 Split-Core Current Transformer Split-Core Current Transformer
M70155 (TP-816 3000/5A)	·
M85000	AR5L Portable Power Analyzer
M810C4	Kit3-CPRG-1000 Current Clamp Set
R205EG	Compensation capacitor
CVM-C5-ITF-485-C	Network analyzer
<u>TP-812 1600/5A</u>	Split-Core Current Transformer
TC6 600/5A	Narrow-Section Current Transformer
<u>TCH 10 1000/5A</u>	High-Accuracy Current Transformer
<u>TCH 10 1600/5A</u>	High-Accuracy Narrow-Section Current Transformer
<u>TCH 8 800/5A</u>	High-Accuracy Narrow-Section Current Transformer
TCH 10 2500/5A	High-Accuracy Narrow-Section Current Transformer
<u>TCH 6 300/5A</u>	High-Accuracy Narrow-Section Current Transformer
<u>TCH 6 250/5A</u>	High-Accuracy Narrow-Section Current Transformer
<u>CEM-C20-312 MID</u>	Direct measuring three-phase meter
CLZ-FP 44/25-HD (R2H54L)	3-phas. Power capacitor
CIRR2H54N, CLZ-FP-44/30-HD	Capacitor
CVM-C5-ITF-485-C (M55884)	Netzanalyser 4-Quadranten Messung
RBX-20-400 20 kvar, 400 V (P72125)	Detuned Filter Reactor for Harmonic Mitigation

Circutor Page 3 / 15





Product	Description
RBX-40-400 40 kvar 400 V (P72140)	Detuned Filter Reactor for Harmonic Mitigation
RBX-80-400 80 kvar 400 V (P72155)	Verdrosselungsfaktor 7 %
CLZ-FP 44/10-HD (R2H54B)	Power Capacitor
CLZ-FP 44/12,5-HD (R2H54D)	Three-Phase Tubular Power Capacitor (Heavy Duty)
CLZ-FP-44/20-HD (R2H54J)	capacitor
CLZ-FP 44/30-HD	3-phase power capacitor
CVM-1D-C	Netzanalyser
TP420-58-500A M70223	Split-Core Current Transformer
M70339	Aufsteckstromwandler
M19943	Schutz IP 65 für Geräte 96 x 96
M 56011	Three-Phase Power Analyzer CVM-B100-ITF-485-ICT2
M 56111	Three-Phase Power Analyzer CVM-B150-ITF-485-ICT2
M56E01	Expansion Module M-CVM-AB-8I-8OTR
M56E02	Expansion Module M-CVM-AB-8I-8OR
M56E03	Expansion Module M-CVM-AB-4AI-8AO
	·
<u>M56E07</u>	Expansion Module M-CVM-AB-MBUS
M56E08	Expansion Module M-CVM-AB-LonWorks
<u>M56E09</u>	Expansion Module M-CVM-AB-Profibus
CVM-NRG 96 (M51800)	Network analyzer
CIRR2H55L , (CLZ-FP-46/25-HD)	Capacitor
M30310 (MKB-363-M 63A/400V ARON)	Three-Phase Three-Wire Active Energy Meter with Built-in Current Transformers
M70339 (TC 6 800/5A)	Plug-in current transformer
Q22312 (CEM-C20-312)	Three-Phase Energy Meter for Direct Measurement up to 65 A
RGU - 10 (P11941)	Residual current evaluation relay
CVM-NRG69-ITF-RS485 C	CIRCUTOR M51911
TCP2RS-TCP+	converters
RGE-R1	Differenzstrom-Auswerterelais
TP816 4000/5A M70156 20VA KI0,5	Split-Core Current Transformer for 4000 A to 5 A Conversion
TP-816 5000/5A (M70157)	Wandler
DHB-402 M22027	Programmable Panel-Mounted Digital Indicator with Dual Alarm Relays
DHB-424, Code: M22028.	Programmable Digital Indicator with RS-485 Communication and Multiple Inputs
<u>CIRM52021</u>	Three-Phase Power Analyzer CVM-MINI-ITF-RS485-C2
<u>VIV9001</u>	PowerSupply
M70147	Split-Core Current Transformer TP-812 1250/5A
P11941004, type RGU - 10	Differenzstrom-Auswerterelais
Nr. M55853 Type CVM-C5-IC	Network analyzer
P/N: M55884 Type: CVM-C5-ITF-485-C	Network analyzer
Art. Nr. M62121 , type TCP1RS-TCP+	Konverter
Art. Nr. M31565 , Type LM 4A/2IO-M	Counter memory
Art, Nr. M51911 , type CVM-NRG 96-ITF-RS485-C1	Netzanalyser 4-Quadranten Messung
Art. Nr. R13862 , type Computer Smart III 12	Smart Power regulator
Art. Nr.M54033 , type TCP2RS-TCP+	Konverter von RS 232/485 auf Ethernet

Circutor Page 4 / 15





Product	Description
Art. Nr. R2H54L , type CLZ-FP 44/25-HD	3-phas. Leistungskondensator
Nr. M54033 Type TCP2RS-TCP+	converters
MEG-1000, COD: M1505100B0000	insulation measuring device
R13864	Computer Smart III 14
RBX-20-400	Reactor
RBX-40-400	Reactor
CIRR13851, Computer Smart III 6	Regulator
<u>CBS-4 / P12711</u>	Multipoint Evaluator relay
WGC-180 (CIRP10157)	leakage transformer
WGC-55 (P10153)	Differenzstromwandler
CLZ-FP 44/25-HD	3-phas. Power Capacitor
CVM B100 - ITF- RS485	Modularer Netzanalyser
<u>M71230</u>	SH 50A/60mV Shunt
<u>M20227</u>	DC72B A (10A) Digital Ammeter
<u>M20222</u>	DC72B A (10A) Digital Ammeter
M-CVM-B100/B150	- ANALOG-Erweiterungsmodul
<u>WN 70</u>	Digital Power Analyzer for Three-Phase Systems
<u>M31781</u>	meter
<u>M73113</u>	Transformer
TCP2RS-TCP+ / M54033	converters
<u>P11941</u>	Residual current evaluation relay
<u>M70323</u>	plug-in current transformers
<u>M70337</u>	CURRENT TRANSFORMER
<u>P10156</u>	Residual Current Transformer WGC-140
CLZ-FP-44/25N, Art N: CIRR205EG	Capacitor
TCP1RS+, Art N: CIRM62121	Converter
TCP2RS+, Art N: CIRM54033	Ethernet converter
<u>CIRM62121 (M62121)</u>	Converter TCP1RS+
<u>CIRM54033 (M54033)</u>	Converter TCP2RS+
RBX-50-400 old code / new code P73145 / RBZ-50-400	Reactor
<u>M31567 (LM 25-M)</u>	Counter Storage Unit
<u>M25511-00-10700</u>	Frequency Converter
P10154 (WGC 80)	Residual current transformer
CVM-NRG 96-ITF-RS485-C1, Art N: M51911	Power analyzer
<u>TI-420-70-500A</u>	Transformer
CVM-NRG 96-ITF-RS485-C1 (M51911)	Network Analyzer 4 Quadrants Measurement
CLZ-FP 44/15-HD	Three-Phase Tubular Power Capacitor (Heavy Duty)
CLZ-FP 44/40-HD	Three-Phase Tubular Power Capacitor (Heavy Duty)
M70332 (TC 6 200/5A)	Plug-in current transformer
CHV-T 750/7,2	Three-Phase Medium Voltage Power Capacitor
CHV-T 250/7,2	Three-Phase Medium Voltage Power Capacitor
M62141	Converter/amplifier
R2415K / CFB-46/50	Condenser
R2415G CFB-46/25	Power Capacitor for Harmonic Filters
R2415D CFB-46/12,5	Power Capacitor for Harmonic Filters

Circutor Page 5 / 15





Product	Description
P/N: R2415R, Type: CFB-46/100	power capacitor
CEM-C10-212	Single-Phase Energy Meter with MID Certification
P14035, WRU 10	Residual Current Relay with Built-in Transformer
RGU2 (P11A61)	Earth leakage relay
CLZ-FP -48/25-HD	Three-Phase Tubular Power Capacitor (Heavy Duty)
CVM 144-ITF-RS485-C2	DIGITAL PANEL METER
TR16-RS485-25A	Voltage and direct current multi-channel analyser
WGC 140 / P10156	Differential current transformer
Computer MAX 12	Controller with 12 outputs
M70814 (20A)	Current Transformer with 4-20 mA Output
M62121 TCP1RS-TCP+	RS-485 to Ethernet Converter
CVM B100 - ITF- RS485 (M56011)	Modular network analysis
<u>UC72</u>	PHASE SEQUENCE DISPLAY 72X72
RGU - 10 C	Residual current evaluation relay
WGC-35 (P10152)	Differenzstromwandler
TH-DG-RS485	Temperature and Humidity Probe
Q22312	Direct measuring three-phase meter
Q22314	Three-Phase Energy Meter with MID Certification
Q23100	Communication Module CEM-M-RS485
<u>Q23400</u>	Communication Module CEM-M-Modbus/TCP
CVM B150-ITF-RS485 (M56111)	Modular Network Analyzer
<u>M56E05</u>	Expansion Module M-CVM-AB-Modbus-TCP (Bridge)
R2415R / CFB-46/100	Condenser
<u>CFB 46/12,5</u>	Power Capacitor for Detuned Filters
<u>CFB 46/25</u>	Power Capacitor for Detuned Filters
<u>CFB 46/6</u>	Power Capacitor for Detuned Filters
<u>CLZ-FP-44/12,5-HD</u>	Three-Phase Tubular Power Capacitor (Heavy Duty)
CLZ-FP-44/50-HD / R2H54S	power capacitor
<u>CLZ-FPT-44/6,25-HD</u>	Three-Phase Tubular Power Capacitor with Discharge Resistors (Heavy Duty)
WGC-80-TB	Earth Leakage Transformer
<u>CLZ-FPT-44/40</u>	capacitor
<u>WGB-35-TB300</u>	Earth leakage relay
Computer 14d 144	Digital Power Analyzer
R13864, computer Smart III 14	Regulator
<u>TC 5 (50/5A)</u>	Narrow-Profile Current Transformer
<u>TC 5 (100/5A)</u>	Aufsteckstromwandler
<u>TC 5 (75/5A)</u>	Aufsteckstromwandler
R13962 (Computer Smart III FAST 12)	Fast-Response Power Factor Regulator
DM45 CMD	Digital Multimeter with Harmonic Analysis
R2H54R / CLZ-FP 44/40-HD	power capacitor
M70147 / TP-812 1250/5A	Transformer
CSB-46/100	Three-Phase Prismatic Power Capacitor
<u>P11A61</u>	Ultra-Immunized Type A Residual Current Relay
CVM-1D-RS485-C (M55511)	Single-Phase Power Analyzer with RS-485 Communication

Circutor Page 6 / 15





Product	Description
RBX-80-400	Reactor
<u>CT-PT100</u>	Temperature transducer
CBS-4C / P12712	Differential relay type A
CVM-C10-ITF-485-ICT2 (CIRM55911)	Network Analyzer
CMC 20 B (R281A4)	Contactor
CMC 32 B (R281A8)	Contactor
CMC 75 B (R281A9)	Contactor
P/n M55885 Type CVM-C5-ITF-485-I	Network analyzer
M13754 Type CUC 96	Drehfeldanzeige
P11941 (RGU-10)	Differential current evaluating relay
CLZ-FP -46/25-HD	power capacitor
TC 8 1000/5A (M70366)	Slip-on current transformer
CPC3I-4RS	Thyristor control
R2H54S , type CLZ-FP 44/50-HD	CAPACITOR
TR8-RS485-100-200A	Voltage analyzer
RGU - 10- TYP-B	Relay
 CLZ-FP-44/28-HD	Capacitor battery
CIRe3	portable network analyzer
CIReQ	portable network analyzer
CIRe+	portable network analyzer
CVM-NRG 96-ITF-RS485-C1	Network analyzer
M14625-00-C0000 (Synchro MAX 96)	Synchronism Relay
CLZ-FP-46/12,5-HD (R2H55D)	Capacitor
<u>USB - RS485</u>	'
EMS30-C	electrometer
CIRR13862 , computer Smart III 12	 Regulator
CPC3 3ph	Module
P/N: M55942 Type: CVM-C10-ITF-IN-485-IC2	Network analyzer
P/N:M62121 TCP1RS+	Converter
M56311 Type CVM A1500 - ITF- RS485	Network Analyzer
M56111 Type CVM B150 - ITF- RS485	Modular network analyzer
M56011 Type CVM B100 - ITF- RS485	Network Analyzer
M70143 Type TP-812 750/5A	Current transformer
M70141 Type TP-812 500/5A	Current transformer
M70149 / TP-812 1600/5A	Transformer
M7014A Type TP-812 2500 /5A	Split core current transformer
RGU - 10- TYPE-B	Residual Current Evaluation Relay
WGC-55-TB	Earth leakage transformer
R2425K 460V	, and the second
CVM 144-ITF-RS485-C2A4O	Three-phase current analyzer
<u>M56424</u>	Power analyzer
M70325 (250/5A)	Current transformer
P72130-00-17000	Residual Current Relay with Display
R2H67N	3 phas. power capacitor
R13851	Computer SMART III 6-Relay Power Factor Controller
	., .,

Circutor Page 7 / 15





Product	Description
RGE-R	Earth leakage relay
CMC 40 (R281A1)	Three-phase contactor for power capacitors
R73222-00-7	Passive harmonic filter
CMC 85 B (R281A3)	Three-phase contactor
TC6 420-200 A (M72134)	Measuring transducer for alternating currents
P7030J (LR-04-185)	Harmonic Filter 90KW
CVM-A1500-ITF-485-ICT2	ENERGY QUALITY ANALYZER
CVM A1500 - ITF- RS485 (M56311-00-00A00) +	
<u>calibration certificate</u>	
RBH-50-400 P7H145	REACTOR
CVM-C5-ITF-485-C , CIRM55884	Network analyser
P/N: P11941, Type: RGU - 10	Residual current evaluation relays
CVM-NRG 96-ITF-RS485-C	Network analyzer
R2425K CFB-46/100-6B	3-phase power capacitor
<u>P70255</u>	Filter reactor
R4Z111 / CPCb-230/400	Zero step plate
WGC 180 P10157	Residual current transformer
CVM-C5 (M55853)	Energy analyzer
M56311 // CVM A1500 - ITF- RS485	Modular Network Analyzer
WGC 350x150	Transformer
<u>T14</u>	Controller with 14 outputs
<u>R2H54B</u>	Power capacitor
<u>R2H54D</u>	Power capacitor
<u>R2H54J</u>	Power capacitor
<u>R2H54L</u>	Power capacitor
<u>R2H54N</u>	Power capacitor
<u>LM 4A/2IO-M</u>	Counter memory
<u>WGS 30</u>	Residual current transformer
<u>WGC 35</u>	Residual current transformer
P/N: P10153, Type: WGC 55	Residual current transformers
WGC 110 / P10155	Residual current transformer
<u>WGC-180</u>	Differential current transformers
WGC-220x105	Residual current transformer
TP-WGC 58	Isolating core residual current transformer
<u>TP-WGC 88</u>	Isolating core residual current transformer
<u>TP-WGC 812</u>	Isolating core residual current transformer
<u>TP-WGC 816</u>	Isolating core residual current transformer
Q30302	LOC Optical reader for CIRWATT
CVM-C4-ITF-485-ICT2/M52706	Network analyzer
R2H54L (CLZ-FP 44/25-HD)	Tubular capacitor with connection strip
P70225 (RE-20-400)	Three-phase reactors for static capacitor banks
P70240 (RE-40-400)	Three-phase reactors for static capacitor
P70255 (RBE-80-400)	Three-phase reactors for static capacitor
M-CVMk2 - ITF-402	Measuring module without display
<u>M61010</u>	EDS data logger / converter

Circutor Page 8 / 15





Product	Description
<u>CIRWATT B 410-QT5A-C0B10</u>	Energy meter
M70367 (TC8 1200/5)	CURRENT TRANSFORMER
R2H57L (CLZ-FP 52/25-HD)	3-phase. Power capacitor 525 V / 25 kvar / 50 Hz
M85050 (CIRe+/3 eFLEX 54)	Network analyser
CLZ-FP -46/15-HD	Tubular capacitor with connection strip
RGU-10 (Art.Nr.P11941004)	Differential current evaluating relay
CVM-NET-RS485-C2 (M54B21)	Line analyser for DIN rail
CVM-NET-MC-ITF-RS485-C2 (M54B31)	Line analyser for DIN rail
R13962	Computer Smart
TQ 8 1000/5 A (M7403I)	Cable transducer
TQ 8 800/5 A (M7403F)	Cable converter
TQ 8 750/5 A (M7403E)	Cable converter
TQ 8 500/5 A (M74039)	Cable converter
TQ 6 400/5 A (M7402A)	Cable converter
TQ 6 300/5 A (M74028)	Cable converter
TQ 6 250/5 A (M74027)	Cable converter
TQ 6 200/5 A (M74026)	Cable converter
TQ 6 150/5 A (M74025)	Cable converter
TQ 6 100/5 A (M74023)	Cable converter
M70812 TI 420-35-5 A	Measurement value converter
CMC 150 B (R281AD)	Three-phase contactor for power capacitors
<u>P11311</u>	Residual current transformer
Model: TP-23	Current transformer
<u>M56414</u>	Network Analyzer
CVM-NRG 96-ITF-HAR-RS485-C1 (M51B11)	Network Analyzer
CVM 96 M51100-00-030	Network analyzer
PI-23 (M80132)	High Voltage Clamp for Peak Measurement
<u>M89941</u>	High voltage clamp
<u>CVM-C5-IC</u>	Analyzer
<u>LM 4I/4O</u>	Counter memory
TCP1RS-TCP+	converter
TC6 402 300A, code M72136	TRANSFORMER
<u>LM25-M</u>	Impulse centralizer
<u>M70361</u>	Molded current transformer
<u>M62121</u>	Ethernet to RS-485 Communication Gateway
<u>M10426</u>	Voltmeter
<u>M10726</u>	Voltmeter
<u>M10419</u>	Voltmeter
<u>M10729</u>	switch position rotary
<u>M10216</u>	Ammeter
<u>M10219</u>	Ammeter
<u>M10521</u>	Ammeter
<u>M70314</u>	TC 5 75/5A Snow flow converter, class 1, 2.0 VA
<u>M70315</u>	TC 5 100/5A Pluggable Current Transformer Class 0.5 1.5 VA
<u>M70317</u>	Current Transformer

Circutor Page 9 / 15





Product	Description
<u>M70344</u>	TC 6.2 200/5A Pluggable Current Transformer Class 0.5 7.5 VA
<u>M70334</u>	Current Transformer
<u>M70335</u>	Current Transformer
<u>M70336</u>	TC 6 500/5A Plug-in Current Transformer Class 0.5 7.5 VA
<u>M70365</u>	TC 8 800/5A Pluggable Current Transformer Class 0.5 15 VA
<u>M70597</u>	Current transformer with W input, class 0.5, 15 VA
<u>M705A4</u>	Plug-in Current Transformers
<u>R2H55D</u>	3-phas. Power Capacitor
<u>P73115</u>	filter circuit choke
<u>P73125</u>	filter circuit choke
<u>P73140</u>	filter circuit choke
<u>P73155</u>	filter circuit choke
<u>R281A4</u>	Three-phase contactor for power capacitors
<u>R281A1</u>	Three-phase contactor for power capacitors
<u>R281A3</u>	Three-phase contactor for power capacitors
<u>R13862</u>	Computer Smart III
<u>R2H55L</u>	3-phas. Power Capacitor
<u>R281AD</u>	Three-phase contactor for power capacitors
CVM-C5-IC (M55853)	Network analyzer
<u>M105YB</u>	Interchangeable balance for EC 72 FA 75/5A P2
CLZ-FP -46/25-HD (R2H55L)	3-phas. Power Capacitor
<u>WGC-180-TB</u>	Type B Residual Current Transformer
RGE-RL	Differential relay
<u>M2551-00-10700</u>	FREQ CONVERTER
<u>M7123Q</u>	Earth Leakage Relay
battery cover for AR5-L	Replacement Battery Cover for AR5-L Portable Power Analyzer
<u>M71228</u>	MD22 SH Residual Current Monitoring Device
CEM-C6	Single-Phase Energy Meter with RS-485 Communication
<u>M71231</u>	Shunt Resistor
<u>M11420</u>	TD4 Current Transformer
<u>M114Y7</u>	TD5.2 Current Transformer
<u>CVM-C5-ITF-485-I</u>	ANALYZER
<u>TP-816 6000/5A</u>	TP-816 Split-Core Current Transformer
<u>EC72 500V</u>	AMMETER
<u>CFB-46/50-6B</u>	power capacitor
<u>TCH6-600-5A</u>	HIGH PRECISION CURRENT TRANSFORMER
<u>TCH 6 400/5A</u>	High-Accuracy Narrow Section Current Transformer
<u>TCH 6.2 400/5A</u>	High-Accuracy Narrow Section Current Transformer
TCP1RS-TCP+ (M62121) obsolete	CONVERTER
M10225 (EC 72 20 A P2)	rotary iron ammeter
P/N: P12041, Type: RGUL (EOL)	differential current evaluator relay
PGR96E	3-ph. performance monitoring
<u>WGC-500x200</u>	Differential current transformer
<u>SPOE000011</u>	Power Factor Regulator Computer Max P&P 12
<u>R10871004</u>	Max P&P 6 Computer

Circutor Page 10 / 15





Product	Description
CLZ-FP 48/7,5-HD	3-phas. power capacitor
CLZ-FP 48/15-HD	3-phas. power capacitor
Nr. M56311, Type CVM A1500-ITF-485-ICT2	Modular network analyser
P/N: R2325R, Type: CSB-46/100	power capacitor
P/N: P10154, Type: WGC 80	Residual current transformers
<u>LM4I-4O-M</u>	Impulse Centraliser with 4 Digital Inputs and 4 Relay Outputs
RAPTION 50 CCS2 T2C32	Compact Fast Charging Station for Electric Vehicles
M62411 / Line-TCPRS1	RS 232/485 to Ethernet/ WIFI converter
M56311-00-00A00 / CVM A1500 - ITF- RS485	Modular grid analyzer
M56E06 / M-CVM-B100/B150	DataLogger extension module
M76037 / TQR-8 400/5 A	cable converter
RGU-10	Differential current evaluation relay
R2H67E / CLZ-FP 52/15-HD	High-Density Capacitor Bank for Power Factor Correction
R2H67J / CLZ-FP 52/20-HD	Three-Phase Tubular Power Capacitor (Heavy Duty)
EDS-Deluxe, Art-Nr. M61020	Data logger/ converter
CDP-DUO (E51002)	Dynamic power controller for zero feed
Nr. P11951 Type RGU - 10- TYP-B	residual current evaluation relay
WGC 110-TB / P11756	residual current transformer
WGC 140-TB / P11757	residual current transformer
Nr. M56111 Type CVM B150 - ITF- RS485	Three-Phase Power Analyzer with Color Display and RS-485 Communication
<u>R2H57S</u>	Three-Phase Tubular Power Capacitor (Heavy Duty)
CVM B100 - ITF- RS485 modular network analyzer	Three-Phase Power Analyzer with Color Display and RS-485 Communication
CVM-C5-MC-485-C (M55894)	Panel-Mounted Multifunction Multimeter with RS-485 Communication
Synchro MAX 96 / M14624	Digital Synchronization Relay for Generators
Nr. M58E06 Type LINE-M 20-I	LINE series analog module
DHC-96 HVdc	Voltmeter
<u>RGU-10B</u>	Residual Current Relay
P73145 / RBZ-50-400	Three-Phase Power Capacitor for Power Factor Correction
M62422 / TCPRS1+	converters
CVM-E3-MINI-ITF-485-IC	energy analyzer
M81613 / KIT-1-FLEX-R120	FLEXIBLE SENSOR
MEG-1000 / M15051	Insulation meter
CVM-E3-MINI-ITF-485-IC2	Network analyzer
M2516100B1000	AC Current Transducer CCE-A
<u>TI-420-35-50A</u>	Transformer
P/N: M73121, Type: MC3-63	3-Phas. current transformer
CVM-C5-ITF-RS485-C	Analyzer
M56414 CVM-E3-MINI-ITF-485-IC2	DIN rail network analyzer
M14625-00-2	Synchronoscope
RBH- 80- 400	REACTOR HARMONIC FILTRE
Art.no. M58E03 Type LINE-M 4IO-A	 LINE series analog module

Circutor Page 11 / 15





Product	Description
MYEBOX-150-4 FLEX-R45	Portable Power Analyzer with Recording of Quality Events and Transients
DCB-72 Aac	Digital ammeter
<u>TA210 250/1A</u>	current transformer
MEG 1000 (230V)	Insulation measuring device
MEG 1000(400V)	Insulation measuring device
CVM-B150-ITF-485-ICT2	Analyzer
RBZ-60-400 (P73150)	Three-Phase Power Capacitor for Power Factor Correction
<u>M70127</u>	Split-Core Current Transformer TP-58 800/5A
<u>LM 50-TCP +</u>	counter storage unit
M25121 CCE-A-AP	Transducer
Nr. M56351 Type CVM A1500-FLEX-485-ICT2	Modular network analyzer
WGC-80	differential current transformer
M10521 (0-100A)	AC Ammeter EC72 FA/5 A
M14431	Synchronoscope
M14435	Synchronoscope
TI-420-35-150A	Measurement value converter for alternating currents
P11A70 / RGU-10A	Type A Ultra-Immunized Residual Current Relay
TI-420-35-100A	Measurement value converter for alternating currents
Computer C-12 WiFi	Power Factor Regulator with Wi-Fi Connectivity
TP-58 500/5A	cable conversion converter
WGBU-90-105	differential current relay
WGBU-90-210	differential current relay
AFQm-3WF-200C-480	Active Multifunction Filter
<u>M6215A</u>	LoRa to RS-485 Converter with AC Power Supply
<u>P16025</u>	Earth Leakage Transformer WGC-35B
P16023	WGC-25B Toprak Kaçak Akım Transformatörü
CLZ-FP-48/12,5-HD / R2H56D	power capacitor
WZ-140 50/1A	WZ Serisi Akım Transformatörü, 50/1A
M54033 /TCP2RS+	RS-232/485 - Ethernet Dönüştürücü
TD 6 250/5A / M75049	Plug-on current transformer
CBS-4	Differential relay type A
TC 10 2000/0,5A	Narrow Section Current Transformer
V10633 / URBAN MASTER T2	Smart charger
V10730 / URBAN MASTER CCS2	Smart charger
V17123 / RAPTION 50 CCS2 T2S32	50 kW Fast Charging Station
R2H67N / CLZ-FP 52/30-HD	Three-Phase Power Capacitor
M703770040004	TC10 400/5 Current Transformer
R2H66N / CLZ-FP-48/30-60Hz-HD	Power capacitor
M71014 / TCB-420-35-20	Current Transformer with 4-20 mA Converter
<u>WGBU-105</u>	Residual Current Transformer with Built-in Relay
R2H57N / CLZ-FP-52/30-HD	Three-Phase Tubular Power Capacitor
M10220	Moving Iron AC Ammeter
<u>M10728</u>	Three-Phase AC Voltmeter with Phase Switch
<u>M10428</u>	AC Voltmeter EC72 500V

Circutor Page 12/15





Product	Description
M5ZZF1. / ADP CVM-MINI/RGU10/CBS4	Panel Adapter for CVM-MINI, RGU-10, and CBS-4
CLZ-FP-69/25-HD	Condenser
R14842	RGU-10B Residual Current Relay
<u>R2H67L</u>	Three-Phase Tubular Power Capacitor
DHC-96 CPM (M223A8)	DC Digital Multimeter with Shunt Input
DCH-96 CPM-HS (M223B8)	DC Digital Multimeter with Hall Effect Sensor Input
DCH-96 CPM 1500 (M223C8)	DC Digital Multimeter with Shunt Input
DHC-96 CPM-HS 1500 (M223D8)	DC Digital Multimeter with Hall Effect Sensor Input
<u>M70702</u>	Transformer
M70218 / TP420-23-500A	Current Transformer
P/N: R2H67N, Type: CLZ-FP 52/30-HD	3-phas. power capacitor
M56638 / CVM-D41 DC mA	Analyzer
M566380040000 / CVM-D41 DC mA	Analyzer
M5663A / CVM-D41 DC V	Analyzer
M5663A0040000 / CVM-41DCV	Analyzer
<u>P10160</u>	differential current transformer
<u>P73255</u>	filter circuit throttle
<u>V40320 / PD20-eNext</u>	eNext Wallbox for Electric Vehicle Charging
<u>CLZ-FP 52/30-HD</u>	Three-Phase Tubular Power Capacitor
CHV-T 100/6,6 / R8K1000006605	medium voltage capacitor
CHV-T 500/6,6 / R8K500000660E	Three-phase medium voltage capacitor
CHV-T 200/6,6 / R8K200000660E	medium voltage capacitor
CHV-T 350/6,6 kV / R8K350000660E	three-phase capacitor
Computer Smart III 12 / R13862	Three-Phase Power Factor Controller
<u>M1172A</u>	Earth Leakage Relay with Display
P13491 / RGMD-4-63-30	Ultra-Immunized Residual Current Device with MCB
<u>M73118</u>	RBZ-60-480-60 Hz-7% Reactor
<u>RGUL-P12041</u>	Residual current evaluation relay
TQ-8 400 /5A M74037	cable conversion converter
<u>TQ-10 500/5A M74041</u>	cable conversion converter
STQ 24 100/5A	mini separator core converter
<u>TQR-10 1250/5A</u>	cable conversion converter
TQR-10 800/5A	cable conversion converter
TQR-10 600/5A	cable conversion converter
RBZ-60-480	Reactor for Detuned Filters
M55834 / CVM-C5-ITF-485-C	Three-Phase Power Analyzer
M52706 / CVM-C4-ITF-485-ICT2	Network Analyzer
M84023 / MyEBOX 150	Portable Power Analyzer with Quality Event Recording
P731550017000	RBZ-60-480-60 Hz-7% Reactor
M75018 / TD4 200/5A	Narrow Profile Current Transformer
P24662 / RGU-10C	Residual current evaluation relay
<u>M70816 / TI-420-35-100</u> <u>P73145-00-17000</u>	Transformer filter circuit throttle
R281BH / CMC-150D+RD+CABLE	Capacitor Bank Contactor with Fast Discharge Resistor
M56E0A / M-CVM-AB-Modbus-TCP	Three-Phase Power Analyzer with Modbus TCP Communication
INIDOEUA / INI-O VIVI-AD-INIOUDUS-TOP	Three-chase cower Aharyzer with woodus for Communication

Circutor Page 13 / 15





Product	
M70134 / TP-88 500/5	Transformer
DHC-96 CPM 1500	Voltmeter
<u>P11A70</u>	RELAY
E8000 / TR8-RS-485-25A	Photovoltaic String Monitoring Device
CLZ-FP 52/40-HD	Three-phase tubular condenser
AFQm -4WF-060M-400	Multifunction active filter
Computer SMART III Fast 6	Advanced Power Factor Controller with Fast Switching
TD5-150/5A, M75027	Narrow Profile Current Transformer
TD5- 60/5A, M75023	Narrow Profile Current Transformer
M75011	Narrow Profile Current Transformer
TD5-100/5A, M75025	Narrow Profile Current Transformer
V17422 / RAPTION 50 EVO CCS2 T2C32	50 kW Expandable Fast Charging Station
E80005 (TRH16-RS485-25A)	Multi-Channel DC Voltage and Current Analyzer for Photovoltaic Strings
M58E01 / Line-M-4IO-T	Remote Input/Output Module with Temperature Sensor
M58E03 / Line-M-4IO-A	Expansion Module with Analog Inputs and Outputs
R2H67N / CLZ-FP-52/30-60Hz-HD	Three-Phase Power Capacitor for 60 Hz Systems
CVM-A 1500-SDC-ITF-485-ICT2	Advanced Power Quality Analyzer with Data Logging
R281B9 / CMC-75B+RD+CABLES	Capacitor Bank Contactor with Damping Resistors
TCPRS1+	TCPRS1+, RS-485 / Ethernet converter / Wi-Fi
M58E0A /Line-M-EXT-PS	Supply module
M62510 /Kit line-TCPRS1/M-20I	kit
CBS-40A P12A70	Type A Monitoring and RCD Protection Relay with 4 Channels
M62520 / TCPRS1/2xM-20I	kit
M56011 / CVM B100 - ITF- RS485	Modular network analyzer
<u>IF4C001</u>	Interface Module for Communication Protocol Conversion
SYNCHROMAX-PID 110600V	Power Supply
<u>CMC 85 B</u>	Contactor
<u>AC50</u>	dampening resistor
<u>M70125</u>	cable conversion converter
<u>M58541</u>	Power analyzer
<u>RGU-100A (P11A71)</u>	0-30 A leakage current relay with communication
<u>CSB-23/50 (R2321K)</u>	Power capacitor
<u>P14036, WRU-10-HS</u>	Residual current relay
<u>P10181, WGC-20-SC</u>	esidual current transformer
KIT-TCPRS1/2 x M-2 (M62520)	Pulse and contact centra
R4Z111	
<u>CPC3B – 230/400</u>	Thyristor Control Board
V17423 / RAPTION 50 EVO CCS2 T2S32	
CHV-T 250/6,6 - R8K250000660E	
R8K333000660E	
R8K40000660E	
R8K30000660E	
R8K600000660E	
<u>TI-420-105-1000A</u>	

Circutor Page 14 / 15





Product	Description
CEM-C21-485-T1	
CVM-B150-ITF-485-ICT2 (M56111)	ANALYZER: NETWORK E;CIRCUTOR;CVM-B100;DIGIT
M55884 / CVM-CS-ITF-485-C	Network Analyzer
CVM-B100-ITF-485-ICT2 (M56011)	
<u>CEM-C21-T1</u>	
<u>R2H544</u>	
M8990K MAG-ADA-PX4	Voltage adapters, magnetic tip
CBS-400A (P12A71)	
<u>M750AA</u>	
M7506E TDB-750/5A	
<u>TQ-12 4000/5</u>	current transformer
<u>CLZ-FP-46/30-HD</u>	Capacitor
<u>RBZ-80-400</u>	Reactor
CMC150D	Contactor
<u>CFB-46/30 - R2415H</u>	
R2HM7S	
R7MF5F / AFQm-3WF-400C-480	Active Harmonic Filter
M58581 / CVM-C11-MC-IN-485-ICT2	Network Analyzer
<u>LM-A42-D11</u>	Analogue and digital input and output module
<u>LM-D44</u>	
<u>D73006</u>	
<u>D90110 LM4I-40-M</u>	
M56470 / CVM-E3-MINI-ITF-WiEth	
<u>M13841</u>	Double voltmeter
<u>M12742</u>	Double pointer frequency meter
RBZ 40-400	TRANSFORMER