



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Fotek

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product                            | Description   |
|------------------------------------|---|
| <a href="#">A3G-4MX</a>            | optical sensor  |
| <a href="#">A3R-2MX</a>            | Optical sensor - diffuse type                             |
| <a href="#">A3R-30X</a>            | optical sensor  |
| <a href="#">CDR-10XB</a>           | difusion optical sensor                                   |
| <a href="#">CDR-10X-M12</a>        | sensor, 10-30 V DC,                                       |
| <a href="#">CDT-10MX</a>           | Optical barrier sensor NO                                 |
| <a href="#">CP12-10P</a>           | capacitive sensor   |
| <a href="#">DSC-240 - (AC220V)</a> | 1 Phase Digital Power Regulator 32A                       |
| <a href="#">DSV-240 (AC220V)</a>   | 1 phase Digital power regulator                           |
| <a href="#">ESR-100DA</a>          | Three Phases High Power Solid State Module                |
| <a href="#">KT-20R-2M</a>          | Sensor  |
| <a href="#">FM-01R</a>             | Sensor  |
| <a href="#">H3-10S-110V</a>        | Timer   |
| <a href="#">H5-AN-R4</a>           | Temperature Controller                                    |
| <a href="#">HS-100H</a>            | Solid State Relay   |
| <a href="#">M18-3MNO-PE</a>        | Optical Sensor  |
| <a href="#">MES-600</a>            | encoder   |
| <a href="#">MR-30X</a>             | Optical sensor diffuse                                    |
| <a href="#">PL-08P</a>             | PNP inductive sensor                                      |
| <a href="#">PM05-01P</a>           | magnet sensor   |
| <a href="#">PM08-02N</a>           | Inductive sensor NO                                       |
| <a href="#">PM12-02P</a>           | Fotek Proximity Sensor, Screw Type                        |
| <a href="#">PM12-02P-M12</a>       | Inductive Proximity Sensor                                |
| <a href="#">PM12-04N</a>           | inductive sensor NO                                       |
| <a href="#">PM12-04NS</a>          | INDUCTIVE PROXIMITY SENSOR                                |
| <a href="#">PM18-08PB-S-M12</a>    | inductive sensor  |
| <a href="#">PS-05NE</a>            | Sensor  |
| <a href="#">PS-05N</a>             | Sensor  |
| <a href="#">SC-3626</a>            | Multi-Function Counter with Dual Preset and Total Counter |
| <a href="#">SCR-25LA</a>           | Single-Phase Linear Control Solid State Module            |
| <a href="#">SCR-25LA-H</a>         |   |
| <a href="#">SCR-40LA</a>           |   |
| <a href="#">SM-20</a>              | Tachometer  |
| <a href="#">SSR-10VA</a>           | Relay   |
| <a href="#">SSR-25-AA</a>          | Solid state relay AC-AC                                   |
| <a href="#">SSR-25VA, 500KOhm</a>  | Solid State Relay   |

| Product                         | Description                                      |
|---------------------------------|--|
| <a href="#">SSR-40VA</a>        | Semiconductor Relay                              |
| <a href="#">SU-02XP</a>         | Optical sensor                                   |
| <a href="#">SU-07R</a>          | Optical sensor                                   |
| <a href="#">TPS1-160</a>        | Power Regulator                                  |
| <a href="#">TPS3-200-H</a>      | Power Regulator                                  |
| <a href="#">TSR-40DA-H</a>      | Relay  |
| <a href="#">WE-M3T</a>          | Encoder  |
| <a href="#">WE-M4T</a>          | Encoder  |
| <a href="#">SQ3-351W</a>        | spark quencher RLC D5 $\mu$ F 47 OHMS 300VAC     |
| <a href="#">MS08-10P</a>        | Magnetic sensor, PNP                             |
| <a href="#">SSR-40 AA-H</a>     | Semiconductive relay                             |
| <a href="#">SSR-25-DA</a>       | Semiconductor relay                              |
| <a href="#">SSR-50-DA</a>       | Solid State relay                                |
| <a href="#">PM12-02NS</a>       | inductive Sensor                                 |
| <a href="#">SY-3D</a>           | Digital Power On Delay Timer                     |
| <a href="#">PM 18-05S</a>       | Inductive proximity sensor                       |
| <a href="#">PM 18-08S</a>       | Inductive proximity sensor                       |
| <a href="#">TMP48-4D</a>        | Multifunctional digital timer with display       |
| <a href="#">TM48-4D, 24V DC</a> | Digital timer with display                       |
| <a href="#">CP18-30N</a>        | Capacitave sensor NO                             |
| <a href="#">TC-72-DA-R3-24V</a> | Temperature controller                           |
| <a href="#">MT-21-L</a>         | Temperature controller 96x48, 230VAC, 4-20mA+2AL |
| <a href="#">EPS1-80</a>         | Volt regulator                                   |
| <a href="#">H5B-M3</a>          | analog timer                                     |
| <a href="#">MR-60X</a>          | Optical sensor diffuse                           |
| <a href="#">SSR-25DA-H</a>      | solid state relay                                |
| <a href="#">SU-02RP</a>         | Optical Sensor For Transparent Objects           |
| <a href="#">SSR-10-DD</a>       | Relay  |
| <a href="#">M18-1MNO-PE</a>     | Optical Sensor                                   |
| <a href="#">A3T-20MXP</a>       | optical sensor                                   |
| <a href="#">CDM-2MX-V—M12</a>   | Photo Sensor NO reflex type with M12 connector   |
| <a href="#">MG-2MX</a>          | Optical sensor reflex type NO                    |
| <a href="#">PS-10S</a>          | inductive Sensor                                 |
| <a href="#">PG-2MX</a>          | Optical sensor reflex type M8-4 pin plug         |
| <a href="#">H3-M3F</a>          | Multifunctional Digital Timer                    |
| <a href="#">BS-02PB</a>         | Sensor   |
| <a href="#">MR-30XP</a>         | Object-Reflective MR Series Photocell            |
| <a href="#">MG-2MRN</a>         | sensor   |
| <a href="#">LS-04P</a>          | inductive sensor                                 |
| <a href="#">PS-10N</a>          | inductive sensor                                 |
| <a href="#">PT04-01PK</a>       | Inductive sensor                                 |
| <a href="#">VF06-RP</a>         | Fiber-optical sensor                             |
| <a href="#">PM08-02NK</a>       | sensor   |
| <a href="#">TSR-75DA</a>        | Solid state relay                                |
| <a href="#">SU-07X</a>          | Photo Sensor                                     |

| Product  | Description                            |
|--|--|
| <a href="#">MT-20-R</a>                            | Temperature Controller                 |
| <a href="#">FC-12V</a>                             | Magnetic Sensor                        |
| <a href="#">MR-30XB</a>                            | optical Sensor                         |
| <a href="#">PM18-08PBS</a>                         | inductive sensor                       |
| <a href="#">SQ3-511W</a>                           | Spark Extinguisher                     |
| <a href="#">MT48 RE</a>                            | teperature controller                  |
| <a href="#">MT48 VE</a>                            | teperature controller                  |
| <a href="#">TSR-75AA</a>                           | Solid State Relay                      |
| <a href="#">PS-08P</a>                             | Sensor                                 |
| <a href="#">PR-1-220V</a>                          | Votage and phase relay                 |
| <a href="#">C-6-110VAC</a>                         | Sensor Controller                      |
| <a href="#">PM08-01PE</a>                          | contactless sensor NO                  |
| <a href="#">PM12-02P-E</a>                         | induction sensor NO                    |
| <a href="#">MT-48-L</a>                            | Digital Temp Controllers               |
| <a href="#">MT-48-R</a>                            | Temperature Controller                 |
| <a href="#">ESR-100DA-H+ FUSE, FAN , HEAT SINK</a> | 3 Phase Solid State Relay              |
| <a href="#">MY-3S-2P-220V</a>                      | TIMER ON DELAY                         |
| <a href="#">A3T-10MX</a>                           | Thru Beam Type FREE POWER PHOTO SENSOR |
| <a href="#">MC-361</a>                             | digital counter                        |
| <a href="#">LS-04NB</a>                            | Inductive sensor NC                    |
| <a href="#">DSC-265 - (AC220V)</a>                 | Single Phase By Single Wirer           |
| <a href="#">MT-96-R</a>                            | Thermo controller                      |
| <a href="#">MU-07X</a>                             | WHITE LIGHT MARK SENSOR                |
| <a href="#">KDM-3MR-M12</a>                        | Sensor                                 |
| <a href="#">FM-01G</a>                             | Photo Sensor                           |
| <a href="#">MF-06R</a>                             | Optical Fiber Sensor                   |
| <a href="#">C-10</a>                               | Controller For Sensor, 220V            |
| <a href="#">CDR-30XB</a>                           | Photo Sensor                           |
| <a href="#">SQ1-115P</a>                           | Spark Quencher                         |
| <a href="#">EPS3-80</a>                            | Volt regulator                         |
| <a href="#">TSC 365</a>                            | Digital Power Regulator                |
| <a href="#">DSC-365 (AC380V)</a>                   | Power Regulator                        |
| <a href="#">TPS3 -125</a>                          | 3-Phasen-Digital Power Regulator 125A  |
| <a href="#">SQ1-511W</a>                           | Single Phase Spark                     |
| <a href="#">HC-41P</a>                             | Preset Counter                         |
| <a href="#">A3T-3MXB</a>                           | Optical sensor                         |
| <a href="#">MT-20-L-V</a>                          | Temperature Controller                 |
| <a href="#">MT-20-L-mA</a>                         | Temperature Controller                 |
| <a href="#">WE-M1</a>                              | Encoder 1 m / Pulse                    |
| <a href="#">PS-05P (PS-05P PNP)</a>                | sensor                                 |
| <a href="#">HS-150H</a>                            | Radiator For SSR Relay                 |
| <a href="#">CDR-30X-V</a>                          | Optical sensor                         |
| <a href="#">E3G-8MX</a>                            | Sensor                                 |
| <a href="#">NT-96-VE</a>                           | Thermo controller                      |
| <a href="#">MT48 LE</a>                            | temperature controler                  |

| Product                              | Description                |
|--------------------------------------|----------------------------|
| <a href="#">FC-20R</a>               | Magnetic sensor            |
| <a href="#">PM18-05N</a>             | Inductive Sensor NO        |
| <a href="#">FPR-51</a>               | Optical fiber              |
| <a href="#">SF-8025F (90-250VAC)</a> | fan for ESR-100DA-H        |
| <a href="#">HS-ESR-164E</a>          | radiator                   |
| <a href="#">QL-08NB</a>              | Inductive Switch Sensor    |
| <a href="#">PR-60XP</a>              | optical sensor             |
| <a href="#">PR-60X</a>               | optical sensor             |
| <a href="#">SSR-40AA</a>             | Solid State Relay          |
| <a href="#">DM-1MNB</a>              | Optical sensor             |
| <a href="#">PM12-02S</a>             | INDUCTIVE PROXIMITY SENSOR |
| <a href="#">MC-362</a>               | digital counter            |
| <a href="#">TM60-4D</a>              | Digital timer              |
| <a href="#">MT-72-L</a>              | Temperature controller     |
| <a href="#">SSR-10AA</a>             | Semiconductor relay        |
| <a href="#">CDR-30X-M12</a>          | Optical sensor             |
| <a href="#">CDR-30X-V-M12</a>        | Photo Sensor, reflex type  |
| <a href="#">PL-05N-V</a>             | prox switch                |
| <a href="#">A3T-10MXP</a>            | optical barrier sensor     |
| <a href="#">EPS3-60H</a>             | volt regulator             |
| <a href="#">H3-TRD-30S- 220VAC</a>   | timer                      |
| <a href="#">TW18-08C</a>             | induction sensor           |
| <a href="#">SSR-10DA</a>             | Relay                      |
| <a href="#">H5B-M3, 220V</a>         | Analog timer               |
| <a href="#">MS-02W</a>               | Fotek At Mark Sensor       |
| <a href="#">MT-21-R</a>              | Temperature Controller     |
| <a href="#">AV-24T</a>               | Volt meter                 |
| <a href="#">PR-1-440V</a>            | Phase relay                |
| <a href="#">EPS1-125</a>             | REGULATOR                  |
| <a href="#">H3B-M3-24VDC</a>         | Timer                      |
| <a href="#">TM60-4DP-NR</a>          | Timer                      |
| <a href="#">SP-02P</a>               | Inductive Proximity Sensor |
| <a href="#">STPN-M3</a>              | timer                      |
| <a href="#">HPR-100DA</a>            | Relay                      |
| <a href="#">MY-10M-2P-24VDC</a>      | Timer                      |
| <a href="#">PS-05NB</a>              | sensor                     |
| <a href="#">SP-05N</a>               | Inductive sensor           |
| <a href="#">MR-30N</a>               | optical sensor             |
| <a href="#">P/N: BS-02P</a>          | Inductive Sensor           |
| <a href="#">P/N: FC-20RL</a>         | Magnetic Sensor            |
| <a href="#">MDR-30X</a>              | Optical Sensor             |
| <a href="#">A3G-2MRS</a>             | optical sensor             |
| <a href="#">PM30-15P</a>             | Inductive Sensor           |
| <a href="#">SC-3616</a>              | Multifunction Counter      |
| <a href="#">ESR-100DA-H</a>          | Semiconductor Relay        |

| Product                                   | Description                           |
|---|---------------------------------------|
| <a href="#">H3-TF-30S</a>                 | Timer                                 |
| <a href="#">SSR-75-DA-H</a>               | Semiconductor relay                   |
| <a href="#">PS-05PB</a>                   | sensor                                |
| <a href="#">SSR-25DD</a>                  | Semiconductor relay 25A               |
| <a href="#">A3T-3MX</a>                   | Photoelectric Sensor                  |
| <a href="#">A3R-4MX</a>                   | Optical sensor                        |
| <a href="#">PM08-02NK-E</a>               | Inductive Proximity Sensor            |
| <a href="#">H3-6S</a>                     | timer                                 |
| <a href="#">H3Y-3S</a>                    | timer                                 |
| <a href="#">PM12-04P</a>                  | Inductive Sensor NO                   |
| <a href="#">FC-12VB</a>                   | Inductive sensor                      |
| <a href="#">FPT-15</a>                    | Digital Temperature Controller        |
| <a href="#">NT-48-R</a>                   | Digital Temperature Control           |
| <a href="#">NT48-V</a>                    | Temperature Controller                |
| <a href="#">WE-M2</a>                     | encoder 0.1 m/impulse                 |
| <a href="#">PM30-15SB</a>                 | sensor                                |
| <a href="#">CP18-30P</a>                  | Capacitave sensor NO                  |
| <a href="#">CP30-50S</a>                  | Capacitive Proximity Sensor           |
| <a href="#">MES-300</a>                   | solenoid Encoder                      |
| <a href="#">SP-05P</a>                    | Inductive Sensor NO                   |
| <a href="#">DSC-440</a>                   | 1 Phase digital Power Regulator 32A   |
| <a href="#">CDR-10DX</a>                  | optical diffusion sensor type NO      |
| <a href="#">HC-51P</a>                    | counter                               |
| <a href="#">DSC-340</a>                   | 1 Phase digital Power Regulator 380 V |
| <a href="#">MT-6MXP</a>                   | BARRIER sensor                        |
| <a href="#">SSR-50DA-H</a>                | Semiconductor relay 50A               |
| <a href="#">MY-10S-2P-220V</a>            | timer                                 |
| <a href="#">TL-Q05N</a>                   | Inductive sensor                      |
| <a href="#">MY-10S-4P-220V</a>            | timer                                 |
| <a href="#">MC-341</a>                    | Digital counter                       |
| <a href="#">MC-341, NPN, 220VAC</a>       | Digital counter                       |
| <a href="#">MT-48-V</a>                   | Temperature Controller 48x48          |
| <a href="#">A3G-4MRE</a>                  | optical sensor                        |
| <a href="#">PM18-08N</a>                  | INDUCTIVE PROXIMITY SENSOR NO         |
| <a href="#">MES-100</a>                   | Magnetic encoder                      |
| <a href="#">PM08-02PE</a>                 | sensor NO                             |
| <a href="#">CDT-10MX-M12</a>              | optical Sensor                        |
| <a href="#">TSR-25DA-H</a>                | Semiconductor relay                   |
| <a href="#">MT-20-V</a>                   | Thermo controller                     |
| <a href="#">NT20-R</a>                    | Thermal controller                    |
| <a href="#">NT96-LE</a>                   | thermal controller                    |
| <a href="#">NT-96-R-mA (INPUT 4-20mA)</a> | thermal controller                    |
| <a href="#">SU-30XP</a>                   | Sensor                                |
| <a href="#">MT-72-R</a>                   | Temperature controller                |
| <a href="#">NT-72-R</a>                   | Temperature controller 72x72          |

| Product                        | Description                  |
|--------------------------------|------------------------------|
| <a href="#">EPS 3-40 (40A)</a> | relay                        |
| <a href="#">EPS 3-60 (60A)</a> | relay                        |
| <a href="#">ESR-80DA-H</a>     | Relay                        |
| <a href="#">FM-03R</a>         | Optical marker sensor        |
| <a href="#">EPS2-40</a>        | Power regulator              |
| <a href="#">TPS3-160</a>       | Power Regulator              |
| <a href="#">TPS3-60</a>        | Power Regulator              |
| <a href="#">TPS3-40</a>        | Power Regulator              |
| <a href="#">CDR-10X</a>        | Optical sensor               |
| <a href="#">PS-05P</a>         | sensor                       |
| <a href="#">BS-02P</a>         | Inductive sensor NO          |
| <a href="#">CDR-30X</a>        | Photo cell + Connector set   |
| <a href="#">MY-10M-2P</a>      | Timer                        |
| <a href="#">MY-10M-4P</a>      | Timer                        |
| <a href="#">PYF-08A</a>        | Holder for MY-XX-2P SERIES   |
| <a href="#">PYF-14A</a>        | Holder for MY-XX-4P SERIES   |
| <a href="#">SSR 25AA-H</a>     | Relay                        |
| <a href="#">SY-2D</a>          | Digital Power On Delay Timer |
| <a href="#">SP-05NO</a>        | induction sensor             |
| <a href="#">QL-05N</a>         | induction SENSOR             |
| <a href="#">A3G-4MRE-MR1</a>   | Optical sensor               |
| <a href="#">SP-02NR</a>        | sensor                       |
| <a href="#">MR-60XP</a>        | Sensor                       |
| <a href="#">MET 360 - 8Φ</a>   | Magnetic Encoder             |
| <a href="#">SSR-75-DA</a>      | Solid state relay            |
| <a href="#">MR-60N</a>         | SENSOR                       |
| <a href="#">FC-20N</a>         | magnetic sensor              |
| <a href="#">FM-10R</a>         | Photocells                   |
| <a href="#">PM18-08P</a>       | Inductive sensor NO          |
| <a href="#">TSR-75DA-H</a>     | Semiconductor relay          |
| <a href="#">PM18-05P</a>       | PROXIMITY SENSOR             |
| <a href="#">CP30-50P</a>       | Sensor                       |
| <a href="#">PM30-15N</a>       | INDUCTIVE PROXIMITY SWITCH   |
| <a href="#">HS-50</a>          | SSR relay radiator           |
| <a href="#">PM05-02N</a>       | Inductive sensor             |
| <a href="#">SSR-40-DA-H</a>    | SOLID STATE RELAY            |
| <a href="#">SSR-40DA</a>       | Semiconductor relay          |
| <a href="#">A3T-10MXS</a>      | Optical sensor               |
| <a href="#">T18-30MXB</a>      | photocell                    |
| <a href="#">SSR-75VA</a>       | Solid state modul            |
| <a href="#">PM18-05NS</a>      | PROXIMITY SENSORS            |
| <a href="#">MR-10X</a>         | Magnetic Proximity Sensor    |
| <a href="#">PL-08N</a>         | Optical sensor               |
| <a href="#">LC-12E</a>         | Sensor                       |
| <a href="#">M12-L-3M</a>       | Induction sensor             |



| Product   | Description  |
|---|--|
| <a href="#">M12-L-5M</a>                          | Induction sensor                                       |
| <a href="#">H5C-4D (90-250 VAC)</a>               | DIN 48x48 Preset Digital Counter                       |
| <a href="#">Wheel for WE-M2T</a>                  | Wheel Accessory for WE-M2T Length Encoder              |
| <a href="#">old p/n: PR-30X , new p/n: MR-30X</a> | sensor   |
| <a href="#">FPR-54</a>                            | Reflex Type Fiber Unit                                 |
| <a href="#">SSR-R02DA</a>                         | Solid stute module                                     |
| <a href="#">SSR-25-DA-H-R</a>                     | Relay  |
| <a href="#">SCR-K20DA-H</a>                       | Relay  |
| <a href="#">T18-3MNB-PE</a>                       | optical sensor   |
| <a href="#">PL-05N</a>                            | Inductive sensor                                       |
| <a href="#">PR-1-480VAC</a>                       | Relay  |
| <a href="#">NT-72-L</a>                           | temperature controller 72x72                           |
| <a href="#">C-6</a>                               | Sensor Controller                                      |
| <a href="#">MES-40</a>                            | Magnetic Encoder                                       |
| <a href="#">CDM-2MX-M12</a>                       | photosensor  |
| <a href="#">H2Y-3S-F</a>                          | Timer 220V   |
| <a href="#">DSV 240</a>                           | Regulator 220VAC                                       |
| <a href="#">FSH04062</a>                          | Fiber Optic Sensor Head                                |
| <a href="#">FSH04063</a>                          | Fiber Optic Sensor Head                                |
| <a href="#">ESR-25DA</a>                          | Semiconductor relay                                    |
| <a href="#">ESR-40DA</a>                          | Semiconductor relay                                    |
| <a href="#">SSR-R05DD</a>                         | Single-Phase Relay Type Solid State Module             |
| <a href="#">NA-04E</a>                            | Light barrier NA-04R (receiver) + NA-04T (transmitter) |
| <a href="#">FSH03863</a>                          | Fiber Optic Sensor Head                                |
| <a href="#">STB00023</a>                          | Fiber Optic Sensor Diffuse Type NC                     |
| <a href="#">STB00002</a>                          | Fiber Optic Sensor Diffuse Type NC                     |
| <a href="#">STB00003</a>                          | Fiber Optic Sensor Diffuse Type NC                     |
| <a href="#">CDR-10XB-M12</a>                      | Fiber optic sensor diffuse type NC                     |
| <a href="#">TSR-40DA</a>                          | Relay  |
| <a href="#">TSR-25DA</a>                          | relay  |
| <a href="#">CDM-2MX</a>                           | Optical sensor reflector type NO                       |
| <a href="#">MA-72R</a>                            | Magnetic Proximity Sensor                              |
| <a href="#">EPS2-40H</a>                          | Volt Regulator   |
| <a href="#">MV72R</a>                             | Magnetic Proximity Sensor                              |
| <a href="#">H5-AN-K-R2</a>                        | TEMPERATURE CONTROLLER                                 |
| <a href="#">NT-96E</a>                            | PID Temperature Controller                             |
| <a href="#">NT-72E</a>                            | Digital Temperature Controller                         |
| <a href="#">H3-M3 DC24V</a>                       | Multifunctional Digital Timer                          |
| <a href="#">SV-2M</a>                             | Optical sensor   |
| <a href="#">PRS-10N-mA-PP-12FNPT-M12</a>          | Pressure Sensor  |
| <a href="#">PRD-N-TR-M12</a>                      | Inductive Proximity Sensor                             |
| <a href="#">SV-50</a>                             | Optical sensor   |
| <a href="#">HC-21P</a>                            | Digital counter  |
| <a href="#">R18-30X</a>                           | Sensor   |
| <a href="#">PS-08N</a>                            | Sensor   |



| Product                                  | Description                            |
|--|--|
| <a href="#">PM12-04P-M12</a>             | Inductive proximity switch             |
| <a href="#">SP-08-N</a>                  | Inductive sensor                       |
| <a href="#">QS-05N</a>                   | Sensor                                 |
| <a href="#">SSR-10DA(10A/380VAC)</a>     | Solid state relay(SSR)                 |
| <a href="#">SSR-F-40DA-H(40A/480VAC)</a> | Solid state relay(SSR)                 |
| <a href="#">LSR-F-40DA+(40A/550VAC)</a>  | Solid state relay(3φSSR)               |
| <a href="#">FR-2MX</a>                   | Photoelectric sensor                   |
| <a href="#">PS-10P</a>                   | Inductive sensor NO                    |
| <a href="#">PL-05P</a>                   | Sensor                                 |
| <a href="#">H5B-M3 24 DC</a>             | Multi-Range ON Delay Timer             |
| <a href="#">LSR-25DA</a>                 | Semiconductor relay                    |
| <a href="#">SSR-25VA-H</a>               | solid state relays                     |
| <a href="#">EPS2-125</a>                 | Volt Regulator                         |
| <a href="#">EX-03N</a>                   | PHOTO SENSOR                           |
| <a href="#">MS08-10N</a>                 | magnetic sensor                        |
| <a href="#">A3G-4MXB+MR-1</a>            | Photoelectric sensor                   |
| <a href="#">C-6-24V</a>                  | Sensor controller                      |
| <a href="#">SSR-40DD</a>                 | Solid State Relay                      |
| <a href="#">PM18-05P-M12</a>             | Inductive Sensor                       |
| <a href="#">NT-96-RE</a>                 | Temperature Controller                 |
| <a href="#">EPS3-80H</a>                 | Power Regulator                        |
| <a href="#">LCR-80H</a>                  | Power button                           |
| <a href="#">MG-2MX+MR-1</a>              | SENSOR                                 |
| <a href="#">ESR-40DA-H</a>               | Solid state relays                     |
| <a href="#">CP13-10N</a>                 | Capacitive Proximity Sensor            |
| <a href="#">TM60-4D-24V</a>              | Power ON Delay Digital Timer           |
| <a href="#">STPY-M3</a>                  | Multi-Range ON Delay Timer             |
| <a href="#">MT-48</a>                    | Digital Temperature Controller         |
| <a href="#">TC-96-AP-A</a>               | Temperature controller                 |
| <a href="#">PM12-40P</a>                 | Inductive sensor NO                    |
| <a href="#">SU-07XPB</a>                 | Optical sensor                         |
| <a href="#">SSR-05-DD</a>                | Semiconductor relay                    |
| <a href="#">A3G-4MX + MR-1</a>           | Free Power Photo Sensor with Reflector |
| <a href="#">HPR-80DA-H</a>               | Semiconductor relay                    |
| <a href="#">SSR-25 DA H 25A</a>          | SOLID STATE RELAY                      |
| <a href="#">SSR-50DA H 50A</a>           | SOLID STATE RELAY                      |
| <a href="#">LCR-100</a>                  | Digital voltage regulator              |
| <a href="#">NT20-V</a>                   | thermoregulators                       |
| <a href="#">PL-05NB</a>                  | Inductive sensor                       |
| <a href="#">HS-BR-1</a>                  | DIN clamp = radiator rail              |
| <a href="#">BS-O4N</a>                   | Inductive sensor                       |
| <a href="#">HS-50H</a>                   | Radiator                               |
| <a href="#">H5C-4D</a>                   | counter                                |
| <a href="#">KL-05N</a>                   | Proximity Sensor                       |
| <a href="#">FR1110V-DLS</a>              | Relay                                  |

| Product                                 | Description  |
|---|--|
| <a href="#">C-6-220V+SOCKET PF-085A</a> | Sensor Controller C-6 220V w/Socket (PF-085A)          |
| <a href="#">A3R-1MXP</a>                | Sensor   |
| <a href="#">A3R1MX-DLS</a>              | Sensor   |
| <a href="#">H3-M1-24V</a>               | TIMER  |
| <a href="#">LS-04N</a>                  | Proximity switch                                       |
| <a href="#">PM12-02NBS</a>              | Proximity Sensor.                                      |
| <a href="#">ESR-60DA-H 4-32VDC</a>      | relay  |
| <a href="#">LCR-60</a>                  | 3 PHASE VOLTAGE AND GUC CONTROLLERS                    |
| <a href="#">MT-20-V 48x96</a>           | Temperature Controller                                 |
| <a href="#">MC441 NPN 220VAC</a>        | Counter digital 48x48                                  |
| <a href="#">SU-02X</a>                  | Optical sensor   |
| <a href="#">YF-10NE</a>                 | Photoelectric Switch Sensor                            |
| <a href="#">MR-10NE</a>                 | Mini & Water-Proof Photo Sensor                        |
| <a href="#">TPS1-200</a>                | Regulator  |
| <a href="#">ATS-40-PP-JIS</a>           | Flow meter   |
| <a href="#">QL-05NS</a>                 | Inductive sensor                                       |
| <a href="#">FC-05R</a>                  | Magnetic Sensor  |
| <a href="#">PS-05NO</a>                 | Inductive Proximity Sensor                             |
| <a href="#">NT-48L-CT-RS</a>            | PID intelligent temperature controller                 |
| <a href="#">H3-30S-110V AC</a>          | Timer 110V AC  |
| <a href="#">FF-06R</a>                  | fiber-optic sensor                                     |
| <a href="#">A3R-1MX</a>                 | Fotek Photo Sensor                                     |
| <a href="#">NT-22R</a>                  | Temperature controller for DIN rail (RELAY, 3A/250VAC) |
| <a href="#">FPT-02</a>                  | Barrier Type Optical Fiber                             |
| <a href="#">PS-10NB</a>                 | Inductive sensor                                       |
| <a href="#">MK-F-32</a>                 | tube fuse  |
| <a href="#">KC - 362</a>                | Counter  |
| <a href="#">ESR-60DA</a>                | Three Phase Solid State Relay                          |
| <a href="#">WE-2M</a>                   | Incremental Rotary Encoder                             |
| <a href="#">HPR-100DA-H</a>             | Solid State Relay Single Phase                         |
| <a href="#">TFN-6S-24V</a>              | Timer  |
| <a href="#">SCR-K40LA-H</a>             | High Voltage Linear Control SCR Module                 |
| <a href="#">NT - 48 V (SSR)</a>         | Digital Temperature Controller                         |
| <a href="#">NT-48-V-S</a>               | Temperature Controller                                 |
| <a href="#">LA4-08L</a>                 | Light barrier  |
| <a href="#">FM-01PG</a>                 | Optical sensor   |
| <a href="#">SSR-25DD-H</a>              | Semiconductor relay 25A                                |
| <a href="#">SSR-50DD-H</a>              | Semiconductor relay                                    |
| <a href="#">PM05-01N</a>                | Inductive sensor                                       |
| <a href="#">PM05-02P</a>                | Inductive sensor NO                                    |
| <a href="#">SU-07G</a>                  | Optical Sensor Spline Type                             |
| <a href="#">HS-ESR-100</a>              | Heat Sink  |
| <a href="#">T18-3MN-PE</a>              | Optical sensor barrier type 3M                         |
| <a href="#">TC-4896-DA-R3</a>           | Temperature Controller                                 |
| <a href="#">MG-2MX-PG(M8)</a>           | Optical sensor reflector type with connector           |

| Product                               | Description  |
|---------------------------------------|--|
| <a href="#">PR-30X</a>                | Mini & Water-Proof Photo Sensor                          |
| <a href="#">SU-07XP</a>               | Fotek Sensor   |
| <a href="#">FC-06R</a>                | Fotek Magnetic Sensor                                    |
| <a href="#">ESP1-125</a>              | Volt regulator, single phase                             |
| <a href="#">PH08-03N</a>              | Photo Electric Sensor                                    |
| <a href="#">PS-25CB-M12</a>           | Inductive Proximity Sensor                               |
| <a href="#">SSR-Y05DA</a>             | Solid State Relay  |
| <a href="#">NT48-R-RS485</a>          | Digital Temperature Control                              |
| <a href="#">FF-06X</a>                | Optical Fiber Sensor                                     |
| <a href="#">NT-48-R-S</a>             | Digital Temperature Controller                           |
| <a href="#">NT-48-R-RS</a>            | Digital Temperature Controller with RS-485 Communication |
| <a href="#">VF-06R</a>                | Optic Sensor   |
| <a href="#">SSR-F-40DA-H</a>          | High Voltage Single Phase Fuse Type Solid State Module   |
| <a href="#">STPY-5T</a>               | Multi-Range ON Delay Timer                               |
| <a href="#">FR-1</a>                  | Floatless Level Relay 220V                               |
| <a href="#">EMC-462</a>               | Digital counter  |
| <a href="#">STPY-5T-220V</a>          | Timer  |
| <a href="#">MR-10XP</a>               | Fotek Sensor   |
| <a href="#">HC-31P</a>                | Digital counter  |
| <a href="#">SSR-50-AA-H</a>           | High Voltage Single Phase AC to AC Solid State Relay     |
| <a href="#">TM60-4D(DC)</a>           | Power ON Delay Digital Timer                             |
| <a href="#">SSR-Y05DD</a>             | Solid State Relay  |
| <a href="#">EPS-80</a>                | Power Regulator  |
| <a href="#">SSR-R05DD-B</a>           | Solid State Relay  |
| <a href="#">FC-12V-NP</a>             | Magnetic sensor  |
| <a href="#">TPS3-200</a>              | Power Regulator  |
| <a href="#">TM48-M6</a>               | Timer analog   |
| <a href="#">PR-1-220V PHASE RELAY</a> | Phase Sequence and Phase Loss Relay                      |
| <a href="#">FC-12VS</a>               | Magnetic sensor  |
| <a href="#">SSR-40VA-H</a>            | SOLID STATE MODULE                                       |
| <a href="#">PVR-3-220V</a>            | Phase and voltage relay                                  |
| <a href="#">SSR-PC</a>                | Safety cover for SSR 2                                   |
| <a href="#">C-11-220V</a>             | Sensor Controller  |
| <a href="#">UG-6MP</a>                | Encoder  |
| <a href="#">MS-02W-H</a>              | Mark Sensor  |
| <a href="#">LT-150MX</a>              | Sensor   |
| <a href="#">MC-462</a>                | counter  |
| <a href="#">SSR-K40-DA</a>            | Single Phase Heat Sink Type Solid State Module (SSR)     |
| <a href="#">SSR-K40DA-H</a>           | High Voltage Single Phase DC to AC Solid State Relay     |
| <a href="#">DRM-24TN</a>              | DC scale meter   |
| <a href="#">TC4896-DD-JR3S-A</a>      | Temperature Controller                                   |
| <a href="#">PH08-03P</a>              | Sensor   |
| <a href="#">H5-AN-R</a>               | Temperature Controller                                   |
| <a href="#">H5-AN-K-R4</a>            | Temperature Controller                                   |
| <a href="#">K2T-15MN</a>              | Compact Standard Photoelectric Sensor                    |

| Product                                       | Description  |
|---|--|
| <a href="#">HS-ESR-62</a>                     | Radiator for SSR relay                               |
| <a href="#">A3R-2MX IP-65</a>                 | Optical sensor diffuse type                          |
| <a href="#">SSR-75-DD-H</a>                   | SOLID STATE RELAY                                    |
| <a href="#">UT-6MN</a>                        | Optical sensor                                       |
| <a href="#">T18-3MXB</a>                      | Sensor   |
| <a href="#">H3-FK-M3-24V</a>                  | H3 Series Power On Delay Timer/Flicker/Y- Starter    |
| <a href="#">KU-07G</a>                        | sensor   |
| <a href="#">MT-20L</a>                        | Microprocessor Based Temperature Controller          |
| <a href="#">FC-20ZRN</a>                      | Magnetic Sensor                                      |
| <a href="#">SSR-K30AA-H</a>                   | High Voltage Single Phase AC to AC Solid State Relay |
| <a href="#">K2R-1MN</a>                       | PHOTO SENSOR SWITCH                                  |
| <a href="#">PM18-15LA</a>                     | sensor   |
| <a href="#">CDR-60X-M12</a>                   | sensor   |
| <a href="#">MG-2MXP</a>                       | sensor   |
| <a href="#">MR-10XSS</a>                      | sensor   |
| <a href="#">PM08-02NE</a>                     | inductive sensor                                     |
| <a href="#">PR-1-380V</a>                     |  |
| <a href="#">HPR-60DA-H</a>                    | relays   |
| <a href="#">HPR-60AA-H</a>                    | relays   |
| <a href="#">STPY-5T-230V</a>                  | Timer  |
| <a href="#">E3T-10MX BR-1</a>                 | Photo Eye Thru Beam 24VDC                            |
| <a href="#">NA-08E</a>                        | light curtain  |
| <a href="#">H3-TRD-30S-24V+SOCKET PF-085A</a> |  |
| <a href="#">PM18-08P-M12</a>                  | sensor   |
| <a href="#">LCR-40H</a>                       |  |
| <a href="#">WE-M3</a>                         |  |
| <a href="#">SSR-P03DD</a>                     | Relay  |
| <a href="#">PS-05N</a>                        | Proximity Sensor                                     |
| <a href="#">PS-05P</a>                        | Proximity Sensor                                     |
| <a href="#">QL-05NBO</a>                      |  |
| <a href="#">QL-05N0</a>                       |  |
| <a href="#">SCR-25 LA</a>                     | Solid State Relay                                    |
| <a href="#">PS-05PE-5MB</a>                   |  |
| <a href="#">TMP50-3D</a>                      |  |
| <a href="#">PS-08P-4M</a>                     | Sensor   |
| <a href="#">PS-08P-5M</a>                     | Sensor   |
| <a href="#">MT-6MX</a>                        |  |
| <a href="#">LSR-F-25DA</a>                    |  |
| <a href="#">H5-AN-J-R2-S</a>                  | Temperature Controller                               |
| <a href="#">H5-AN-J-R2-S+P3G-08+Y-48</a>      | Temperature Controller                               |
| <a href="#">H3-30M-220V</a>                   | Timer  |
| <a href="#">MY-6S-2P-220V</a>                 | Timer  |
| <a href="#">PR-1-220VAC</a>                   | Phase Relay  |
| <a href="#">H3-30S-220V</a>                   | Timer  |
| <a href="#">H3-FK-M3 (220VAC)</a>             | Timer  |

| Product                                       | Description            |
|---|------------------------|
| <a href="#">ESR-40AA-H-R</a>                  | Solid State Relay      |
| <a href="#">FOTMT4896-R</a>                   | Temperature controller |
| <a href="#">PRX-400P-RS-SUS-14GS-M12-PG8C</a> |                        |
| <a href="#">PRZ-400P-RS-SUS-14GS-M12-PG8C</a> |                        |
| <a href="#">MY-6S-4P-220V</a>                 | Timer                  |