



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

HascoBRs

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

AND'S HPONUSCTrH

Oodcute	SsitoBpeBdn
20292193	
Z62Z9/	Transmission 4592S5x3x2x0Z3
626203x6Z	W58DPEA8 CA92 4DCx7, iO Z3U6, 4HAXPE 4/9
PearxboL °°CxZ utv 63U6	
°°CxZ utv Z1U6	
4239K5	ratioU Y,9 reducer
42/9K2 8ATM5 66	reducer
46Y2 KS	PearboL with backstop
TypeU 4H 02 A5 x 2 x 2 x Z20 x 8	
TypeU 4H 02 K5 x 3 x 2 x Z20	gearboL
4H39P2	8atioU 33 /YZYYx23 reducer
4H92K2	PEA8K5C 62.3F6 8ATM5
Sriveshaft G8xZ12F362	
4SD39 j02Y/9-	PearboL
136Y9 Without motor	gearboL
Y2923x/Y1/	Nervicekit
YZ939Z96	PET8MEKE
4292M236	
63Z/1/x26	W58D PEA8
Type 4H02K2 F YxY611Zx22Z	transmission
219(2Z26	motor flange
4219 62Z	Nchneckengetriebe
Nchneckenrad D.6Z6	
Nchneckenwelle	
WA92(((/_	Nchneckengetriebe
WA92Y616	7eber A 692
4H 02G2 jNerienummerU /(090x23-	gear boL
A92 x /,3	Npindle Hifting Pear
TypU 4H 92 K2, XoU 63Z222x29 F 63Z222x2Z	Petriebe
4D92 36U6 Sisp626	PearxboL Nwdrive
4 629	Petriebe
36222(x26	T8AXNDMNNM5X CA02 NCAx7 =T° 02U 6 4HAXPE 4(9 YZ939Z96
36222/x20	
4Z02 Y6(336396	PearboL
YZ30Y6	

Product	Description
380687	Ejector pin
380717	Ejector pin
380768	Ejector pin
380962	Ejector pin
63460	Ejector pin
63665	Ejector pin
Z260/1000x1	Heavy-duty lubricant
Z452/ 10x7x100/S	Bucha
Z01/10x120	Guide Pillar, Angle Pin
Z40/1.5x40	Ejector Pin
DAC206	High-Performance Lubricant Spray
Z0512/10	Centering Piece, Round, Male Component
Z40/1,1x125	Ejector Pin
Z40/1,4x40	Ejector Pin
Z41/2x160	Ejector Pin, Hardened, Nitrided
Z45-8x5x150	
Z1500/20x63/L/315	Transmission Range
Z811/19xG1/2	CONNECTOR
Z801/19	CONNECTOR
Z8082/9	Cooling Baffle
Z8081/9	Spiral Cooling Baffle
Z961/50x125	Spiral Core
A4200 50 / 80 / 15	Flexible sealing element
Z3340/50X112	Complete Nozzle Assembly
Z159/24x20	Ejector Coupling Device
A57300/47.5x38x24,5	Mechanical Cycle Counter
A5730HT/47.5x38x24,5	High-Temperature Mechanical Cycle Counter
A57300HT/47.5x38x24,5	High-Temperature Mechanical Cycle Counter
Z40/1.8x40	Ejector Pin
Z40/3x40	Ejector Pin, Cylindrical Head
Z9642/6x24	Deflection element
Z40/7x100	ejector pin
A5800/16	Mould Memory
H332051/32x90 (=Z332051)	Locating Unit, Square
H33215/40 (=Z33215)	Locating Unit, Square
Z060/40x40	Locating unit, square
Z40/3x40 special JIS head 4 mm	Ejector Pin with Special JIS Head
Cut Line 10 Z40/... to drawing	Custom Ejector Pin per Drawing
Cut Line 20 3,0x40... to drawing	Custom Ejector Pin per Drawing
Z171/2	Latch Locking Unit
A4200/50x80x6	Flexible sealing element
A5850/21x94x4	Flexible Sealing Element
H34205/32x80	Guide Bush, Self-Lubricating
72210	O-ring (teflon)
Z0511/20	Centering Piece, Round, Female Component

Product	Description
Z11/76x32	Guide Bush, Headed
120774	Clamping plate
120863	Cavity plate
121142	intermediate plate,Back-up plate
2097364	Risers
121207	Ejector retainer plate
121215	Ejector base plate
2097718	Clamping plate
58572	Centring sleeve
234524	Centring sleeve
56871	Locating guide bush, shouldered
Z10/22x18	Locating Guide Bush, Shouldered
Z00/36x24x55	Locating Guide Pillar, Shouldered
Z01/18x140	Guide Pillar, Angle Pin
Z31/12x140	Guide Pillar, Cylindrical
Z31/12x65	Socket Head Cap Screw
Z31/12x55	Socket Head Cap Screw
Z31/12x45	Socket Head Cap Screw
Z31/10x25	Socket Head Cap Screw
Z31/6x55	Socket Head Cap Screw
Z31/6x50	Socket Head Cap Screw
Z330/4x8	Countersunk Screw with Torx®
Z55/18x3	Flat Ejector
Z40/16x160	Ejector Pin with Cylindrical Head
Z40/3x160	Ejector Pin, Cylindrical Head
Z40/6x100	Ejector pin, cylindrical head
Z90/13x150	Extended Nipple, Open Flow
Z62/15x0.4x5.2	Disc spring
63S207S	Gland(F)
45S207S	Gland (F)
63205	V-packing(Teflon)
63S204S	Gland (M)
45S204S	Gland (M)
63S212S	Displacement Rod
45S212S	Displacement Rod
63224S	Washer
45S224S	Washer
63S214S	Piston
459214S	Piston
72000-PB	Airless Spray Pump
Z051/20	Locating unit, round
Z260 (1000g)	Heavy-duty lubricant
HAT903CSAC120	Electromechanical Relay
Z41/1.1x125	Ejector Pin, Hardened, Nitrided
Z859PL/ 9x30000/1/S	Push-Lock Hose, Type 1

Product	Description
Z859PL/ 9x30000/2/S	Push-Lock Hose, Type 2
H1225/16/24/3000	Power/signal connection cable
Z98/10x1	O-Ring
Z477/3.5x100 (= T3150)	Stamping Punch with Conical Head
Z62/34X2X16.3	Disc Spring
Z801/13X45	Rapid Coupling, 90° Angled
Z801/9x45	Rapid Coupling, Open Flow
Z80/9	Shut-off Coupling with Valve
Z48715/12X24	Signature Stamp, Year and Month
Z48700/10x24	Signature Stamp
Z48700/8x26	Signature Stamp
Z48700/12X24	Signature Stamp
H1295/1/4x12 (=Z1295)	Thermocouple
Z25/3X18	Dowel pin
Z40/3X40MM	Ejector pin, cylindrical head
Z40/4X160MM	Ejector pin, cylindrical head
Z412/ 3 X 100	Ejector pin
Z42/1.7X100	Ejector pin, conical head
Z 40 / 4 X 100	Ejector pin, cylindrical head
Z25 / 2 X 6	Dowel pin
Z40 / 5 X 100	Ejector pin, cylindrical head
Z40 / 5 X 125	Ejector pin, cylindrical head
Z40/8X160	Ejector pin, cylindrical head
Z81/9xG1/4 (71080)	Connecting nipple, open flow
Z81/13XG1/4 (71129)	Connecting nipple, open flow
A7002/1000	NLGI 2 grade Zinc Dithiophosphate
Z98/13.9X2.4	O ring
Z98/23.3X2.4	O ring
2072379	Pulling rod
2072371	Round latch locking device
A5716/51x34x27	Universal counter
Z80/13/VA	Shut-off coupling
PRO-NURI 551E	
Repair Kit For PRO-551E	
Z48630/3x5x25	
Z808/19x24x1.5	Rapid coupling, open flow
Z173/38x36	
R55E200	
Z1471/2X8X1	Inductive proximity switch
Z1401/8X1X5000	Connection cable, with straight plug
Z1475/2X8X8	Inductive proximity switch
Z48718/8/25	
Z01/10x40	Guide pillar (Angle pin)
Z11/27x10	Guide bush, headed
Z11/36x10	Guide bush, Headed

Product	Description
Z011/10X60	Guide pillar, with two fits
2084278	
2084295	
2084287	
Z1402/8X1X5000	CABLE WITH 90° CONNECTOR
Z1540/28x1000x2.5	
Z41/8 x 400	SPECIAL EJECTOR FOR HIGH PRESSURE INJECTION.
Z41/8X630	EJECTOR
Z080/16x16	
Z252/1	temperature meter with probe
2084489	
Z361/8x16	Spring plunger
Z80/13X45	45° coupling for hose
Z12/18x45	Guía de bolas (ball guide)
Z02/18x200	
Z441/1x80	Shouldered ejector pin, cylindrical head
Z67/14x1	Segman
H1004/4x400	
H12250/16x16x1000	
H12250/16x24x1000	
H1295/3/8	
Z632/40x50	Polyurethane pressure spring
Z81/9xG1/8/VA	Nipple
Z945/2	
Z40/3.5X160	Ejector pin, cylindrical head
Z81/9x1/4NPT/VA	Nipple, Stainless steel, open flow
Z81/13xG1/8	Connecting nipple, open flow
Z81/13X3/8NPT/VA	Nipple, Stainless steel, open flow
Z81/13X1/4NPT/VA	Nipple, Stainless steel, open flow
Z80/13X90	Shut-off coupling, with valve
Z173/32x28	Round latch locking device
Z181/13.5xG3/8	Nipple,without valve
Z1801PL/13x13.5	Rapid coupling,open flow
Z940 G1/8	
Z10/96/32//31221	
z807-13xG3/8-8-VA	Shut-off coupling, Stainless steel
Z81HT-13xG3/8-8	Shut-off nipple, with valve
Z40/2x100	Ejector pin, cylindrical head
Z40/1.3x100	Ejector pin, cylindrical head
Z632/40x32	Polyurethane pressure spring
Z631/40x32	Polyurethane pressure spring
Z631/63x100	Polyurethane pressure spring
Z62/10x0.5x5.2	Disc spring
Z8108PL/13x20x13x90	
Z40/20x315	

Product	Description
2074624	
Z0512/12	Centring piece, male
Z03/56x30x55	guide pillar, shouldered
Z03/56x32x55	guide pillar, shouldered
Z11/56x30	guide bush, headed
Z11/56x32	guide bush, headed
Z1100W/36x20	guide bush
Z1004	
2074645	Safety coupling, open flow
Z8565/13x25000/1	PTFE corrugated hose, m
Z8565/13x25000/2	PTFE corrugated hose, m
Z1540/16x400x1	steering rack
Z1555/20x22x70x1	Intermediate gear wheel
Z1555/12x22x30x1	Intermediate gear wheel
Z1562/42x20	Grooved ball bearing
Z051-25	centering unit
H1250/4x16	
H1270/4x16	
Z174/ 100x195-01	
HAT903CSAC220	Electromechanical Relay SPDT 40A Open 30A Closed 220VAC
Z941/G1/8/VA	Stainless steel cap with base
Z940/12x1.5/VA	Stainless steel cylinder cap
Z 40 / 14x100	
Z110/10x40x315	
Z801 PL/13x90°	
Z010-20x140	
Z40 /8X315	
Z40 /5X200	
Z40 /6X315	
Z40 /4X200	
Z441 /2X250	
Z941/10x1	
Z26/8x28	
Z1480	Extension tube
Z41 /16 x315"	
Z174/50*90*0	
199362	Ejector pin, conical head
Z441/1X125	Ejector Pin, shouldered, hardened
Z441/1.5/125	Ejector Pin, shouldered, hardened
Z441/1.8/125	Ejector Pin, shouldered, hardened
Z40/ 2.7 X 160	
H1295/5x1x84	Thermocouple
Z41/6.2x200	Ejector pin, cylindrical head
Z1100W/36x32	guide bushing
Z1100W/36x30	Guide bushings

Product	Description
Z013/30x160	
Z1821/25x5x38	printing plates
Z1821/40x6x71	Druckplatten
Z1831/79x6x85	Druckplatten
Z94/R3/8	Locking screws
Z9641/12x32x38	Diverting element, with elongated hole
Z94/R1/8	
Z941/R1/8	
Z00/86x22x235	
Z00/86x24x235	
Z10/96x22	
Z10/96x24	
Z20/30x160	
Z022/24x220	
Z11/66x24	
Z26/12x40	
Z25/8x20	
Z961/32x200	
Z81/9x1/8 NPT/VA	
Z4430/1,5x100	
Z11/27x18	ZODIAC SIGN
Z48733/5	
Z40/16x200	
Z44/1,4x160	
Z40/5x160	
Z46/3,8X0,8X160	
Z46/3,8x1,2x160	
Z465/2,8x1x160	
Z465/2,8x0,8x160	
Z44/1,6x160	
Z1540/20X800X1.5	
Z1851 20 X 16 X 80	
Z801/13/90	
153583	Crimping sleeve
2097998	PTFE corrugated hose, metal braiding, po
2074646	Safety coupling, open flow
2074647	Safety coupling, open flow
2066199	marking ring
2066201	marking ring
2056638	Crimping tool
2040359	
Z62/60 X 3,5 X 30,5	
Z1100W/36x40	
Z1100W/56x40	
Z710/20	Lifting eye bolt

Product	Description
Z942/8	
Z947/2/12x630-02	
Z947/2/12x250-02	
Z947/2/10x250-02	
Z947/2/12x630-01	
Z947/1/8x315-05	
Z947/1/10x400-03	
Z947/2/12x630-03	
Z947/2/10x250-04	
Z947/2/12x630-04	
Z9425/10/VA	plug
Z9425/12/VA	plug
Z81/13xG3/8	MALE ADAPTER WITH FREE PASSAGE
Z40/4.4x100	
Z40/6x40	
Z40/2.5x63	
Z62 / 18x0.5x6.2	
H109/20x45x1	
Z07/56X40X100	
2028441	Cáncamo articulado giratorio
2028440	Cáncamo articulado giratorio
Z9425/8	
Z9425/10	
Z1681/30x140	
Z168/20	
H6002/25x125	hot runner heater / cartridge heater (from context)
Z81/9x9x1	Connecting nipple, open flow
Z876/9xG1/4	
H2021/25x120 (=Z2021)	
Z 41 /14 X500	Ejector pin, cylindrical head
Z41 / 14x500	perno expulsor (ejector pin)
Z80/9/90	Shut-off coupling, with valve
Z41/16 X 500	