



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Barbaros Mah. İhlamur Bul. AĞAOĞLU
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA,PUE
www.enapart.com.mx
sales@enapart.com.mx



MUNICIPIUL BUCUREŞTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Itron

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|---------------------------------------------------------------------|--------------------------------------------|
| MZ 200 Q2500 DN 200, PN10 | quantometer, Qmax=2500mc/h |
| SL7000 761W 0.2C | Counter |
| Meter type SL761 | remote reading digital Counter |
| Fluxi TZ G650 | TURBINE |
| EAC6300 (ACE6000) out of production | STATIC COUNTER |
| Kit ACE Pilot | Kit ACE Pilot |
| corrector for gas T ° and P Corus PTZ, 0.9 - 10 bar | |
| CORUS-VC | Gas Volume Converter |
| AIMS7000 | Kit |
| CYBLE1 | Cyble Pulse Sensor |
| Cyble sensor ATEX | |
| AQU25 | Cold Water Meter |
| FLUXI 2000/TZ 250 G1600 DN 250 PN16 | |
| FLUXI 2000/TZ 200 G1600 DN 200 PN16 | |
| SL 761 2/3 AA/S | Lithium Batt. |
| DCL33007A72773 | Sensor |
| TZ50G65 | Turbine Meter 50mm 2" |
| CF-UMaXX V | Utrasonic compact thermal energy meter |
| Nr. H4172 Type 233-12-5-72 | gas pressure regulator |
| RBE 4732 SIL/SSV | |
| ESL77AI | STATIC COUNTER |
| SL 7000 (Class 0.5 S) | |
| ESL77CI (SL7000) | Counter |
| WOLTEX-M 1000-300-500-PN16 | Flow meter |
| H4184 | Flow meter |
| WCITCWOLTEXDN150 | Flow meter |
| WOLTEX-M 100-100-250-PN16 | Flow meter |
| WOLTEX-M 60-80-200-PN16 | Flow meter |
| AQU15/COMPOSI | water meter |
| 133-5-72, 1 | regulator |
| 133-6-62 | regulator |
| RR-16-50-31-8N-033 | gas regulator |
| repair kit for RR16-50-31-8N-033 | repair kit |
| Repair kit for separator 033 DN50 | |
| CORUS PTZ, 0.9 – 10 bar | Electronic volume corrector for gas |
| 131E200-04 | Repair kit for regulator 233-12-4-72 DN 40 |

| Product | Description |
|-----------------------------------------------------------|----------------------------------------------|
| 130E200-32 | Repair kit for regulator 133-4-72 |
| 115E700-11 | Repair kit for SSV 033 separator |
| 115E600-11 | Repair kit for SSV I & II separator |
| 115E700-10 | Repair kit for SSV 033 separator |
| 115E600-10 | Repair kit for SSV I&II separator |
| CYBLE1 for AQU15/COMPOSITE | |
| GS | |
| SL761X071 – ESL77CI | Static counter |
| TZ150 G650 PN40 | Gas turbine meter |
| Corus PTZ | Gas Volume and Temperature Converter |
| MZ80G160 | Flow meter |
| 133-5-72 | pressure regulator for natural gas |
| RBE 4732 ACC SIL SAV 8632 | Pressure Regulator |
| 233-8-6-66 | Regulator |
| RB4700 (with reed switch and silencer) | Flow Control Regulator |
| RB4700 (without reed switch and silencer) | Flow Control Regulator |
| H3915 / RF Master 5 | |
| STA200PN16 | |
| 233-8-5-72 DN 50 | GAS REGULATOR |
| K1 5 Wire | Cyble Pulse Sensor Special |
| K10 5 Wire | Cyble Pulse Sensor |
| RBE 4732 ACC SIL SAV 8632 DN 80 PN16 | |
| UMAXX-15 | Utrasonic compact thermal energy meter |
| ATEX V2 | Cyble Sensor |
| CYBLE1/ATEX | Cyble pulse sensor |
| 244-12-5-72 | LPG gas regulator |
| repair/service kit for RR16-50-42-8N-033 | repairing set for regulator |
| 111E500-02 | Regulator housing repair kit |
| 115E700-14 | Repair kit |
| WOLTEX200 | |
| WOLTEX80 | Cold Water Meter |
| CF51K10 | |
| SL7000: CT SL761W071 - CL. 0.2 | Contactor |
| G25 DN50 PN110 | |
| G100 DN50 PN110 | |
| TZ80G160 | Turbine flowmeter for commercial measurement |
| G100 DN 50 | |
| G65 DN 50 | |
| G650 6" ANSI 600 | |
| G650 6" ANSI 300 | |
| G10 | |
| G16 | Diaphragm Flow Meter |
| AQU15/COMPOSITE | Cold Water Meter |
| AQU20 | Water Meter |
| SL761X-R4 | Bidirectional Counter |

| Product | Description |
|-----------------------------------------------------------|----------------------------------|
| ESWAIM5 | SW ACE PILOT - READ-ONLY LICENSE |
| RR-16-50-54-8N-033 | Gas regulator |
| 233-8-5-64 | regulator |
| 39831102 | repair kit |
| 39970320 | repair kit |
| 39951300 | repair kit |
| DN40 G16 | Delta Compact gas meter |
| CF Echo II 1.1/4" BSPM QP6 | |
| CF51/CFECHO | Battery Pack |
| 6UKC15Y110BR100 | WATER METER UNIMAG + |
| RBE 3211 | Gas regulator |
| A111472 (Itron Europe) | Battery |
| RR16-80-54-8N-033 | |
| Flostar M, cod. FL100JP | Water Counter |
| 111-131-50 | Membrane |
| H5864 / RR16-50-54- 8H DN50 PN16 | gas pressure regulator |
| 39951300 | |
| 20565131 (TF513) | |
| 20565133 | Spring for pilot |
| RBI 2312/TR 1" x 1" | Gas regulator |
| 20565132 | SPRING |
| ESWAIM4 | SW ACEPilot® LICENSE |
| ESL77CI | counter |
| Sr.N: 3403886796 | G100 Rotary Counter |
| 233-12-5-66 DN 40 PN16 | Gas Regulator |
| Delta SEG100 | Rotary flowmeter |
| ESON002 | USB OPTICAL PROBE |
| FLUXI 2000 DN80 G160 | Turbine flow meter |
| FLUXI 2000 DN50 G65 | Turbine flow meter |
| converter corus ip65 | Corrector |
| MZ50-100 PN20 | NATURAL GAS QUANTOMETER |
| Safety shut-off valve SSV 8632 DN100 PN16 | valve |
| 4700-319 | GAS PRESSURE REGULATING VALVE |
| 233-12-5-66 DN-40 PN-16/5 | |
| ESL77BI | counter |
| 45000112 | o-ring |
| 20592860 | valve plug |
| 20593960 | valve plug |
| 45002025 | o-ring |
| RBE 4730 DN50 ANSI 300 | |
| H0682 / WP Woltex DN 80 Q3:100 PN 16 | Horizontal Woltmann counter |
| FLUXI 2080 DN80 G100 PN19 | Turbine flow meter |
| FLOSTAR - M DN80 - 3" | COUNTER |
| RR16-50-42-8H | |
| RBE 4732 DN25 ANSI 300 - 8632 | ADJUSTER |

| Product | Description |
|------------------------------------------------------|-------------------------------------------------------|
| DELTA40G25/1- 50SE | Rotary Gas Meter |
| DELTA50G40/1- 50SE | |
| 762646 | Spring |
| ITR-76213701 | |
| MZ 80 G250 DN 80, PN16, L = 120 mm | Turbine gas flow meter for non-commercial measurement |
| 233-12-4-72 DN40 PN 16/4 | |
| H3749 | Acceptance test certificate B to EN 10204 |
| 133-HP-5-62 | pressure regulator |
| 233-8-5-72 | gas pressure regulator |
| Type RR 16 / AN 0420 | REGULATOR |
| 133-1-730 | gas pressure regulator |
| Nr. H2881 Type G65 | |
| RBE 4021 DN50 VDB 8500 | Gas regulator (METHANE GAS) |
| H1551 | Cyble-Sensor ATEX |
| RBE 4021 DN50 SAV 8521 | gas pressure regulator |
| FL40FM | |
| FLODIS-M DN40 | |
| 76213701 | Spring |
| 757453 | Aluminium Reducer |
| TZ100G400/ANSI150 LF/HF | TURBINE GAS METERS |
| H4862 | gas pressure regulator |
| Delta 2050 G100 DN50 Pmax=19.3 bar | Rotary Fewer |
| Delta 2050 G100 DN50 Pmax=16 bar | Rotary Fewer |
| Delta 2080 G160 DN80 PN16 | DELTRA SILVER EDITION |
| DN100 (Flostar M) | Water meter |
| 133-8-61 | gas pressure regulator |
| 233-12-8-62 | gas pressure regulator |
| H4948 | |
| 39990600 | repair kit |
| DELTA50G65/1-50SE | |
| FLUXI 2000 G100 / TZ80G100 | |
| RBE 4731 DN50 SAV 8631 | gas pressure regulator |
| 955-200-11 | |
| 133-5-72 DN 25 PN 5 | |
| ESL77CI SL7000: CT SL761X071 - CL. C | COUNTER |
| 750535 | |
| Typ DELTA QD60 DN 40 PN16 | quantometer |
| G1000 | |
| H0206 | Start-up screen for DKZ DN 50 flat |
| 75767101 | |
| FL15110B16WL-F | |
| B381R-XL-200 | Regulator |
| 762359 | Spring |
| RB 4732 DN50 ANSI 150 / SSV 8632 | |
| CYBLEMBUS-5M | |

| Product | Description |
|------------------------------------------------------------------|-------------------------------|
| 233-12-6-72 | Gas regulator |
| 233-12-5-72 DN50 PN16 | |
| MZ 50 Q100 DN 50 | Turbine gas meter |
| 78801933 | |
| Type: RBE 4030 | Gas regulator |
| RBE 4722 SSV8612 DN100 PN16 | Gas regulator |
| B42R-DD-075 | |
| ITR-762650 | |
| Delta SE 2080 G160 DN80 PN16 | Flowmeter VOLUMETRIC |
| 39927320 | Repar kit |
| 200.36.ITR.10 | ITRON OPTICAL PORT |
| 450.37.ITR.10 | ITRON COUNTER SOFTWARE |
| SL7000-R4 | ITRON COUNTER |
| CORUS EVO+ | |
| CF-SENSORS1.7 | |
| CYBLE10/5WIRE | |
| CYBLE K1 5 | |
| DELTA G40 | |
| DELTA G65 | |
| TZ100 G400 ANSI300 | |
| FL150KP | FLOSTAR COUNTER |
| CL | |
| RBE 4011 / VDB 8511 | |
| MZ50G65 | Quantometers |
| repair kit for regulator 233-8-6-66 (131E200-54) | |
| repair kit for regulator 233-8-6-66 (115E600-12) | |
| 71519 / | Watermeter |
| WE200MG350-01P2 | Woltmann horizontal counter |
| H1235 / WP Woltex DN 50 Q3:40 PN 16 | Horizontal Woltmann counter |
| H0580 / WP Woltex DN 100 Q3:160 PN 16 | Horizontal Woltmann counter |
| H0675 / WP Woltex DN 150 Q3:400 PN 16 | Horizontal Woltmann counter |
| 133-5-72 DN 25 PN5 Düse 6,3 | |
| H0753 | communication module |
| D0084 / Service parameterization | Parameterization service |
| WE050HK200-01 | Counter |
| WE100KK250-01 | |
| WE150MK300-01 | |
| repair kit for RR 16-25-31-8N-033 / 111E500-0 | |
| 111E100-11 | |
| 111E500-01 | |
| GS DN50 PN16 | |
| MZ 80 | CUANTOMETER |
| Nr. H4126 Type 233-12-5-72 | gas pressure control device |
| FL20190C16WL-F | FLODIS cold water speedometer |
| DN 50 PN 16 | |

| Product | Description |
|----------------------------------------------------|----------------------------------------------------|
| WE080JK225-01P2 | Flow meter |
| RR-16-80-42-8H-SL-IZM.1 DN80, PN16 | pressure regulator |
| Cyble sensor V2 17549412AA | Sensor |
| SL761E071 | |
| G160 DN80 ANSI 150, 1.16 | |
| 12204912BA | WOLTEX M COLD WATER METER |
| 233-12-6-72 DN 40 PN16 | Gas regulator |
| SL7000 (SL761X-R4) | |
| 111E300-09 | |
| 147E300-02 | |
| SL7000 (SL761X-R4) cl: 0.2s | |
| EMOD001 | |
| RB900SG-E5.x.x.2.x.5 | |
| EQM1167 | Measurement boards |
| DN15 TSN, Q3 2.5-R160, L=110 mm | FLODIS counter |
| DN15 TSN, Q3 2.5-R160, L=145 mm | Flodis counter |
| EUTF001 | |
| MZ 80 DN 80, PN16, L = 120mm. | Gas turbine flow meter for non-commercial metering |
| 233-12-5-72 | regulator |
| H4354 (Nominal diameter: DN 50) | gas pressure control device |
| FLOSTAR M DN100 TVM | |
| H3852 - 233-12-1-730 | |
| H0605 | Cyble Sensor |
| U698081 | Gas Meter |
| RBE 4021 | |
| SL761-X071 | Multifunctional Counter |
| 6UAB15Y110BR100LFCBXN | |
| 6UAB20Y130CR100LFBXN | |
| RBE 4732 / SSV 8642 DN80 ANSI 300 | |
| FLUXI 2000 G250 PN16 | |
| H3052 / G100 DN 50 | rotary lobe gas meter |
| H5849 | Acceptance test certificate B n. EN 10204 |
| G2015 / BK G4 | Inserting |
| H5871 / RR16-80-54-8N | gas pressure regulator |
| G1101 / Code: RR16-098 | regulator |
| TRCIBCY5R868R1 | |
| H1235 | flowmeter |
| H0606 | sensor |
| 5727844 / G25 | gas meter |
| ECITSL7M2O | Counter |
| G0496 / G40 DN 40 | rotary lobe gas meter |
| 951-858-04 / H0342 | Impulse receiver for diaphragm gas meters |
| G0558 / G100 DN 80 | rotary lobe gas meter |
| QD25 | |
| H0207 | |

| Product | Description |
|------------------------------------------------------|-------------------------------------------------------|
| H3069 FLUXI 2000 G250 DN 80 | turbine wheel gas meter |
| H1761 | |
| G0475 | |
| G0934 | |
| Flostar 40 Q3:16 m³ R160 DN 40 | |
| GE0199- 233-12-4-66 | gas regulator |
| DE-10-MI002-PTB001 | counter |
| 233-8-6-66 DN50 PN16 | |
| G10 DN25 | rotary piston gas meter |
| 133-4-72 DN 25 | GAS EXPANSION VALVE |
| TZ / FLUXI G160 DN80 | |
| Calibration | |
| RB 3222 | |
| membrane for RR16-50-54-12N-033 | |
| H5484 | |
| RBE 1812 DN50 PN16 | pressure regulator |
| Type 133-4-72 | Gas regulator |
| TZ80 G100 DN80 PN16 | |
| RR-16-50-42-08N-033 | Gas regulator |
| Delta SE G65 DN50 PN16 | Rotary gas flow meter |
| TZ150 G650 Class 150 PN20 | |
| CubleTM Sensor ATEX | |
| Aquadis+ DN 20 CB | Water meter |
| TZ150 G650 PN20 | |
| MZ 100 G400 DN 100, PN16, L = 150 mm | Turbine gas flow meter for non-commercial measurement |
| H1753 Type SBV 155D | safety blow off valve |
| H3753 | |
| MZ80 Q250 | |
| FLUXI 2080 G160 | |
| 233-8-6-72 DN50 PN16 | |
| B42R-CD-075 | |
| ITR-762647 | |
| Flostar DN80 L350 Q3=60 R315 3" | |
| Flostar DN100 L350 Q3=100 R315 4" | |
| Flostar DN50 L300 Q3=25 R315 2" | |
| RBE 1822 | gas pressure regulator |
| WE100KK250-01 | |
| MZ 80 25-400 DN 80 | Turbine gas flow meter for non-commercial measurement |
| MZ 100 40-650 DN 100 | Turbine gas flow meter for non-commercial measurement |
| RBE 4732 SSV 8632 DN100 PN25 | |
| UNIGAS 300 (DE) | Quantitative transformations |
| Test according to MID | |
| Testing and additional costs HBA | |
| Gefahrgutpauschale | |
| Type 233-12-5-72 DN40 | gas pressure regulator |

| Product | Description |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------|
| RBE 4032 / SSV 8532 | Gas regulator |
| RBE 4022 / SSV 8522 | Gas regulator |
| MZ50 DN 50 PN16 | Volumetric gas meter |
| RR16-50-54-8N-SL-IZN.1 | gas regulator |
| 39872220 | |
| SBV 155D (6 barg) | safety blow off valve |
| SBV 155D (4.4 barg) | safety blow off valve |
| H3751-Inspection certificate B according to EN 10204 | test certificate |
| TZDN100G250 | Turbine gas meter |
| RR-16-80-82-12N-033 | Gas regulator |
| EMOD003 | |
| Cyble sensor V2 | Cyble technology for reliable water and gas meter data transmission |
| ACD-G10 c | Natural gas meter |
| RR16-50-54-12N-033 ROM | |
| 133 DN25 PN16 | |
| MZ100_G400 | Quantometer |
| H3760 | gas pressure regulator |
| Delta Compact G40 DN50 | Gas meter |
| AQU30 | Cold Water Meter |
| AQU40 | Cold Water Meter |
| WOLTEX50 | Cold Water Meter |
| WOLTEX65 | Cold Water Meter |
| M6CZ0400 | QUANTOMETER |
| 133-4-72 DN25 PN16 | |
| 115E700-12 | |
| 955-200-15 | |
| RR16-50-24-8N SL-IZN.1 DN50 PN16 | GAS PR. REGUL. WITH SAFE SHUT OFF VALVE. |
| DELTA COMPACT G10 | |
| DELTA COMPACT G25 | |
| M-BUS CYBLE V2.0 | |
| 6UAB15Y110BR100LFCBXN-FR | |
| FL050GO300-004 | Water Meter |
| RR-16-50-54-8N-033 / DN 50; PN 16 | pressure regulator |
| FL505GO300-004 | |
| SL760-2B171 | |
| Delta SE 20/50 G65 " | Rotary flow meter |
| part no: Delta DN50 G65 | |
| TZ/Fluxi G160 DN100 | flowmeter |
| ACO00000000000170 / Flostar M DN50 | |
| AAC00000000000900 / Emisor Cyble Sensor 2-wire transmitter K1 | |
| KITGSM1 | CALLING MODEM |
| SJ3.5H | position indicator |
| 133-730 | |

| Product | Description |
|----------------------------------------------------------------------------|------------------------------------------------------------|
| Kit MC SL7000 | |
| INDUBOX GSM/GPRS/4G EXTERNAL MODEM | |
| SL760-2A171 | |
| H4157 / 233-12-5-72 | Gas Pressure Regulator |
| Delta SE G65 DN50 | Gas meter |
| Delta SE G160 DN80 | Gas meter |
| WOLTEX M DN400 | |
| WE200G350-01P2 | |
| Gas regulator repair kit RR16-50-31-8N-033 | Repair kit |
| H3310 / WMZ CF-E-II Qp 10 DN 50 | |
| CF55-K10 | |
| RR16-50-42-8N-033 | Gas regulator |
| H3778 | |
| 111E200-12 | |
| E111-126-00 | |
| 111-314-00 | spindle |
| 39871420 | |
| 566493194950 | |
| 10195A | |
| FL20130CR160W | FLODIS COUNTER |
| GCDRMZ50 | Volumetric gas meter |
| WCITCDN15M /Unimag+ | UNIMAG COUNTER FOR COLD WATER |
| RL100-208C104S | GAS METER |
| RR16-25-31-8N-033 / DN25 | |
| Set of spare parts for RR16-25-31-8N-033 / DN25 | |
| SL761X | Active/Reactive Cl:0.5 One Way Counter |
| AQP15134C VMQB315- KIT | Itron Aquadis+ Composite Volumetric Water Meter |
| TZ150 G650 | |
| CORUS EVO + PTZ | corrector |
| Ace Pilot Meter Reading/Configuration Software (1 license) | Ace Pilot Meter Reading/Configuration Software (1 license) |
| DALYA DOP USB Optical Reader | DALYA DOP USB Optical Reader |
| EARZKMK116 | USB OPTICAL PROBE |
| ELITSWAIM4 | AcePilot |
| Repair kit for RR16-50-54-12n-033 | Repair kit |
| 111E200-20 | Wearing parts set |
| RBE 4730 DN50 PN16 TF513 | |
| G 40 DN50 PN1 | Rotary piston gas meter |
| SL760-2C170 | |
| RBE 4732 SSV 8632 DN40 | |
| LEAD-TYPE3 | |
| TZ/FLUXI 2080 / G100 DN80 PN20 | |
| 233-12-8-66 | PARTS FOR PALLETIZING & SHRINK WRAPPING UNITS |
| G0629/G25 | |
| G0628/G25 | |
| 39872120 | |

| Product | Description |
|-----------------------------------------------------------|------------------------------------------------|
| <u>39851200</u> | |
| <u>SL761-X071 T2 (200 /5A)</u> | Multifunctional counter |
| <u>SL761-X071 T2 (400 /5A)</u> | Multifunctional counter |
| <u>Flodis DN15</u> | Water meter |
| <u>SL761W071 Cl.:0.2s</u> | two-way counter |
| <u>SL761X071 Cl.:0.5s (C)</u> | bi-directional counter |
| <u>WE050HK200- 01PP</u> | |
| <u>AQ20QCR160V</u> | |
| <u>AQ040FM300-004-FR</u> | |
| <u>ECITSL7MCI</u> | |
| <u>RBE1811</u> | |
| <u>TRCIBMBUSA0</u> | |
| <u>13760</u> | |
| <u>Pilot for RBE 4730 S (TF 513)</u> | |
| <u>kits of spare part for RBE 4730S</u> | Repair kit |
| <u>RR 16-50-42-12N</u> | pressure regulator |
| <u>20561023</u> | SPRING |
| <u>20565125</u> | SPRING |
| <u>20567663</u> | SPRING |
| <u>FL150KQ</u> | |
| <u>H6075</u> | gas pressure regulator |
| <u>Delta Compact G25 DN50</u> | Gas meter |
| <u>Cyble Dock Version 1</u> | |
| <u>Cyble Anyquest Enhanced</u> | Cyble Anyquest Enhanced (communication module) |
| <u>Cyble Sensor V5 K=1 5-wire version</u> | Cyble Sensor |