



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

J+J Automation

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
SC3000101	Elektroschwenkantrieb J3C Modell L20,
J3 Modell H20 (S3000109)	Elektroschwenkantrieb
CH075	
J3C-L20	Electric rotary actuator
S3000109	Elektroschwenkantrieb J3 Modell H20
Mod.L20 Type J3C	Elektroschwenkantrieb
SC3000109	Elektroschwenkantrieb
SA000501	rotary valve actuator
J3C Modell L20	
J3C Modell H140	Elektroschwenkantrieb
P/N: SC3000309 Type: J3C Modell H55	Electric swivel drive
P/N: SC3000109 Type: J3C Modell H20	Electric swivel drive
Modell S20	electric swivel drive
Modell S55	Elektroschwenkantrieb
SC3010509	Elektroschwenkantrieb
J3 Modell H20	Elektroschwenkantrieb
J3C S20(SCS000109)	
J3C Modell H55	Elektroschwenkantrieb
J3C-S20	actuator
J3C Modell S55 (SCS000309)	
J3C Modell S55..	Elektroschwenkantrieb
Befestigungssatz M8	
VAMEIN Absperrklappe Wafer Type PN6/10/16 DN 100	
Aufbaupauschale Armatur - Antrieb	
J3C Modell S35	electric actuator
J3C Modell S85 (SCS000409)	
SCS000439	
SCS000109 (J3C-S20)	
2025 09 (DN50)	
SCS000339	
FLDZ07-3	
ZEPD1	
J3 Modell S20	Electric swivel drive
SCS-DPS-KIT 20-85	DPS positioner conversion kit
ES140 / Typ J4C / Modell S140, 24 - 240 V AC/DC	Rotary actuator
ET12020	Shaft handwheel model S20 (plastic)

Product	Description
ES20	Rotary Actuator
P/N: S4C000309, Type: J4C-S55 F05/F07	Actuator
J2 Modell H10	Electric valve
Typ J2 Mod. H20, DN32	
P/N: S4C000209, Type: J4C-S35	Rotary actuator
P/N: S4C000309, Type: J4C-S55 F05/F07 17mm	Rotary actuator
S4C000439 (J4C-S85 F05/F07)	Rotary actuator
P/N: S4C000609, Type: J4C-S300 F07/F10	Pivot actuator
Typ 2500 1" PN40	ball valve
S4C000109	Electric rotary drive J4C model S20
2041 07	
ET10005	Position indicator
J3C Modell S20	actuator of valve
SAS3000109-SONDER, J2 Model: H20	Special model electric quarter turn actuator
J4C-S85 F05/F07 (S4C000409)	Rotary actuator
Typ 2015	2-way stainless steel ball valve
J4C S140	Rotary actuator
old pn h140v1 j2	
S4C000509 / ES140 / Electric actuator type J4C, model S140, 24 - 240 V AC/DC	E - drive
S4S000109 / J4-S20 MF/14mm	Rotary actuator
KH3/112TFMS (with Bridge and adapter)	Three-way valve
S4C000109 / J4C-S20 (Standard	
BKF0505	Stainless steel bridge
ADR14/50-30	Adapter gaps,
EBTBADR1/1-10	Corner perforated pocket milling
ZEPB1	Mounting material bridge construction
KH3/112TFMS (without bridge and adapter)	Three-way valve
ZEPBD1 (without bridge and adapter)	Mounting material.
S4C000109 (without bridge and adapter)	Rotary actuator
SA000509 J2 Modell H10	Electric swing actuator
J4C-B300 F07/F10 (B4C000609)	motor
SRC000332	electric swivel drive
S4C000107	quarter-turn drive
P/N: S4C010109, Type: J4C-S20	Electric drive with DPS positioning system
MM00362	
121447010020	
121447010025	
121447010032	Ball valve
MM00359	
MM00360	
MM00361	
RED14-9SS	Reducer sleeve
S4C000129 / J4C-S20 MF/11mm	
B4C000129 / J4C-B20 MF 11mm	

Product	Description
BKH38	
J3S Model S20	Valve
B4C000509 / ES140 / Electric drive type J4C, model S140, 12V DC	
SA000509	Electric quarter turn drive
J4C-S55	Part-turn actuator
J4C-B85 F05/F07	Quarter Lap Drive
REDX17-11	Reducing sleeve
J4C-S20 MF/14mm DPS 0/10V	DPS connector
P/N: AEK2EH40G, Type: J4C S35	2-piece 2 way stainless steel ball valve
88616584 / 488 65W332A1ELU5 AEJ4C35 (DN65)	Butterfly valve
88616584 / 488 65W332A1ELU5 AEJ4C35 (DN50)	butterfly valve
S4C000309	slewing drive
J4C-B20	Rotational drive
J4C-S20 MF/14mm DPS 0/10V (S4C020109)	slewing drive
REDX14-11SS	Reducer sleeve
RED14-11SS	Reducer sleeve
REDX14-9SS	Reducer sleeve
S4C000409 / J4C-S85 F05/F07 17mm	slewing drive
P/N: AEK3EH40G-IG, Type: J4C S35	3-piece 2 way stainless steel ball valve
KH112FMS	2-piece 2-way brass ball valve
202015 08	2-piece 2 way stainless steel ball valve
S4C000209	actuator
S4C000609 / J4C-S300	
ET12102.2.11	
S4C000379	
KH10FMS	ball valve
J4C-S20 MF/14mm standard with Dome IP67 pan drive	
SA400501	
2015 04	
J4C-S20 MF/9mm standard with Dome IP67 pan drive	
2015 04 - 14 mm	
SAS3000109-SONDER, J2 Modell H2	
SA000509 / J2-H10	electric swivel drive
J3C 20 F07*17	Kit
Typ S35 J4C	
Typ J4 S20 Metal Cam	Electric drive
J4C-S85	swivel drive
H140 with BSR NO	electric drive
S4C000209 / J4C-S35	
S4C010309 / J4C-S55 F05/F07 17mm	Actuator
J2 Model H10	electric rotary drive
J4C-S55-DPS-BSR	ELECTRIC VALVE ACTUATOR
J4CS300	
ESM-CB2GO00TIPSS	Limit switch box
B4C010309	Quarter-turn actuator

Product	Description
S4C000109L / J4C-S20 MF	slewing drive
S4C000119L	
J4C-S85 DPS	
P/N: S4C000109, Type: J4C-S20	Electric drive
S4C000119; J4C-S20 MF/9	
S4SDPS140-300	
J-10H / H1000109	slewing drive
S4C010119 / J4C S20 F03/F04/F05 *9mm DPS 4-20mA NC	
Model S20 Serie:J4C	Standard Electric Actuator
Typ J4C, Modell S20/ES20	
AMK2EH25K	2-way brass ball valve DN25 + J4C S20
Flange ring 15mm high, F07	flange ring
Reduction V17/V11	Reduction
S140-B140	DPS kit
S4C010509 / J4C-S140 F07/F10 22mm	
S4C010609 / J4C-S300 F07/F10 22mm	
V103	
MOD: S85 Serie:J4C	J4C S85 standard F05/F07 *17mm
ES85 / Type J4C, Modell S85	E - drive