







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Jergens

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
<u>19910</u>	FLANGE NUT, 1-8
<u>21247</u>	
<u>23458</u>	HOIST RING
<u>23565</u>	HOIST RING, 1900 KG M16, LONG U-BAR, CENTER PULL
<u>25963</u>	Insert, threaded
<u>303610</u>	(ZERO POINT STUD,K10)
<u>35317</u>	Rod Ends
<u>49502</u>	
<u>49512</u>	Aufnahmebüchse
<u>7120-49553</u>	Bolt- in Bushing
<u>7120-49655</u>	Shank
<u>49656-S</u>	SHANK, THUMBSCREW, 13MM X 20MM
<u>49757</u>	PRIMARY LINER, 16MM X 20MM
MBLS-16-20	Metric Ball Lock
<u>801441</u>	handle
<u>850241</u>	PLUG MECHANICAL of Jergens, RING HANDLE METRIC
<u>850203</u>	PLUG MECHANICAL of Jergens
<u>850230</u>	PLUG MECHANICAL of Jergens
<u>801019</u>	KLP, T-HANDLE, 1/4 X 1.25 SS
<u>800654</u>	BUTTON HANDLE
<u>49658</u>	Shank
<u>49567</u>	RECEIVER BUSHING
<u>49608-S</u>	FAST ACTING BALL LOCK
<u>49552</u>	
<u>800633</u>	BUTTON HANDLE
<u>851406</u>	L-HANDLE
<u>7120-49656</u>	Shank
<u>801093</u>	KLP, T-HANDLE
<u>39557</u>	SINE FIXTURE KEY
<u>49651</u>	BALL LOCK
<u>800618</u>	BUTTON HANDLE
<u>29092</u>	CONSTRUCTION BALL, 12MM, SHOULDER
<u>23511</u>	
<u>44705</u>	BOLT, T-SLOT, 1-8 X 6
MS17984C1225	KLP, BUTTON HANDLE
<u>800734M</u>	BUTTON HANDLE

Jergens Page 1 / 11





Product	Description
MS17984C525	BUTTON HANDLE
MS17986C1627	L-HANDLE
<u>801548M</u>	
41101	SPHERICAL WASHER
22307	Hand Wheel
851431 L-Handle	
<u>49502SS</u>	Face Mount Receiver Bushing
<u>49566</u>	RECEIVER BUSHING
<u>49657</u>	SHANK, 16MM X 20M
23435C28.0	HOIST RING
<u>39309</u>	SPHER FLANGE ASSY, 1-8, ALLOY STEEL
<u>39307</u>	SPHER FLANGE ASSY, 3/4-10, ALLOY STEEL
<u>31968</u>	WASHER
<u>31430</u>	Pin, thread ½ x 1-1 / 4 ¼-20
<u>851023</u>	
<u>851046</u>	
<u>801054</u>	
<u>800865</u>	
<u>49551</u>	RECEIVER BUSHING
<u>29454</u>	PREC EXP DOWEL, 16 X 32
<u>801536</u>	
<u>27836</u>	PLUNGER, L-HANDLE
23408	HOIST RING, 1000#, 3/8-16, CENTER-PULL, C=9/16
800620	KLP, BUTTON HANDLE, 1/4 X 1.50 SS
<u>32524</u>	LEVELING PAD, 3/4-10
<u>33832</u>	KNOB, LOBE, 5/16-18 THRU HOLE
<u>10501</u>	ACORN NUT, 5/16-18
<u>35724</u>	ROD END, 5/16-18, SS
<u>26336</u>	
<u>29455</u>	PREC EXP DOWEL, 20 X 40
<u>806573JR</u>	Pin, ball lock
<u>480343-K5</u>	
<u>19904</u>	
<u>35306</u>	
<u>7120-49657</u>	Shank
<u>801083</u>	T-Handle
<u>851029</u>	KLP, T-HANDLE, 8MM X 40 SS
<u>851006</u>	KLP, T-HANDLE, 5MM X 50 SS
800693	KLP, BUTTON HANDLE, 1/2 X 5.00 SS
47413 (695-703)	
47414 (695-704)	
801033	KLP, T-HANDLE, 5/16 X 0.75 SS
800753M2.6	BUTTON HANDLE
<u>19355</u>	FLAT FOOT
<u>40752</u>	Speed Bar Knobs

Jergens Page 2 / 11





Product	Description
<u>851429</u>	KPL L-HANDLE, 8MM X 40 SS
<u>850640-26</u>	KLP, BUTTON HANDLE, 10MM X 26 SS
49708	PRIMARY LINER, 16MM X .75, BALL LOCK, BLL-16-075
49657- <u>S</u>	Ball lock
801491	
33605	JERGENS PLASTIC REVOLVING HANDL
27901	STEEL KNURLED KNOB
7120-49672	Shank
43552	TOGGLE PAD, PLAIN M6
23462	· · · · · · · · · · · · · · · · · · ·
40757	
<u>35953</u>	
23456	HOIST RING
35952	REST PAD
16366	
<u></u> <u>855404</u>	HD BUTTON HANDLE
801008	quick release pins
950-901088	, , , , , , , , , , , , , , , , , , , ,
801088	
23468	
MBLS-16-20 / 49657	Ball lock
855441	
890212	
47356	
23471	
<u>35954</u>	
806539	
800634	
<u>18504</u>	
<u>23852</u>	HOIST RING
<u>23854</u>	
<u>23859</u>	
<u>23862</u>	
<u>23887</u>	
<u>801569M2.7</u>	
<u>800640M</u>	
800736M2.3	
<u>800736M</u>	
800737M2.6	
<u>22633</u>	HANDWHEEL
<u>23333</u>	Hook
<u>851054</u>	Handle pin
<u>40755</u>	Speed knob
<u>70562</u>	Toggle Clamps
<u>855091</u>	DOUBLE ACTION BLOCK LOCK

Jergens Page 3 / 11





Product	Description
<u>18505</u>	EYE BOLT
<u>22305</u>	
<u>38206</u>	
<u>803083</u>	
<u>801489</u>	
<u>800635</u>	
<u>890312</u>	
<u>41705</u>	
<u>47313</u>	Lifting ring
<u>41109</u>	SPHERICAL WASHER
<u>23911-SS</u>	Lifting ring
<u>803568M</u>	Ball lock pin
<u>806169M</u>	Ball lock pin
<u>28102</u>	
<u>49751</u>	PRIMARY LINER
<u>61750</u>	Oil Reservoirs
<u>61751</u>	Oil Reservoirs
<u>27903</u>	KNOB
800648	Safety bolt
<u>18503</u>	EYE BOLT
<u>31308</u>	KNOB, BALL
<u>29064</u>	Precision tooling ball
<u>29065</u>	Precision tooling ball
<u>23483</u>	Hoist Ring
<u>23317</u>	HOIST RING 5000# 3/4-10
<u>480202</u>	
806470	BUTTON HANDLE
<u>851002</u>	pin locking
<u>851095</u>	T-Handle
47413	
<u>851059</u>	
49984	Self-locking ball pin
<u>49684</u>	DUTTO VILLED T
<u>850601</u>	BUTTON HANDLE
41904	Hook Clamp
29043	Tooling Ball
11304	
<u>49557SS</u>	Table : Dall
<u>29033</u>	Tooling Ball
851015BQ	PLUNGER WITH HANDLE 6X25
<u>49655</u>	Ball Lock
<u>857261</u>	KLP, LIFTING PIN, M16 X 15, ALL SS
<u>49652</u>	VID TUDEAD DECEDT 10MM 00 17 4
<u>855102</u>	KLP THREAD RECEPT 16MM SS 17-4
<u>877261</u>	KLP, KIT, KLLP AND RECEPTACLE 16MM SS

Jergens Page 4 / 11





Product	Description
23362	a lifting ring
<u>853640</u>	· · ·
<u>851053</u>	
<u>850653</u>	
<u>801025</u>	
<u>27867</u>	
<u>40912</u>	
<u>854092</u>	Heavy Duty Detent Pin
<u>854089</u>	Heavy Duty Detent Pin
<u>801021</u>	T Handle
<u>801051</u>	T Handle
<u>800691</u>	BUTTON HANDLE
<u>800736</u>	Ball pin
28104	KNURLED LOCK NUT
<u>27551</u>	
<u>27553</u>	
<u>72205</u>	MACH PLUNGER
<u>49567SS</u>	·
<u>49170</u>	
<u>49701</u>	
<u>68405</u>	
<u>68406</u>	
<u>68703</u>	
<u>68705</u>	
47587	
SR60463	Cylinder
43971	
43972	11.1.1.21
23365	Hoist Ring
801089	Handle
49655-S	SHANK
801086	
801136	
<u>70016</u>	
801002	De als Massath, De sies en Durchin a
<u>49562</u>	Back Mounth Reciever Bushing
23308	
69404	
<u>49436</u> 49430	
<u>49430</u> <u>800675</u>	Button handle
<u>800675</u> <u>801507</u>	Handle
<u>800677</u>	Button Handle
<u>801026</u>	KLP, T-HANDLE
<u>800622</u>	
000022	mechanical stopper

Jergens Page 5 / 11





Product	Description
801026NQ	KLP, T-HANDLE
<u>801486</u>	
890060P	
890060R	
852657	
<u>802720</u>	
<u>802651</u>	
<u>852656</u>	
<u>852666</u>	
802727	
<u>801085</u>	
<u>70052</u>	Clamp
<u>29452</u>	<u> </u>
<u>60598</u>	Cylinder
303222	SCREW
<u>303149</u>	
<u>49755</u>	PRIMARY LINER
<u>49851</u>	SECONDARY LINER
<u>801091</u>	
<u>851065</u>	
<u>801436</u>	
<u>801488</u>	
<u>801461</u>	
<u>49712</u>	
<u>49812</u>	
<u>49612</u>	
<u>60373</u>	
<u>803806</u>	Heavy Duty Detent Pins
<u>804206</u>	DETENT PIN
49556 /MBLB-13-RC	Receiver Bushing
<u>10983</u>	
<u>855477</u>	C3 – STAINLESS BUTTON HANDLE
47626C2.50	SWIVEL EYEBOLT (JERGENS)
27902	STEEL KNURLED KNOB
801022EE	
31961	
31964	
<u>801058</u>	
801420	
803018	
<u>49855</u>	centring bushing
49651-H	
49651-S	
<u>70047</u>	hoint ring
<u>23411</u>	hoist ring

Jergens Page 6 / 11





Product	Description
49662	
<u>49601</u>	
<u>49801</u>	
<u>49501</u>	Receiver busching
60307	CYLINDER, STD SNGLE-ACTING 1IN, 1-1/2 DIA 3/8-16 X 3/4 TAP
<u>49557</u>	
<u>47331</u>	Clips
<u>800641</u>	button handle
25952 / M6X1.0	Inserts
<u>850633</u>	KLP, BUTTON HANDLE, 8MM X 80 SS
<u>24752</u>	Setting tool
<u>801050</u>	pin with T-handle
<u>851017</u>	
<u>851015</u>	
<u>854039</u>	Kwik-Lok® Heavy Duty Detent Pins
<u>850667</u>	KLP, BUTTON HANDLE, 16MM X 60 SS
<u>855466</u>	ball pin
<u>801024</u>	
<u>850628</u>	
<u>851441</u>	L-Handle
<u>23488</u>	Lifting ring
<u>801419</u>	
<u>800619</u>	
<u>31625-SS</u>	PULL DOWEL PIN
<u>31609-SS</u>	PULL DOWEL PIN
<u>29062</u>	
<u>36512</u>	Ball handle
<u>49661</u>	
<u>70045</u>	
<u>70048</u>	
<u>803819</u>	BALL PIN
800633-MSD	
<u>800727</u>	
<u>850658</u>	
<u>49605 (13-050)</u>	
11 IN-LBS / 49605(13-050)	BALL LOCK
43974	Jergens T Screw
7120-49757	Primary Liner
49707	Liner
49607-S (CS21-017)	BALL LOCK FAST SHANK
<u>49507</u>	Face Mount Ball Lock
43904	Thumb Screw
SUNDRY - WDS	
<u>800256</u>	
<u>801573</u>	Quick Release Pin

Jergens Page 7 / 11





Product	Description
800617	· ·
852692	
800682	
47354	HOIST RING
26322	
806521GE	
40704	KNOB, BAR, 5/8-11, MALLEABLE IRON
801052	KLP, T-Handle, 3/8 X 1.50 SS
<u>851469</u>	KLP, L-HANDLE, 16MM X 80 SS
68835	ID expansion clamp
7120-49955	REPLACEMENT KIT, M13 X M13, BALL LOCK, MKIT-13-13
25973	Lockable INSERT
890062P	2000000
852695	
49602-S	
801566	L-shaped ball pin
801070	
23484	HOIST RING, 12500 KG M42, THREAD LENGTH C=68.0MM
11302	HANDLE, CRANK
806490DQ	, -
47414-PTMS	
801450	
24302	SLOTTED LOCATOR BUSHING, 1/4, PRESS FIT
23565 M16 CMU1900	
<u>23356</u>	
<u>801139</u>	
<u>33887</u>	KNOB, LOBE, BRASS 1/4, DUROPLAST
<u>33898</u>	KNOB, LOBE, THRU HOLE 1/2, DUROPLAST
<u>49655SS</u>	Shank metric
<u>61711</u>	
800684	
<u>854078</u>	
<u>800657</u>	Ball pin
<u>800652</u>	Ball pin
<u>806481</u>	
<u>20711</u>	Heavy Duty Hex Nuts
<u>37723</u>	Alloy Steel Studs
<u>16306</u>	KNOB, HAND, CAST IRON 1/4-20
<u>16331</u>	Cast Iron Hand Knob
<u>801020</u>	T-handle
<u>26323</u>	
<u>49605</u>	Ball Lock Shanks
<u>70019</u>	JERGENS TRUE-LOK TGLE CLAMP, 60 LB CAP, FLG MT, HORZ HLD DWN, SOLID BAR
<u>851039</u>	

Jergens Page 8 / 11





Product	Description
No. 23665	Bolt kit
<u>36111</u>	
<u>36102</u>	
<u>36106</u>	
<u>801453</u>	
CERT, COC	
<u>70005</u>	Vertical Toggle Clamp
<u>806534</u>	Ball lock pin
<u>49656</u>	SHANK, 13MM X 20MM, BALL LOCK
<u>49517</u>	
801086RP	
<u>801473</u>	
<u>855400</u>	
<u>801066</u>	T-Handle Quick-Release Pin
<u>49761</u>	
<u>805641GE</u>	PIN, BALL LOCK
<u>30101</u>	
<u>27443</u>	
<u>33713</u>	
<u>22703</u>	HANDWHEEL, 4 SOLID, ALUM, W/HANDLE
<u>31903</u>	FLAT WASHER
<u>32552</u>	TOGGLE PAD
<u>19302</u>	FLAT FEED
<u>850465</u>	BALL LOCK PIN
<u>31906</u>	FLAT WASHER
<u>62109</u>	
CERTIFICATE OF CONFORMANCE	
<u>26504</u>	Insert
<u>26503</u>	Insert
<u>23662</u>	
<u>31755</u>	
<u>19705</u>	Standard Fixture Keys
806256M2.3/ D17990C0623J	
<u>851055</u>	ball mixer
<u>60405</u>	HYD. CYLINDER
<u>30371</u>	SPRING PLUNGER
<u>33902</u>	
<u>26942</u>	SPRING PLUNGER, SS, 3/8-16 HF, SS TIP, LOCKING
<u>850624</u>	
<u>49756</u>	PRIMARY LINER
<u>49752</u>	PRIMARY LINER
<u>23965-SS</u>	HOIST RING, FORGED, M16X2.0 SS, CENTER PULL, C=24MM, 1900 KG
<u>24414</u>	lifting ring
<u>27223</u>	

Jergens Page 9 / 11





Product	Description
23702	Gripper
<u>801164</u>	Ball pin
<u>19104</u>	
<u>40546</u>	HANDLE, METAL ADJ, 5/8-11 STUD
<u>49665</u>	
<u>44506</u>	BOLT
<u>44706</u>	BOLT, T-SLOT, 1-8 X 8
44707	BOLT, T-SLOT, 1-8 X 10
<u>28105</u>	KNURLED NUT, 1-8
<u>49607-S</u>	Ball mounting insurance
<u>850217</u>	
<u>49602</u>	Ball-locks rod
<u>23438-08</u>	lifting ring
<u>804305</u>	Heavy Duty Detent Quick-Release Pins
804275	Heavy Duty Detent Quick-Release Pins
<u>23412</u>	
800250	KLP, RING HANDLE, 3/8 X 1.00 SS
<u>49607</u>	
<u>25716</u>	
<u>25707</u>	
<u>69406-ASJ</u>	Production Vise
<u>31935</u>	
44508	
<u>19908</u>	
<u>47132</u>	
<u>47209</u>	
23429	
<u>801018</u>	push pin
<u>72108</u>	Clamp
<u>31634</u>	
<u>49657-H</u>	Ball lock
<u>10971</u>	BALL PLUNGER
<u>27323</u>	Spring Brush
<u>853441</u>	KLP, DBL ACT T-HANDLE, M10 X 40 SS
<u>801485</u>	KLP, L-HANDLE, 1/2 X 1.75 SS
804220	
<u>851030</u>	
23911	Forged Center-Pull Hoist Rings
800200	KLP, RING HANDLE, 3/16 X 0.50 SS
804353	
70032	Pull Action Latch Toggle Clamps
<u>854044</u>	
49755SS	Primary liner
<u>49556SS</u>	Recceiver bushing
<u>801005</u>	

Jergens Page 10/11



Jergens



Product	Description
<u>49682</u>	
<u>60345</u>	
<u>806443</u>	
<u>32173</u>	plastic soft touch tapered knob
851405-KLP-L	
890056Q	
<u>954-2516075</u>	Push button handle
<u>954-2516100</u>	Push button handle
<u>250-890056Q</u>	
<u>34364</u>	HANDLE
<u>806450</u>	
MBLB-16-RV	RECEIVER BUSHING
49472-ASJ	
ASJ-HST-RO-30	HARD STEEL ROUND STUD, ADAPTIX, 30 PCS
ASJ-HST-ST-30	HARD STEEL SERRATED STUD, ADAPTIX, 30 PCS
ASJ-HST-FR-30	Soft Jaw Additional Studs, Hard Steel with Free Rotating Profile
ASJ-FNGRTP-03-30	FINGER TIP, 3MM STEP, ADAPTIX, 30 PCS
ASJ-FNGRTP-06-30	FINGER TIP, 6MM STEP, ADAPTIX, 30 PCS
ASJ-FNGRTP-10-30	FINGER TIP, 10MM STEP, ADAPTIX, 30 PCS
800668	
CERT, DFARS	CERTIFICATE OF DFARS, PER PARAGRAPH
880220	Ring Handle Marine Hitch Pin
<u>850632</u>	BUTTON HANDLE
<u>850644</u>	BUTTON HANDLE
<u>851480</u>	L-HANDLE
<u>851418</u>	L-HANDLE
<u>31927</u>	
<u>49808</u>	Ball Lock® Face Mount Receiver Bushings
<u>851468</u>	Ø16 lg 70 quick release pin
<u>29013</u>	CHECKING BALL, .5000 W/SHOULDER, INSPEC GRADE
<u>802773</u>	KLP, HD T-HANDLE, 1 X 5.00 ALL SS
<u>29451</u>	
PED-29452	
<u>72206</u>	Clamp