







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Kuhnke

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
160.000066 (105G310F-24VDC)	Contactor (relay)
<u>160.000061 (105A220-24VDC)</u>	Relais
<u>105A220-24VDC</u>	relay
<u>160.000072 / 105A310-230VAC</u>	Relais
105A310F-230VAC	Relay
<u>160.000074</u>	Relay
<u>114-A4.230VAC1L</u>	relay
<u>120.000381</u>	position sensor
<u>171-G2 24V DC</u>	Relay
8882CCFCE-24VAC (220.000046)	relay
<u>33.18.115</u>	magnetic sensors
<u>132428</u>	Positionsgeber Reed (3-adrig)
<u>36.290.025</u>	Brass cylinder, double-acting
<u>59176 / 36.290.025</u>	
<u>39.232.004</u>	Pneumatic cylinder
<u>40.100</u>	Miniature cylinder
<u>54.022 / 50563</u>	Pneumatic timer
<u>50274</u>	
<u>60.006</u>	Pressure Wave Switches
<u>64.025 12VDC</u>	micro solenoid valve
<u>62883</u>	3/2 WEGE,SITZV. ELEKTR.
<u>76.410.00.02 (120.000494)</u>	Coil 24VDC
<u>76.077.91.00 (ID: 72335)</u>	
<u>77.012.22.00</u>	
<u>77.012.90.00 120.000557</u>	Ventil
<u>77.012.91.00</u>	solenoid valve
<u>77.012.92.00</u>	
<u>79.022</u>	Type 76 valve
<u>79.027</u>	
<u>81.020</u>	Steel slide valve
<u>81.040.01 24VDC</u>	Solenoid valve
<u>84.214</u>	
<u>AR4023010</u>	"T" switch for cylinder - 2 wires (2,5 mts.)
D 24-BOR-F-DS9420-24VDC	Rotary solenoid
<u>D 29- BOR * -F -DS9420- 12VDC 100%ED / 51544</u>	
<u>D 53- BRL * F80- 24VDC 100%ED (15801)</u>	Rotary magnet





Product	Description
D26-LOL-F-24VDC 4.4%ED	rotary magnet
<u>15801 / D53-BRL-F80-24VDC 100%ED</u>	Magnet
90244	
H6246-F * 12VDC 100%ED	Solenoid Actuator
471955502 / HS7085 OEM	spool
IA4F-48VDCM	Relais
IA6F-009M (64,7-116VDC)	Relais
IA6F-48VDCM	Relais
<u>MT321024</u>	Multimode relay
<u>UF3-24VDCN</u>	Relay unit
<u>UA2-131 160.00027 16292</u>	
<u>114A4-12VDC N</u>	Relais
PT570048	Schrack Relais
<u>160.000076 / 105G220F-24VDC</u>	Relay
	nelay
<u>76.097.97.00</u>	
<u>61319 / 76.022.62.21</u>	AC Interface Madule recorrection
AirBox 32-F-GE-MO	AS-Interface Module, pneumatic
<u>36.290.075</u>	Piston
<u>D 54LOL14* -F 24VD</u>	magnets
69070 / RM050W-OBOO-F* / 24VDC 100%ED	SOLENOID
72071 / RM050W-OBOO-F* / 24VDC 5%ED	
<u>120.000563</u>	valve
<u>76.410.00.02(ID:57843)</u>	24VDC coil
76.410.02.12 Spule 24VAC 50/60Hz	Solenoid Valve
KU1510.2 50-500V 24VDC	
<u>URM50 - N</u>	Magnet
93025	AS interface module, pneumatic
<u>10939</u>	
48765	
<u>59195</u>	
<u>KU K-F-GE-MOv</u>	Air-Box
<u>105A220F-015</u>	Relais
<u>105A310F-015</u>	Relais
<u>180.000087</u>	
KM 1-FK-SW	Montageplatte
<u>KM-1-FK-GE</u>	
<u>74.000 / 52930</u>	
74.003	3/2-Way Poppet valve
<u>Z 319.02</u>	
<u>Z 438</u>	Haltebügel
<u>120.000153/76.087.97.00</u>	valve
<u>UD1515.2 230</u>	
<u>0497486</u>	Pneumatischer Vorwahlzähler
<u>72.025</u>	
<u>61059</u>	





Product	Description
220.000046	
SP781.0027	Stahlschieberventil
H2406-F / 71123	Linear Solenoid
76.046.11.00	3/2-WEGE,SITZV.,ELEKTR
51.020.03.00	
74.002 150.000016	Pneumatic Valve
HT-D70-F-24VDC 100% ED	Magnet
<u>BI 17-F</u>	Bistable Linear Solenoid
76.146.01.00	valve
76.022.71.21	3/2-Wege Schieberv.
76.026.11.00	3/2-WEGE,SITZVENTIL,ELEKTR
<u>24.291.012 ISO 6432</u>	
<u>26.291.100 Zylinder ISO 6432</u>	
<u>H6206</u>	
<u>RM50-F</u>	Magnet
<u>120.000197 / 36.150.020</u>	Magnet Ms-Zylinder ew
<u>36.150.020 (M105714)</u>	
Z393	
Bezeichnung: 36.290.075 Ident-Nr.: 59174	
32-F-GE-MO Ident-Nr.: 93024	AirBox
61565 (39.242.025 KHZ)	Relay
76.027.60.41	valve
76.146.71.21	3/2-way valve
<u>72.015</u>	5/2-way valve
<u>H3286-R-F-110VDC</u>	
<u>IA4-24VDC</u>	Relay
49425	Itelay
ZER-2-01-2-3-230VAC (160.000028)	
<u>60.006 (150.000303)</u>	
<u>D 54- BOL * -N 24VDC 100%ED , 16293</u> <u>47.220</u>	
	Drehverteiler M5
<u>50.400</u> <u>50.051</u>	Verbindungsstück M5 - M5
<u>47.255</u> 105G220-24VDC	ralau
	relay
770.22.12.00, Art N: 120.000621	Valve
<u>BI 17-F-24VDC 25% ED</u>	Bistable linear solenoid
<u>15801</u>	
<u>65.271.24VDC</u>	mm valve
<u>63.130.10 24VDC</u>	Mini-solenoid valve
<u>64.015 (13110)</u>	Solenoid Valve
<u>12434</u>	magnetic valve
<u>64.070 (82189)</u>	Solenoid Valve 3/2-way
<u>64.074</u>	solenoid valve
<u>65.119.24VDC</u>	solenoid valve





Product	Description
65.127.24VDC	solenoid valve
65.175 24VDC	magnetic valve
150.000073 - 195414	
195411 / 65.231	Kuhnke Solenoid Valve Type 65
	magnetic valve
<u>68.030.01</u>	valve
79767	valve
63.052.30	valve
50.880.00.20.00	Pressure regulator
150.000011	Sitzventil Stößel
72.010 / 72.010, NC	Plunger valve, mechanical
<u>MM 15-F-24VDC 25%ED</u>	
<u>105G220</u>	
54.022 (Ident-Nr. 50563)	
105A310F-24VDC	Relais
<u>RS-9527.</u>	Relais
47260	Check Valve
WA27/SG/HB Dichtsatz f. WV0270030DW	
<u>76.147.91.00</u>	5/2-way poppet valve
76.097.98.00	Poppet valves
17400	
<u>E 94 – ROO – N 24 VDC 100%ED</u>	
120.000631 - 52716	valve
120.000045 - 11207	87.024 5/2 steel spool valve
62140	3/2-WEGE,SITZVENTIL,ELEKTR
76.411.00.02	
76.023.26.41	
59181 - 37.150.012	Zylinder
38.290.025 (59452)	
772.12.90.00	
77.212.12.00	
76.087.95.00	
<u>76.410.02.12 Spule</u>	
Ident-Nr.: 29827 (64.014 230V AC 5,5VA NW1,0 3/2 NC ST SCH)	
<u>D59.LOR.F.DS9420</u>	Electric motor
50.670	
HM157.F.24VDC.100%	Solenoid
<u>E53.LOR.N.DS3679</u>	rotary solenoid
<u>D 29-ROL12,5 F DS9420</u>	
<u>105A310F-80VDC B</u>	relay
120.000640 - 31570	P781.0028 steel gate valve
59442	
76.126.01.00	poppet valve
76.126.11.00	poppet valve
<u>70.120.11.00</u>	ρορροι ταιτο





Product	Description
<u>74.001</u>	seat valve, directly operated
MT3230C4 (1 pack x 25 pcs.)	Relay
<u>12165</u>	
P/N: 15801, Type: D 53- BRL * -F80 24VDC 100%ED	Rotary magnet D 53
<u>RM050-F-24VDC</u>	magnet
<u>62883 (76.126.01.00)</u>	
KU1510.2 (50-500V 230VAC 50/60Hz)	
<u>D 23LOL * -F 24VDC 100%ED / 51370</u>	
<u>76.084.18.00</u>	
<u>46.002</u>	
<u>37.290.050</u>	
<u>188150</u>	
<u>105A310F-42VDC</u>	
<u>105A310F-48VAC</u>	
<u>38.190.012</u>	Brass Cylinder
<u>76.410.02.12</u>	Solenoid Coil 24VAC 50/60Hz
76.022.27.00	
RY2S-ULDDC24	
<u>93797</u>	Cable Piercing
<u>105A220F-24VDC</u>	Relaisschütz
<u>93024</u>	AS interface module, pneumatic
<u>76.023.23.41</u>	Schieberventil
<u>RS-9591</u>	
<u>50.806.00.50.00</u>	
<u>4051251</u>	Microsolenoid valve
<u>Z 318.02</u>	Relay base
<u>76.026.23.21</u>	
H3286-R-F 220VDC 100%ED	
<u>76.066.11.00</u>	
D22.LOL.F.24VDC.4.4%ED	
<u>RS-9502-42VDC / 160.000124</u>	relays
<u>72.010</u>	Plunger valve, mechanical
<u>V45-N-24VDC 100%ED</u>	Solenoid V45
KUD 1515.2 230/400V	Relais
P/N: 120.000658, Type: 21.51A.0050	cylinder
A.032.0008.DOM.KT	
<u>120.000660</u>	Pneumatic cylinder
<u>120.000281</u>	cylinder
<u>21.51A.0025</u>	
<u>18.008.06/ 120.000586</u>	accesories
105G310F-220VDC	
<u>00.580.4473/03</u>	
<u>UF3-230VAC1L</u>	Relay
P/n.150.000491 98.020.00	
<u>63.054.10 (24VDC)</u>	valve

Page 5 / 14





Product	Description
E53.BOL.F.24VDC.100%ED	Rotary solenoid
E53.BOR.F.24VDC.100%ED	Swivel solenoid
65.495.00	Plug-in socket
<u>UF3XD 24VDC N</u>	RELAY WITH BASE
1393092-2	
8-1393163-3	socket
<u>P/N: 130.000136, Type: H3286-R-F-220VDC 100%ED</u>	Magnet
68.050.51	Solenoid Valve
38.150.050	Brass-Cylinder
<u>130.000245</u>	Magnet
72.020	Plunger valve
<u>SP778043520</u>	valve with coils
76.073.91.00C / 120.000654	
<u>76.410.02.14 (120.000558)</u>	110VAC coil
<u>81.012</u>	Steel slide valve
<u>160.000267</u>	relay
<u>D 36BOR * -M -DS9420- 24VDC 100%ED</u>	
<u>79.020 (58724)</u>	Valve
<u>21.61A.0100</u>	Pneumatic cylinder
<u>21.61A.1500</u>	Pneumatic cylinder
H3246-F **- 4VDC 100%ED (48444)	Solenoid Actuator
<u>76.127.91.00 (57837)</u>	seat valve
D54.LOL.N.24VDC.100%ED	Rotary Solenoid
<u>PT41K-SS</u>	Pneumatic timer
<u>105A310 (230 VAC)</u>	Relay
<u>130.000615 (D22-BRO*-F-24VDC)</u>	magnet
D 59ROR *-N-DS9420-24VDC 100%ED	Rotary solenoid
<u>RM 20-F-24VDC 100% ED</u>	Heavy-duty linear solenoid
<u>PT41H</u>	Pneumatic timer 3/2
SL7010-F-24VDC-10%ED (193368)	Lock door
KU 1-F-GE-MO 93021	Air box
<u>85193 / RM 40F* 24VDC 100%ED</u>	Solenoid
IA2-24VDC	Relays
5072CCFCE-230VAC (220.000274) 1pack=20pcs	Relais
160.000274	Relay
<u>37.290.025 (59196)</u>	cylinder
776100002	coil
0230031411	dehumidifier
18005	magnet
P/N: 120.000097, Type: 76.123.91.00	5/2-way slider
<u>105A310-230VAC (160.000072)</u>	,
50564	Pneumatic Timer
H3446-F 24VDC 100%ED	Electromagnet
IA6F-48VDCM (160.000021)	Relais
<u>195414</u>	Coil





Product	Description
43.138	Accessory set
761432540	Lever valve
160.00061	Relay
20.196.01	Seal kit
	relay
BI 8-F - 24VDC 15%ED 29265	Bistable linear solenoid
BI 13-F 24VDC 25%ED 17982	Bistable linear solenoid
<u>21.11A.0100</u>	Cylinder
<u>P/N 65.495.02 / 150.000333</u>	Plug-in socket with LED
76.412.00.02	COIL FOR SOLENOID VALVE
76.066.01.00	3/2-way valve
	Magnet motor
<u>RM080W-HBLL-N* - 24VDC 100%ED</u>	High Performance Stroke Magnet
AL 7011 - F - 24VDC 10%ED (193449)	Magnetic lock
65.111	Kuhnke Solenoid Valve Type 65
	Pneumatic Cylinder
<u> </u>	DSR Diastar DN15-50 without OB 4-20mA
120.000159	
D22.ROR.F.24VDC.100%ED	
<u>HS7722.24VDC</u>	Motorised door lock
<u>76.410.02.14 (62499)</u>	Coil 110VAC 50/60H
KE.087.91.00.0012	
RM060W-OBOO-F-24VDC-100%ED	Coil
<u>76.087.92.00</u>	valve
<u>D 74LOR *-N (18870)</u>	Rotary Solenoid
<u>PT41C</u>	PT Timer
<u>192417</u>	PS D-Sub cable for motor lock HS7722
<u>60.060.01</u>	Pressure relay
<u>83.212</u>	Slider valve
<u>26.291.025</u>	pneumatic cylinder
<u>KX.11A.0350.1063</u>	
<u>130.000012</u>	
AIRBOX K-F-SW-BI	AS-Interface Modul
<u>5927384</u>	reducer
ARS2320 FS	Function Device USB, Ethernet, CANopen
<u>ARS2310 FS</u>	Function Device USB, Ethernet, CANopen
<u>E56.LOR.F40</u>	
001205	
D53.ROL.N.24VDC.100%ED	Rotary Solenoid
<u>D 53LOR * -N 24VDC 100%ED</u>	Operating voltage of the swing magnet
<u>D 24ROR * -F -DS9420- 24VDC 100%ED</u>	rotary solenoid
D54.ROR.N.24VDC.100%ED	
<u>76.411.00.02 (24VDC)</u>	coil
<u>76.411.02.12 (24VAC)</u>	coil
<u>V45-F-12VDC-25%ED</u>	Valve





Product	Description
<u>76.146.11</u>	Valve
ZFK.63.1400	Cylinder
<u>060.001906</u>	
<u>KX.41A.0050.4148</u>	
<u>18.008.02 (120.000703)</u>	clevis D40 ISO
<u>18.005.02 (120.000507)</u>	Mounting brackets
<u>21.21A1180 (120.000704)</u>	cylinders
<u>76.144.12.00 (120.000684)</u>	valve
AIRBOX K-S-GE-MO	
<u>81.029</u>	valve
BBG-2-600-HDH	Body Blank Gauge
<u>1869601</u>	
BBG-CAL-2L-SA	
Certificate for calibration angle	
HT-D30-F-24VDC 100% ED	sticking magnet
<u>54.025</u>	Pneumatic timer
<u>76.127.91.00</u>	solenoid valve
<u>HM157-F 24VDC 45%ED</u>	oppressive solenoid magnets
54.021 (Ident-Nr.: 50154)	timer
<u>K-F-SW-MO</u>	AS-Interface Module, pneumatic
H6286-R-F 24VDC 100%ED	
<u>76.127.71.41</u>	valve
77.012.12.00	
D33.ROR.F.24VDC.100%ED	Rotary Solenoid
<u>76.410.02.15</u>	coil
<u>105-A310.24VDC</u>	Relay
<u>UR 050.135 NT95</u>	Cylinder
76.410.00.02 (57843) for quantity 4 pieces	
H 3406-F-24VDC 100% ED	lifting magnet
<u>UR 050.90 NT95</u>	
D22-LOL-F-24VDC 100% ED	rotating magnet
D26.ROR.F.DS9420.12VDC.100%ED	
V30-N-24DC100%ED	Solenoid Actuator
<u>76.124.12.00</u>	5/3 way valve
<u>76.124.02.0076.124.02.00 (120.000713)</u>	76.124.02.00 5/3 way valve
<u>19.304.080</u>	cylinder
<u>Z801</u>	Connector Plug
RM040W-OBOO-N-24VDC.100%ED	
<u>Z836</u>	Stroke Limiter
<u>Z837</u>	Flange Plate
D24.BOL.F.24VDC.100%ED	
D 24BOR * -F -DS9420- 12VDC 100%ED / 72167	
<u>51.018.01US</u>	timer
<u>38150012</u>	
<u>39.230.010</u>	

Page 8 / 14





Product	Description
47.251.60	· · ·
<u></u> <u>65.171-24VDC</u>	Solenoid valve
764100002	coil
76.087.91.00	
120.000156	valve
120.000716	
<u>P/N: 060.000442, Type: 1-1393154-5</u>	
H6206-F 24VDC 100%ED	Solenoid Actuator
37.290.100	Cylinder
<u>KA2P.050.0175</u>	Magnetic Twin Shanks Anti-Rotation Cylinder
<u>CBM.32.020.DOM.DX</u>	
<u>CBM.32.020.DOM.SX</u>	
<u>P/N: 120.00020, Type: 81.021</u>	
74.002	Poppet valve
76.067.92.00	valve
694 443 57	Control cabinet modul
<u>694 454 53</u>	Counter-Encoder
<u>694 454 01</u>	Counter module
<u>694 455 02</u>	communication module
77.610.00.06	24VDC coil
<u>D 29ROL12* -F -DS9420</u>	magnet
28.291.080	indgriet
<u>694 454 16 00</u>	FIO Drive Control
76.143.25.42	version with plastic body
76.127.71.42	valve
E53.ROR.N.24VDC.100%ED	solenoid
81.024	valve
37.250.025	Pneumatic cylinder
<u>18.796.01</u>	
<u>H32-F-HS3025/1 240 VDC</u>	Solenoid
<u>E53-BOR-F-DS5632-24VDC OEM</u>	Rotating magnet
<u>150.000530/195422 - 65.176-110VAC</u>	solenoid valve
<u>680.180.14</u>	bus terminator P-DP
76.146.11.00	solenoid valve 3/2
AIRBOX-1-F-GE-MO	AS-Interface module, pneumatic
<u>D54-ROL-F-24VDC</u>	
<u>2515025</u> <u>184111</u>	FIO bus coupler DI16 DO16
<u>184111</u> <u>182639</u>	
<u>182639</u> 	
<u>182646</u>	valau.
p/n: 53954 type: 105A310F-230VACHE	relay
<u>D 32ROR</u>	
<u>694 454 16 00 / 196876</u>	FIO Drive Control
<u>17514</u>	BRAKE ELECTROMAGNET





Product	Description
51550	Rotating solenoid
77.012.14.00	
H3486-R-F 24VDC 100%ED	Solenoid
33.008.18.05	
77.032.91.00	valve
<u>50.880.00.80.00</u>	Pressure regulator
<u>81.021</u>	
<u>84.230.01</u>	Solenoid Valve
770229100	valve
D29.LOL.F.DS9420.24VDC.100%ED	Solenoid
D 24-BOR-F-DS9420-24VDC 100% ED	rotary magnet
<u>D 24BOL * -F -DS9420- 24VDC 100%ED</u>	rotary magnet
D 34-BOR-F-DS9420-24VDC 100% ED	Rotary solenoid
<u>200004891</u>	2/2 magnetic valve
76.094.08.00	
770129000	valve
<u>90195</u>	
<u>19.194.050</u>	
H6246-F * 24VDC 100%ED	Solenoid Actuator
<u>76.083.98.00</u>	
<u>81.025</u>	
<u>438956101</u>	door lock
<u>37.400.02</u>	Cylinder Seal Kit
<u>46.000</u>	seat valve, mechanical
<u>RM080W-HBOO-N / 77459</u>	Solenoid
<u>60972</u>	
<u>8000554</u>	Valve
<u>76.067.94.00</u>	
<u>76.136.01.00</u>	
<u>60G700 / 36.290.025</u>	cylinders
<u>79.029</u>	Valve
D26-BOR-F-DS9420-24V DC 100 ED	
D29-BOR-F-DS9420-24V DC 100 ED	
<u>694.412.01</u>	Umbrella clamp
<u>694.412.02</u>	Shield terminal
<u>RS9558-230VACH</u>	
<u>28291025</u>	0.5-10 BAR PISTON
E56.ROL.F40.24VDC.100%ED	magnet
<u>21.51A.0250</u>	Pneumatic Cylinder
D54-BOR-F-24VDC	electric motor
<u>KX.51B.0125.2389</u>	
D39.LOL.M.DS9420.12VDC.100%ED	
<u>1VDC000009R0005</u>	Coil
<u>1VDC000009R0002</u>	Coil
D26.LOR.F.DS2993.24VDC.100%ED	





Product	Description
76.136.21.00	Valve
76.411.02.14	
76.143.91.00	
76.067.81.41	valve
D23.ROL.F.24VDC.100%ED	
76.746.01.00	
D56LOR-F-DS9420	
<u>81.029 /58720</u>	ROUTER
old code 76.026.71.21 new 76.126.71.21	
<u>76.126.71.21</u>	
<u>AR380050 / MP 1024-F/VA</u>	load cell
76.027.95.00	solenoid
76.410.02.14	Reels
33.21.326	Pneumatic Proximity Switch
114-A4.24VAC1L	relay
<u>21.41A.0050</u>	
76.123.71.41	solenoid
77.610.00.06 24VDC	coil
<u>D92-LOL-N-24VDC 100%ED</u>	ROTARY SOLENOID
<u></u>	cylinder
81.014	Mini chair pneumatic valve
<u></u> <u>D59-BOR-N-DS9420-24VDC100%ED</u>	
D59.BOR.F.DS9420.24VDC.100%ED	Rotary Solenoid
<u>Code 72.015</u>	MACROVALVE AND BUTTON
toggle/leaver switch for 74.002	
24.291.015	
76.023.71.42	valve
76.023.95.00	pneumatic piston
39.240.025	Pneumatic Clamping Cylinder
28.29.050	CYLINDERS
4-1415033-1	
<u>VF.032.0025.D10</u>	cylinder
<u>MT336230 / 060.000370</u>	
20.596.01	Cylinder seal kit
20.504.0075	Cylinder
	Seal kit
87.040.01.24VDC	solenoid
<u>13282 - 83.240.01-24VDC</u>	DYN valve
<u>21.11A.0075</u>	
<u>E54-BOR*-N-24VDC 100%ED</u>	magnet
<u>VF.063.0150.DOM</u>	cylinder-piston
<u>150.000071 / 65.171-24VDC</u>	solenoid valve
51.006.00	Zeitglied
<u>E52.BOR.N.24VDC.100%ED</u>	Longhou
76.083.97.00	
<u>10.000.01.00</u>	





Product	Description
<u>76.027.94.00</u>	solenoid valve
<u>76.067.91.00 (12v dc)</u>	compressed air distributor
76.410.00.01 (12VDC coil to suit)	
<u>182634</u>	
<u>KE.023.71.42</u>	
<u>21.41A.0400</u>	
<u>19.504.015</u>	
<u>4013331</u>	conversion kit
<u>35.150.080</u>	PRESSURE CYLINDER
<u>KE.023.71.41</u>	
<u>K6310.0115</u>	
<u>81027</u>	
<u>760879400</u>	
D52ROL-F-24VDC-100%ED	D5 Series Rotary Solenoid
<u>C.050.0075.DOM</u>	
D52.ROL.N.24VDC.100%ED	
H3486-R-F 220VDC	
<u>33.20.501</u>	
<u>SP778013520</u>	
<u>47.076</u>	
<u>47.075</u>	
67.499.02-old code ,new code- 65.495.02	
76.420.00.99 (left)	MANIFOLD End Plate - Left
<u>76.420.00.01</u>	
<u>76.527.91.00</u>	
<u>76.420.00.98 (right)</u>	MANIFOLD End Plate right
<u>160.000162</u>	
<u>701.002</u>	rotary drives
<u>21.11A.0500</u>	
<u>KE.087.97.00.0012</u>	
<u>36.290.150</u>	compressed air cylinder
<u>76.144.25.39</u>	
<u>64.017.24V</u>	Coil
<u>KX61A05004222</u>	cylinder
<u>76.047.69.41</u>	Pedal
<u>76.420.00.12</u>	lso 2 single subbase
<u>76.420.00.14</u>	Subbase x iso 2 battery
<u>76.420.00.85</u>	Alim subbase. /close iso 2
76.420.00.32	Blind plate x iso 2
<u>38.250.025</u>	
RM080W.OBOO.N.24VDC.100%ED	magnetic actuators
<u>V30.N.24VDC.100%ED</u>	
D23.ROR.F.24VDC.14%ED	Solenoid Valve
<u>59196</u>	Piston
<u>130.000165 - 97940</u>	





Product	Description
201885	Coil
 D39.LOL.M.DS9420.24VDC.100%ED	
76.147.81.41	
060.000297	
<u>KE.042.27.00.3848</u>	valve
36.250.075	pneumatic piston
776100012	24VAC coil
33.19.200	sensors
<u></u>	compressed air valves
760422721	compressed air valves
85.030.01	air distributor
<u>Vitoflame 200 / Z004790</u>	
85.022 / 120.00046	
120.00074274514/19.104.025	SHORT STROKE CYLINDER
76.266.01.00	solenoid valve
<u>39027 / RS-9558</u>	Relais
<u>19294025</u>	cylinders
<u>H34-F-HS3144</u>	Solenoid lock
<u>64.025 24V DC</u>	micro solenoid valve
46.001	valve
<u>21.41A.0150</u>	Valvo
<u>150.000073 / 201899</u>	solenoid valve
150.000530 / 201898	solenoid valve
<u>2111A0250</u>	piston
691.200.01	
<u>120.000746 / 76.420.00.29</u>	
201088	
D26.BOL.F.DS9420.24VDC.100%ED	
<u>21.31A.0750</u>	
<u>160.000267 / RS-9564</u>	
<u>160.000292 / RS-9529</u>	Relais
<u>EMI-SS-224A</u>	
<u>D52.ROR.F.24VDC.100%ED</u>	
<u>RS9529 (105-G310F.230VAC)</u>	
<u>RS9564 (105-G220F.230VAC)</u>	
<u>76.387.97.00 / 120.000747</u>	3/2-way valve
<u>AC.3A.0160.MX.0160</u>	
<u>16.109.11</u>	
<u>SP750.0315</u>	reducer
<u>HDM.063.150.GS.M</u>	
HDM.040.250.GS.M	
<u>761279200</u>	
77.610.00.07	
<u>RM32.R.F.24VDC.100%ED</u>	
11002.11.1.24vD0.100/0LD	





Product	Description
<u>74.004</u>	
<u>47.002</u>	
<u>38.250.050</u>	Pneumatic cylinder
D54-ROR-F-24VDC / 130.000440	magnet
D64-ROR-N-24VDC / 130.000330	magnet
D64-BOR*-F-24VDC / 130.000469	magnet
<u>Z376.02 - 7A / 300V</u>	
<u>50.780.00.10.10</u>	microregulator
D96-BOO*-N-205VDC 5%ED	magnet
D54-LOR40-N-24VDC 100%ED /	magnet
<u>38.250.075</u>	Cylinder
RM040W.OBOO.F.24VDC.100%ED	Solenoid
<u>81.044.01.24VDC</u>	
<u>39.242.025</u>	
<u>48.250.00.10.10</u>	Pressure Regulator