



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Kuhnke

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">160.000066 (105G310F-24VDC)</a>	Contacteur (relay)
<a href="#">160.000061 (105A220-24VDC)</a>	Relais
<a href="#">105A220-24VDC</a>	relay
<a href="#">160.000072 / 105A310-230VAC</a>	Relais
<a href="#">105A310F-230VAC</a>	Relay
<a href="#">160.000074</a>	Relay
<a href="#">114-A4.230VAC1L</a>	relay
<a href="#">120.000381</a>	position sensor
<a href="#">171-G2 24V DC</a>	Relay
<a href="#">8882CCFCE-24VAC (220.000046)</a>	relay
<a href="#">33.18.115</a>	magnetic sensors
<a href="#">132428</a>	Positionsgeber Reed (3-adrig)
<a href="#">36.290.025</a>	Brass cylinder, double-acting
<a href="#">59176 / 36.290.025</a>	
<a href="#">39.232.004</a>	Pneumatic cylinder
<a href="#">40.100</a>	Miniature cylinder
<a href="#">54.022 / 50563</a>	Pneumatic timer
<a href="#">50274</a>	
<a href="#">60.006</a>	Pressure Wave Switches
<a href="#">64.025 12VDC</a>	micro solenoid valve
<a href="#">62883</a>	3/2 WEGE, SITZV. ELEKTR.
<a href="#">76.410.00.02 (120.000494)</a>	Coil 24VDC
<a href="#">76.077.91.00 (ID: 72335)</a>	
<a href="#">77.012.22.00</a>	
<a href="#">77.012.90.00 120.000557</a>	Ventil
<a href="#">77.012.91.00</a>	solenoid valve
<a href="#">77.012.92.00</a>	
<a href="#">79.022</a>	Type 76 valve
<a href="#">79.027</a>	
<a href="#">81.020</a>	Steel slide valve
<a href="#">81.040.01 24VDC</a>	Solenoid valve
<a href="#">84.214</a>	
<a href="#">AR4023010</a>	"T" switch for cylinder - 2 wires (2,5 mts.)
<a href="#">D 24-BOR-F-DS9420-24VDC</a>	Rotary solenoid
<a href="#">D 29- BOR * -F -DS9420- 12VDC 100%ED / 51544</a>	
<a href="#">D 53- BRL * F80- 24VDC 100%ED (15801)</a>	Rotary magnet

Product	Description
<a href="#">D26-LOL-F-24VDC 4.4%ED</a>	rotary magnet
<a href="#">15801 / D53-BRL-F80-24VDC 100%ED</a>	Magnet
<a href="#">90244</a>	
<a href="#">H6246-F * - - 12VDC 100%ED</a>	Solenoid Actuator
<a href="#">471955502 / HS7085 OEM</a>	spool
<a href="#">IA4F-48VDCM</a>	Relais
<a href="#">IA6F-009M (64,7-116VDC)</a>	Relais
<a href="#">IA6F-48VDCM</a>	Relais
<a href="#">MT321024</a>	Multimode relay
<a href="#">UF3-24VDCN</a>	Relay unit
<a href="#">UA2-131 160.000027 16292</a>	
<a href="#">114A4-12VDC N</a>	Relais
<a href="#">PT570048</a>	Schrack Relais
<a href="#">160.000076 / 105G220F-24VDC</a>	Relay
<a href="#">76.097.97.00</a>	
<a href="#">61319 / 76.022.62.21</a>	
<a href="#">AirBox 32-F-GE-MO</a>	AS-Interface Module, pneumatic
<a href="#">36.290.075</a>	Piston
<a href="#">D 54-..LOL14* -F - - 24VD</a>	magnets
<a href="#">69070 / RM050W-OBOO-F* / 24VDC 100%ED</a>	SOLENOID
<a href="#">72071 / RM050W-OBOO-F* / 24VDC 5%ED</a>	
<a href="#">120.000563</a>	valve
<a href="#">76.410.00.02(ID:57843)</a>	24VDC coil
<a href="#">76.410.02.12 Spule 24VAC 50/60Hz</a>	Solenoid Valve
<a href="#">KU1510.2 50-500V 24VDC</a>	
<a href="#">URM50 - N</a>	Magnet
<a href="#">93025</a>	AS interface module, pneumatic
<a href="#">10939</a>	
<a href="#">48765</a>	
<a href="#">59195</a>	
<a href="#">KU K-F-GE-MOv</a>	Air-Box
<a href="#">105A220F-015</a>	Relais
<a href="#">105A310F-015</a>	Relais
<a href="#">180.000087</a>	
<a href="#">KM 1-FK-SW</a>	Montageplatte
<a href="#">KM-1-FK-GE</a>	
<a href="#">74.000 / 52930</a>	
<a href="#">74.003</a>	3/2-Way Poppet valve
<a href="#">Z 319.02</a>	
<a href="#">Z 438</a>	Haltebügel
<a href="#">120.000153/76.087.97.00</a>	valve
<a href="#">UD1515.2 230</a>	
<a href="#">0497486</a>	Pneumatischer Vorwahlzähler
<a href="#">72.025</a>	
<a href="#">61059</a>	

Product	Description
<a href="#">220.000046</a>	
<a href="#">SP781.0027</a>	Stahlschieberventil
<a href="#">H2406-F / 71123</a>	Linear Solenoid
<a href="#">76.046.11.00</a>	3/2-WEGE,SITZV.,ELEKTR
<a href="#">51.020.03.00</a>	
<a href="#">74.002 150.000016</a>	Pneumatic Valve
<a href="#">HT-D70-F-24VDC 100% ED</a>	Magnet
<a href="#">BI 17-F</a>	Bistable Linear Solenoid
<a href="#">76.146.01.00</a>	valve
<a href="#">76.022.71.21</a>	3/2-Wege Schieberv.
<a href="#">76.026.11.00</a>	3/2-WEGE,SITZVENTIL,ELEKTR
<a href="#">24.291.012 ISO 6432</a>	
<a href="#">26.291.100 Zylinder ISO 6432</a>	
<a href="#">H6206</a>	
<a href="#">RM50-F</a>	Magnet
<a href="#">120.000197 / 36.150.020</a>	Ms-Zylinder ew
<a href="#">36.150.020 (M105714)</a>	
<a href="#">Z393</a>	
<a href="#">Bezeichnung: 36.290.075 Ident-Nr.: 59174</a>	
<a href="#">32-F-GE-MO Ident-Nr.: 93024</a>	AirBox
<a href="#">61565 (39.242.025 KHZ)</a>	Relay
<a href="#">76.027.60.41</a>	valve
<a href="#">76.146.71.21</a>	3/2-way valve
<a href="#">72.015</a>	
<a href="#">H3286-R-F-110VDC</a>	
<a href="#">IA4-24VDC</a>	Relay
<a href="#">49425</a>	
<a href="#">ZER-2-01-2-3-230VAC (160.000028)</a>	
<a href="#">60.006 (150.000303)</a>	
<a href="#">D 54- BOL * -N - - 24VDC 100%ED , 16293</a>	
<a href="#">47.220</a>	
<a href="#">50.400</a>	Drehverteiler M5
<a href="#">50.051</a>	Verbindungsstück M5 - M5
<a href="#">47.255</a>	
<a href="#">105G220-24VDC</a>	relay
<a href="#">770.22.12.00, Art N: 120.000621</a>	Valve
<a href="#">BI 17-F-24VDC 25% ED</a>	Bistable linear solenoid
<a href="#">15801</a>	
<a href="#">65.271.24VDC</a>	mm valve
<a href="#">63.130.10 24VDC</a>	Mini-solenoid valve
<a href="#">64.015 ( 13110)</a>	Solenoid Valve
<a href="#">12434</a>	magnetic valve
<a href="#">64.070 (82189)</a>	Solenoid Valve 3/2-way
<a href="#">64.074</a>	solenoid valve
<a href="#">65.119.24VDC</a>	solenoid valve

Product	Description
<a href="#">65.127.24VDC</a>	solenoid valve
<a href="#">65.175 24VDC</a>	magnetic valve
<a href="#">150.000073 - 195414</a>	
<a href="#">195411 / 65.231</a>	Kuhnke Solenoid Valve Type 65
<a href="#">65.235 24VDC</a>	magnetic valve
<a href="#">68.030.01</a>	valve
<a href="#">79767</a>	valve
<a href="#">63.052.30</a>	valve
<a href="#">50.880.00.20.00</a>	Pressure regulator
<a href="#">150.000011</a>	Sitzventil Stößel
<a href="#">72.010 / 72.010, NC</a>	Plunger valve, mechanical
<a href="#">MM 15-F-24VDC 25%ED</a>	
<a href="#">105G220</a>	
<a href="#">54.022 (Ident-Nr. 50563)</a>	
<a href="#">D53-BRL-F80-24VDC 100%ED</a>	
<a href="#">105A310F-24VDC</a>	Relais
<a href="#">RS-9527.</a>	Relais
<a href="#">47260</a>	Check Valve
<a href="#">WA27/SG/HB Dichtsatz f. WV0270030DW</a>	
<a href="#">76.147.91.00</a>	5/2-way poppet valve
<a href="#">76.097.98.00</a>	Poppet valves
<a href="#">17400</a>	
<a href="#">E 94 – ROO – N 24 VDC 100%ED</a>	
<a href="#">120.000631 - 52716</a>	valve
<a href="#">120.000045 - 11207</a>	87.024 5/2 steel spool valve
<a href="#">62140</a>	3/2-WEGE,SITZVENTIL,ELEKTR
<a href="#">76.411.00.02</a>	
<a href="#">76.023.26.41</a>	
<a href="#">59181 - 37.150.012</a>	Zylinder
<a href="#">38.290.025 (59452)</a>	
<a href="#">772.12.90.00</a>	
<a href="#">77.212.12.00</a>	
<a href="#">76.087.95.00</a>	
<a href="#">76.410.02.12 Spule</a>	
<a href="#">Ident-Nr.: 29827 ( 64.014 230V AC 5,5VA NW1,0 3/2 NC ST SCH.)</a>	
<a href="#">D59.LOR.F.DS9420</a>	Electric motor
<a href="#">50.670</a>	
<a href="#">HM157.F.24VDC.100%</a>	Solenoid
<a href="#">E53.LOR.N.DS3679</a>	rotary solenoid
<a href="#">D 29-ROL12,5 F DS9420</a>	
<a href="#">105A310F-80VDC B</a>	relay
<a href="#">120.000640 - 31570</a>	P781.0028 steel gate valve
<a href="#">59442</a>	
<a href="#">76.126.01.00</a>	poppet valve
<a href="#">76.126.11.00</a>	poppet valve

Product	Description
<a href="#">74.001</a>	seat valve, directly operated
<a href="#">MT3230C4 (1 pack x 25 pcs.)</a>	Relay
<a href="#">12165</a>	
<a href="#">P/N: 15801, Type: D 53- BRL * -F80- - 24VDC 100%ED</a>	Rotary magnet D 53
<a href="#">RM050-F-24VDC</a>	magnet
<a href="#">62883 (76.126.01.00)</a>	
<a href="#">KU1510.2 (50-500V 230VAC 50/60Hz)</a>	
<a href="#">D 23-..LOL * -F - - 24VDC 100%ED / 51370</a>	
<a href="#">76.084.18.00</a>	
<a href="#">46.002</a>	
<a href="#">37.290.050</a>	
<a href="#">188150</a>	
<a href="#">105A310F-42VDC</a>	
<a href="#">105A310F-48VAC</a>	
<a href="#">38.190.012</a>	Brass Cylinder
<a href="#">76.410.02.12</a>	Solenoid Coil 24VAC 50/60Hz
<a href="#">76.022.27.00</a>	
<a href="#">RY2S-ULDDC24</a>	
<a href="#">93797</a>	Cable Piercing
<a href="#">105A220F-24VDC</a>	Relaisschütz
<a href="#">93024</a>	AS interface module, pneumatic
<a href="#">76.023.23.41</a>	Schieberventil
<a href="#">RS-9591</a>	
<a href="#">50.806.00.50.00</a>	
<a href="#">4051251</a>	Microsolenoid valve
<a href="#">Z 318.02</a>	Relay base
<a href="#">76.026.23.21</a>	
<a href="#">H3286-R-F 220VDC 100%ED</a>	
<a href="#">76.066.11.00</a>	
<a href="#">D22.LOL.F.24VDC.4.4%ED</a>	
<a href="#">RS-9502-42VDC / 160.000124</a>	relays
<a href="#">72.010</a>	Plunger valve, mechanical
<a href="#">V45-N-24VDC 100%ED</a>	Solenoid V45
<a href="#">KUD 1515.2 230/400V</a>	Relais
<a href="#">P/N: 120.000658, Type: 21.51A.0050</a>	cylinder
<a href="#">A.032.0008.DOM.KT</a>	
<a href="#">120.000660</a>	Pneumatic cylinder
<a href="#">120.000281</a>	cylinder
<a href="#">21.51A.0025</a>	
<a href="#">18.008.06/ 120.000586</a>	accessories
<a href="#">105G310F-220VDC</a>	
<a href="#">00.580.4473/03</a>	
<a href="#">UF3-230VAC1L</a>	Relay
<a href="#">P/n.150.000491 98.020.00</a>	
<a href="#">63.054.10 (24VDC)</a>	valve

Product	Description
<a href="#">E53.BOL.F.24VDC.100%ED</a>	Rotary solenoid
<a href="#">E53.BOR.F.24VDC.100%ED</a>	Swivel solenoid
<a href="#">65.495.00</a>	Plug-in socket
<a href="#">UF3XD 24VDC N</a>	RELAY WITH BASE
<a href="#">1393092-2</a>	
<a href="#">8-1393163-3</a>	socket
<a href="#">P/N: 130.000136, Type: H3286-R-F-220VDC 100%ED</a>	Magnet
<a href="#">68.050.51</a>	Solenoid Valve
<a href="#">38.150.050</a>	Brass-Cylinder
<a href="#">130.000245</a>	Magnet
<a href="#">72.020</a>	Plunger valve
<a href="#">SP778043520</a>	valve with coils
<a href="#">76.073.91.00C / 120.000654</a>	
<a href="#">76.410.02.14 (120.000558)</a>	110VAC coil
<a href="#">81.012</a>	Steel slide valve
<a href="#">160.000267</a>	relay
<a href="#">D 36-..BOR * -M -DS9420- 24VDC 100%ED</a>	
<a href="#">79.020 (58724)</a>	Valve
<a href="#">21.61A.0100</a>	Pneumatic cylinder
<a href="#">21.61A.1500</a>	Pneumatic cylinder
<a href="#">H3246-F **- 4VDC 100%ED (48444)</a>	Solenoid Actuator
<a href="#">76.127.91.00 (57837)</a>	seat valve
<a href="#">D54.LOL.N.24VDC.100%ED</a>	Rotary Solenoid
<a href="#">PT41K-SS</a>	Pneumatic timer
<a href="#">105A310 ( 230 VAC )</a>	Relay
<a href="#">130.000615 (D22-BRO*-F-24VDC)</a>	magnet
<a href="#">D 59-..ROR *-N-DS9420-24VDC 100%ED</a>	Rotary solenoid
<a href="#">RM 20-F-24VDC 100% ED</a>	Heavy-duty linear solenoid
<a href="#">PT41H</a>	Pneumatic timer 3/2
<a href="#">SL7010-F-24VDC-10%ED (193368)</a>	Lock door
<a href="#">KU 1-F-GE-MO 93021</a>	Air box
<a href="#">85193 / RM 40 - -F* - - 24VDC 100%ED</a>	Solenoid
<a href="#">IA2-24VDC</a>	Relays
<a href="#">5072CCFCE-230VAC (220.000274) 1pack=20pcs</a>	Relais
<a href="#">160.000274</a>	Relay
<a href="#">37.290.025 (59196)</a>	cylinder
<a href="#">776100002</a>	coil
<a href="#">0230031411</a>	dehumidifier
<a href="#">18005</a>	magnet
<a href="#">P/N: 120.000097, Type: 76.123.91.00</a>	5/2-way slider
<a href="#">105A310-230VAC (160.000072)</a>	
<a href="#">50564</a>	Pneumatic Timer
<a href="#">H3446-F 24VDC 100%ED</a>	Electromagnet
<a href="#">IA6F-48VDCM (160.000021)</a>	Relais
<a href="#">195414</a>	Coil

Product	Description
<a href="#">43.138</a>	Accessory set
<a href="#">761432540</a>	Lever valve
<a href="#">160.000061</a>	Relay
<a href="#">20.196.01</a>	Seal kit
<a href="#">IA4-230VAC</a>	relay
<a href="#">BI 8-F - - 24VDC 15%ED 29265</a>	Bistable linear solenoid
<a href="#">BI 13-F - - 24VDC 25%ED 17982</a>	Bistable linear solenoid
<a href="#">21.11A.0100</a>	Cylinder
<a href="#">P/N 65.495.02 / 150.000333</a>	Plug-in socket with LED
<a href="#">76.412.00.02</a>	COIL FOR SOLENOID VALVE
<a href="#">76.066.01.00</a>	3/2-way valve
<a href="#">RM40.F.24VDC.5%ED</a>	Magnet motor
<a href="#">RM080W-HBLL-N* - 24VDC 100%ED</a>	High Performance Stroke Magnet
<a href="#">AL 7011 - F - 24VDC 10%ED (193449)</a>	Magnetic lock
<a href="#">65.111</a>	Kuhnke Solenoid Valve Type 65
<a href="#">VD.050.0100.0075</a>	Pneumatic Cylinder
<a href="#">199190001</a>	DSR Diastar DN15-50 without OB 4-20mA
<a href="#">120.000159</a>	.
<a href="#">D22.ROR.F.24VDC.100%ED</a>	
<a href="#">HS7722.24VDC</a>	Motorised door lock
<a href="#">76.410.02.14 (62499)</a>	Coil 110VAC 50/60H
<a href="#">KE.087.91.00.0012</a>	
<a href="#">RM060W-OBOO-F-24VDC-100%ED</a>	Coil
<a href="#">76.087.92.00</a>	valve
<a href="#">D 74-..LOR *-N (18870)</a>	Rotary Solenoid
<a href="#">PT41C</a>	PT Timer
<a href="#">192417</a>	PS D-Sub cable for motor lock HS7722
<a href="#">60.060.01</a>	Pressure relay
<a href="#">83.212</a>	Slider valve
<a href="#">26.291.025</a>	pneumatic cylinder
<a href="#">KX.11A.0350.1063</a>	
<a href="#">130.000012</a>	
<a href="#">AIRBOX K-F-SW-BI</a>	AS-Interface Modul
<a href="#">5927384</a>	reducer
<a href="#">ARS2320 FS</a>	Function Device USB, Ethernet, CANopen
<a href="#">ARS2310 FS</a>	Function Device USB, Ethernet, CANopen
<a href="#">E56.LOR.F40</a>	
<a href="#">001205</a>	
<a href="#">D53.ROL.N.24VDC.100%ED</a>	Rotary Solenoid
<a href="#">D 53-..LOR *-N - - 24VDC 100%ED</a>	Operating voltage of the swing magnet
<a href="#">D 24-..ROR *-F-DS9420- 24VDC 100%ED</a>	rotary solenoid
<a href="#">D54.ROR.N.24VDC.100%ED</a>	
<a href="#">76.411.00.02 (24VDC)</a>	coil
<a href="#">76.411.02.12 (24VAC)</a>	coil
<a href="#">V45-F-12VDC-25%ED</a>	Valve

Product	Description
<a href="#">76.146.11</a>	Valve
<a href="#">ZFK.63.1400</a>	Cylinder
<a href="#">060.001906</a>	
<a href="#">KX.41A.0050.4148</a>	
<a href="#">18.008.02 (120.000703)</a>	clevis D40 ISO
<a href="#">18.005.02 (120.000507)</a>	Mounting brackets
<a href="#">21.21A1180 (120.000704)</a>	cylinders
<a href="#">76.144.12.00 (120.000684)</a>	valve
<a href="#">AIRBOX K-S-GE-MO</a>	
<a href="#">81.029</a>	valve
<a href="#">BBG-2-600-HDH</a>	Body Blank Gauge
<a href="#">1869601</a>	
<a href="#">BBG-CAL-2L-SA</a>	
<a href="#">Certificate for calibration angle</a>	
<a href="#">HT-D30-F-24VDC 100% ED</a>	sticking magnet
<a href="#">54.025</a>	Pneumatic timer
<a href="#">76.127.91.00</a>	solenoid valve
<a href="#">HM157-F - - 24VDC 45%ED</a>	oppressive solenoid magnets
<a href="#">54.021 (Ident-Nr.: 50154)</a>	timer
<a href="#">K-F-SW-MO</a>	AS-Interface Module, pneumatic
<a href="#">H6286-R-F - - 24VDC 100%ED</a>	
<a href="#">76.127.71.41</a>	valve
<a href="#">77.012.12.00</a>	
<a href="#">D33.ROR.F.24VDC.100%ED</a>	Rotary Solenoid
<a href="#">76.410.02.15</a>	coil
<a href="#">105-A310.24VDC</a>	Relay
<a href="#">UR 050.135 NT95</a>	Cylinder
<a href="#">76.410.00.02 (57843) for quantity 4 pieces</a>	
<a href="#">H 3406-F-24VDC 100% ED</a>	lifting magnet
<a href="#">UR 050.90 NT95</a>	
<a href="#">D22-LOL-F-24VDC 100% ED</a>	rotating magnet
<a href="#">D26.ROR.F.DS9420.12VDC.100%ED</a>	
<a href="#">V30-N-24DC100%ED</a>	Solenoid Actuator
<a href="#">76.124.12.00</a>	5/3 way valve
<a href="#">76.124.02.0076.124.02.00 (120.000713)</a>	76.124.02.00 5/3 way valve
<a href="#">19.304.080</a>	cylinder
<a href="#">Z801</a>	Connector Plug
<a href="#">RM040W-OBOO-N-24VDC.100%ED</a>	
<a href="#">Z836</a>	Stroke Limiter
<a href="#">Z837</a>	Flange Plate
<a href="#">D24.BOL.F.24VDC.100%ED</a>	
<a href="#">D 24-..BOR * -F -DS9420- 12VDC 100%ED / 72167</a>	
<a href="#">51.018.01US</a>	timer
<a href="#">38150012</a>	
<a href="#">39.230.010</a>	

Product	Description
<a href="#">47.251.60</a>	
<a href="#">65.171-24VDC</a>	Solenoid valve
<a href="#">764100002</a>	coil
<a href="#">76.087.91.00</a>	
<a href="#">120.000156</a>	valve
<a href="#">120.000716</a>	
<a href="#">P/N: 060.000442, Type: 1-1393154-5</a>	
<a href="#">H6206-F 24VDC 100%ED</a>	Solenoid Actuator
<a href="#">37.290.100</a>	Cylinder
<a href="#">KA2P.050.0175</a>	Magnetic Twin Shanks Anti-Rotation Cylinder
<a href="#">CBM.32.020.DOM.DX</a>	
<a href="#">CBM.32.020.DOM.SX</a>	
<a href="#">P/N: 120.000020, Type: 81.021</a>	
<a href="#">74.002</a>	Poppet valve
<a href="#">76.067.92.00</a>	valve
<a href="#">694 443 57</a>	Control cabinet modul
<a href="#">694 454 53</a>	Counter-Encoder
<a href="#">694 454 01</a>	Counter module
<a href="#">694 455 02</a>	communication module
<a href="#">77.610.00.06</a>	24VDC coil
<a href="#">D 29-..ROL12* -F -DS9420</a>	magnet
<a href="#">28.291.080</a>	
<a href="#">694 454 16 00</a>	FIO Drive Control
<a href="#">76.143.25.42</a>	version with plastic body
<a href="#">76.127.71.42</a>	valve
<a href="#">E53.ROR.N.24VDC.100%ED</a>	solenoid
<a href="#">81.024</a>	valve
<a href="#">37.250.025</a>	Pneumatic cylinder
<a href="#">18.796.01</a>	
<a href="#">H32-F-HS3025/1 240 VDC</a>	Solenoid
<a href="#">E53-BOR-F-DS5632-24VDC OEM</a>	Rotating magnet
<a href="#">150.000530/195422 - 65.176-110VAC</a>	solenoid valve
<a href="#">680.180.14</a>	bus terminator P-DP
<a href="#">76.146.11.00</a>	solenoid valve 3/2
<a href="#">AIRBOX-1-F-GE-MQ</a>	AS-Interface module, pneumatic
<a href="#">D54-ROL-F-24VDC</a>	
<a href="#">2515025</a>	
<a href="#">184111</a>	FIO bus coupler DI16 DO16
<a href="#">182639</a>	
<a href="#">195227</a>	
<a href="#">182646</a>	
<a href="#">p/n: 53954 type: 105A310F-230VACHE</a>	relay
<a href="#">D 32-..ROR</a>	
<a href="#">694 454 16 00 / 196876</a>	FIO Drive Control
<a href="#">17514</a>	BRAKE ELECTROMAGNET

Product	Description
<a href="#">51550</a>	Rotating solenoid
<a href="#">77.012.14.00</a>	
<a href="#">H3486-R-F - - 24VDC 100%ED</a>	Solenoid
<a href="#">33.008.18.05</a>	
<a href="#">77.032.91.00</a>	valve
<a href="#">50.880.00.80.00</a>	Pressure regulator
<a href="#">81.021</a>	
<a href="#">84.230.01</a>	Solenoid Valve
<a href="#">770229100</a>	valve
<a href="#">D29.LOL.F.DS9420.24VDC.100%ED</a>	Solenoid
<a href="#">D 24-BOR-F-DS9420-24VDC 100% ED</a>	rotary magnet
<a href="#">D 24-..BOL * -F -DS9420- 24VDC 100%ED</a>	rotary magnet
<a href="#">D 34-BOR-F-DS9420-24VDC 100% ED</a>	Rotary solenoid
<a href="#">200004891</a>	2/2 magnetic valve
<a href="#">76.094.08.00</a>	
<a href="#">770129000</a>	valve
<a href="#">90195</a>	
<a href="#">19.194.050</a>	
<a href="#">H6246-F * - - 24VDC 100%ED</a>	Solenoid Actuator
<a href="#">76.083.98.00</a>	
<a href="#">81.025</a>	
<a href="#">438956101</a>	door lock
<a href="#">37.400.02</a>	Cylinder Seal Kit
<a href="#">46.000</a>	seat valve, mechanical
<a href="#">RM080W-HBOO-N / 77459</a>	Solenoid
<a href="#">60972</a>	
<a href="#">8000554</a>	Valve
<a href="#">76.067.94.00</a>	
<a href="#">76.136.01.00</a>	
<a href="#">60G700 / 36.290.025</a>	cylinders
<a href="#">79.029</a>	Valve
<a href="#">D26-BOR-F-DS9420-24V DC 100 ED</a>	
<a href="#">D29-BOR-F-DS9420-24V DC 100 ED</a>	
<a href="#">694.412.01</a>	Umbrella clamp
<a href="#">694.412.02</a>	Shield terminal
<a href="#">RS9558-230VACH</a>	
<a href="#">28291025</a>	0.5-10 BAR PISTON
<a href="#">E56.ROL.F40.24VDC.100%ED</a>	magnet
<a href="#">21.51A.0250</a>	Pneumatic Cylinder
<a href="#">D54-BOR-F-24VDC</a>	electric motor
<a href="#">KX.51B.0125.2389</a>	
<a href="#">D39.LOL.M.DS9420.12VDC.100%ED</a>	
<a href="#">1VDC000009R0005</a>	Coil
<a href="#">1VDC000009R0002</a>	Coil
<a href="#">D26.LOR.F.DS2993.24VDC.100%ED</a>	

Product	Description
<a href="#">76.136.21.00</a>	Valve
<a href="#">76.411.02.14</a>	
<a href="#">76.143.91.00</a>	
<a href="#">76.067.81.41</a>	valve
<a href="#">D23.ROL.F.24VDC.100%ED</a>	
<a href="#">76.746.01.00</a>	
<a href="#">D56LOR-F-DS9420</a>	
<a href="#">81.029 /58720</a>	ROUTER
<a href="#">old code 76.026.71.21 new 76.126.71.21</a>	
<a href="#">76.126.71.21</a>	
<a href="#">AR380050 / MP 1024-F/VA</a>	load cell
<a href="#">76.027.95.00</a>	solenoid
<a href="#">76.410.02.14</a>	Reels
<a href="#">33.21.326</a>	Pneumatic Proximity Switch
<a href="#">114-A4.24VAC1L</a>	relay
<a href="#">21.41A.0050</a>	
<a href="#">76.123.71.41</a>	solenoid
<a href="#">77.610.00.06 24VDC</a>	coil
<a href="#">D92-LOL-N-24VDC 100%ED</a>	ROTARY SOLENOID
<a href="#">19104010</a>	cylinder
<a href="#">81.014</a>	Mini chair pneumatic valve
<a href="#">D59-BOR-N-DS9420-24VDC100%ED</a>	
<a href="#">D59.BOR.F.DS9420.24VDC.100%ED</a>	Rotary Solenoid
<a href="#">Code 72.015</a>	MACROVALVE AND BUTTON
<a href="#">toggle/leaver switch for 74.002</a>	
<a href="#">24.291.015</a>	
<a href="#">76.023.71.42</a>	valve
<a href="#">76.023.95.00</a>	pneumatic piston
<a href="#">39.240.025</a>	Pneumatic Clamping Cylinder
<a href="#">28.29.050</a>	CYLINDERS
<a href="#">4-1415033-1</a>	
<a href="#">VF.032.0025.D10</a>	cylinder
<a href="#">MT336230 / 060.000370</a>	
<a href="#">20.596.01</a>	Cylinder seal kit
<a href="#">20.504.0075</a>	Cylinder
<a href="#">213R11</a>	Seal kit
<a href="#">87.040.01.24VDC</a>	solenoid
<a href="#">13282 - 83.240.01-24VDC</a>	DYN valve
<a href="#">21.11A.0075</a>	
<a href="#">E54-BOR*-N-24VDC 100%ED</a>	magnet
<a href="#">VF.063.0150.DOM</a>	cylinder-piston
<a href="#">150.000071 / 65.171-24VDC</a>	solenoid valve
<a href="#">51.006.00</a>	Zeitglied
<a href="#">E52.BOR.N.24VDC.100%ED</a>	
<a href="#">76.083.97.00</a>	

Product	Description
<a href="#">76.027.94.00</a>	solenoid valve
<a href="#">76.067.91.00 (12v dc)</a>	compressed air distributor
<a href="#">76.410.00.01 (12VDC coil to suit)</a>	
<a href="#">182634</a>	
<a href="#">KE.023.71.42</a>	
<a href="#">21.41A.0400</a>	
<a href="#">19.504.015</a>	
<a href="#">4013331</a>	conversion kit
<a href="#">35.150.080</a>	PRESSURE CYLINDER
<a href="#">KE.023.71.41</a>	
<a href="#">K6310.0115</a>	
<a href="#">81027</a>	
<a href="#">760879400</a>	
<a href="#">D52ROL-F-24VDC-100%ED</a>	D5 Series Rotary Solenoid
<a href="#">C.050.0075.DOM</a>	
<a href="#">D52.ROL.N.24VDC.100%ED</a>	
<a href="#">H3486-R-F 220VDC</a>	
<a href="#">33.20.501</a>	
<a href="#">SP778013520</a>	
<a href="#">47.076</a>	
<a href="#">47.075</a>	
<a href="#">67.499.02-old code ,new code- 65.495.02</a>	
<a href="#">76.420.00.99 (left)</a>	MANIFOLD End Plate - Left
<a href="#">76.420.00.01</a>	
<a href="#">76.527.91.00</a>	
<a href="#">76.420.00.98 (right)</a>	MANIFOLD End Plate right
<a href="#">160.000162</a>	
<a href="#">701.002</a>	rotary drives
<a href="#">21.11A.0500</a>	
<a href="#">KE.087.97.00.0012</a>	
<a href="#">36.290.150</a>	compressed air cylinder
<a href="#">76.144.25.39</a>	
<a href="#">64.017.24V</a>	Coil
<a href="#">KX61A05004222</a>	cylinder
<a href="#">76.047.69.41</a>	Pedal
<a href="#">76.420.00.12</a>	Iso 2 single subbase
<a href="#">76.420.00.14</a>	Subbase x iso 2 battery
<a href="#">76.420.00.85</a>	Alim subbase. /close iso 2
<a href="#">76.420.00.32</a>	Blind plate x iso 2
<a href="#">38.250.025</a>	
<a href="#">RM080W.OBOO.N.24VDC.100%ED</a>	magnetic actuators
<a href="#">V30.N.24VDC.100%ED</a>	
<a href="#">D23.ROR.F.24VDC.14%ED</a>	Solenoid Valve
<a href="#">59196</a>	Piston
<a href="#">130.000165 - 97940</a>	

Product	Description
<a href="#">201885</a>	Coil
<a href="#">D39.LOL.M.DS9420.24VDC.100%ED</a>	
<a href="#">76.147.81.41</a>	
<a href="#">060.000297</a>	
<a href="#">KE.042.27.00.3848</a>	valve
<a href="#">36.250.075</a>	pneumatic piston
<a href="#">776100012</a>	24VAC coil
<a href="#">123B-50250/1</a>	
<a href="#">33.19.200</a>	sensors
<a href="#">761448138</a>	compressed air valves
<a href="#">760422721</a>	compressed air valves
<a href="#">85.030.01</a>	air distributor
<a href="#">Vitoflame 200 / Z004790</a>	
<a href="#">85.022 / 120.000046</a>	
<a href="#">120.00074274514/19.104.025</a>	SHORT STROKE CYLINDER
<a href="#">76.266.01.00</a>	solenoid valve
<a href="#">39027 / RS-9558</a>	Relais
<a href="#">19294025</a>	cylinders
<a href="#">H34-F-HS3144</a>	Solenoid lock
<a href="#">64.025 24V DC</a>	micro solenoid valve
<a href="#">46.001</a>	valve
<a href="#">21.41A.0150</a>	
<a href="#">150.000073 / 201899</a>	solenoid valve
<a href="#">150.000530 / 201898</a>	solenoid valve
<a href="#">2111A0250</a>	piston
<a href="#">691.200.01</a>	
<a href="#">120.000746 / 76.420.00.29</a>	
<a href="#">201088</a>	
<a href="#">D26.BOL.F.DS9420.24VDC.100%ED</a>	
<a href="#">21.31A.0750</a>	
<a href="#">160.000267 / RS-9564</a>	
<a href="#">160.000292 / RS-9529</a>	Relais
<a href="#">EMI-SS-224A</a>	
<a href="#">D52.ROR.F.24VDC.100%ED</a>	
<a href="#">RS9529 (105-G310F.230VAC)</a>	
<a href="#">RS9564 (105-G220F.230VAC)</a>	
<a href="#">76.387.97.00 / 120.000747</a>	3/2-way valve
<a href="#">AC.3A.0160.MX.0160</a>	
<a href="#">16.109.11</a>	
<a href="#">SP750.0315</a>	reducer
<a href="#">HDM.063.150.GS.M</a>	
<a href="#">HDM.040.250.GS.M</a>	
<a href="#">761279200</a>	
<a href="#">77.610.00.07</a>	
<a href="#">RM32.R.F.24VDC.100%ED</a>	

Product	Description
<a href="#">74.004</a>	
<a href="#">47.002</a>	
<a href="#">38.250.050</a>	Pneumatic cylinder
<a href="#">D54-ROR-F-24VDC / 130.000440</a>	magnet
<a href="#">D64-ROR-N-24VDC / 130.000330</a>	magnet
<a href="#">D64-BOR*-F-24VDC / 130.000469</a>	magnet
<a href="#">Z376.02 - 7A / 300V</a>	
<a href="#">50.780.00.10.10</a>	microregulator
<a href="#">D96-BOO*-N-205VDC 5%ED</a>	magnet
<a href="#">D54-LOR40-N-24VDC 100%ED /</a>	magnet
<a href="#">38.250.075</a>	Cylinder
<a href="#">RM040W.OBOO.F.24VDC.100%ED</a>	Solenoid
<a href="#">81.044.01.24VDC</a>	
<a href="#">39.242.025</a>	
<a href="#">48.250.00.10.10</a>	Pressure Regulator