







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





KuhhnkeBhRAhnnkAhR

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

KND'S PeONUSCTrP

Okodcts	SnitkApsAoh
p1n6 0(5G3F3, -ype6 EAGE0((2	E4VADDAC)EDRE) 7EA)/DRL8 PR89- B/D-ARL
<u>0(5G3FG 1 EAGE3G(</u> 2	7easuring light curtain transmitter plug
M1L6 0(5G05S -ype6 IG(AMTTZ((8DE2M	sensor
0(F3K:0 1 IG(AM-8DB2	-ouch "utton
IG(P8DAZCM2	Rndustrial Manel 7ount Rndicator
IG(P8DCL2	Rndicator Pight
P)Z(VE2O9 * Z(((30S: 1 FG(KF5:0 %	"ALLED M9!-EPEB-DRB E7RED
P)Z(D2O9	"ALLED 3 MRL E/D! 2O PR89-)BDEEL DEBERUED
7Z:)MSD2	
!-BVZVCW	"ALLED !M-!V-!/B9
0(0ZK3Z 1 2FG)MSTTZ((!ptoVsensor, reflective light sensor
23G""SPPM2S	rectangle sensor
23G""SD2G	-hroughV"eam !ptical)ensor
2)Z:SE2:	Mhotoelectric)ensor
0(SS3S(1 2)Z:UMSO2:	Oiffuse !ptical)ensor
2)Z:UMSPPM2:	Detroreflective, MolariNed !ptical)ensor 0F.:Z' *Z (m% MLM V OarkV!L1PightV!L
2)Z:UMSPU2:	Mhotoelectric)ensor
2)Z:UMSD2:	Mhotoelectric)ensor
M1L6 0((F5F:, -ype6 2-G(/P"2S	/Itrasonic sensor reflection sensor
5:3Z3 1)AVEZF70("ALLED 7!/L-RL8 "A)E AOAM-ED1B!UED
<u>)-"UMS2G</u>	Mhotoelectric)ensor
<u>-PG(8DA2</u>	PEO -ower Pight with Audible Rndicator
0(:0FZ3 1 -PG(8CDA2	PEO Rndicator + -ower Pight
<u>U-"MS2</u>	ensor Uerification -ouch "utton")
P)F-M0(V3G(2::	"ALLED E4) -CMEF MARD MARD 0(77 @ 3G(77
23G/PR/S3ABD2S	Mhotoelectric)ensor
<u>)7A0ZE2O</u>	miniVbeam series industry standard sensor
<u>)7FA0ZFPU</u>)EL)!D, M9!-!EPEB-DRB, 7RLRV"EA7 DE-D!
<u>)70()DP</u>	!ptoVsensor
<u>0(F5F:G</u>)pecific Mroduct Rnformation Lot Available
<u>O)0VPOV(3G</u>)pecific Mroduct Rnformation Lot Available
<u>)P)M0(V5G(2::</u>	"ALLED BA- 3 MARD
<u>IG(P8@@M2</u>	G(mm 8eneral Murpose PEO Rndicator

Enapart 8roup H /nit 0 8reen Pane Workshops Ashingto n LES0 (ET /nited lingdom H DAOWADO P-O /nited ling dom H z 33 F(:ZG5Z0((H salesxenapart.co.uk H www.enapart.co.uk

"anner Engineering Mage Z 1 ZS





Product	Description
43.138	Accessory set
<u>761432540</u>	Lever valve
160.000061	Relay
20.196.01	Seal kit
	relay
BI 8-F 24VDC 15%ED 29265	Bistable linear solenoid
BI 13-F 24VDC 25%ED 17982	Bistable linear solenoid
21.11A.0100	Cylinder
P/N 65.495.02 / 150.000333	Plug-in socket with LED
76.412.00.02	COIL FOR SOLENOID VALVE
76.066.01.00	3/2-way valve
D62.BOL.N.24VDC.100%	O/2 Way valvo
RM40.F.24VDC.5%ED	Magnet motor
RM080W-HBLL-N* - 24VDC 100%ED	High Performance Stroke Magnet
AL 7011 - F - 24VDC 10%ED (193449)	Magnetic lock
65.111 VD 050 0400 0075	Kuhnke Solenoid Valve Type 65
<u>VD.050.0100.0075</u>	Pneumatic Cylinder
<u>199190001</u>	DSR Diastar DN15-50 without OB 4-20mA
120.000159	
D22.ROR.F.24VDC.100%ED	
<u>HS7722.24VDC</u>	Motorised door lock
<u>76.410.02.14 (62499)</u>	Coil 110VAC 50/60H
<u>KE.087.91.00.0012</u>	
RM060W-OBOO-F-24VDC-100%ED	Coil
<u>76.087.92.00</u>	valve
<u>D 74LOR *-N (18870)</u>	Rotary Solenoid
<u>PT41C</u>	PT Timer
<u>192417</u>	PS D-Sub cable for motor lock HS7722
<u>60.060.01</u>	
<u>83.212</u>	Slider valve
<u>26.291.025</u>	pneumatic cylinder
KX.11A.0350.1063	
130.000012	
AIRBOX K-F-SW-BI	AS-Interface Modul
<u>5927384</u>	reducer
ARS2320 FS	Function Device USB, Ethernet, CANopen
ARS2310 FS	Function Device USB, Ethernet, CANopen
E56.LOR.F40	
<u>001205</u>	
D53.ROL.N.24VDC.100%ED	Rotary Solenoid
D 53LOR * -N 24VDC 100%ED	Operating voltage of the swing magnet
D 24ROR * -F -DS9420- 24VDC 100%ED	rotary solenoid
	Totally Soletion
D54.ROR.N.24VDC.100%ED	220
76.411.00.02 (24VDC)	coil
76.411.02.12 (24VAC)	coil

Kuhnke Page 7 / 14





Product	Description
V45-F-12VDC-25%ED	Valve
76.146.11	Valve
ZFK.63.1400	Cylinder
060.001906	,
KX.41A.0050.4148	
18.008.02 (120.000703)	clevis D40 ISO
18.005.02 (120.000507)	Mounting brackets
21.21A1180 (120.000704)	cylinders
76.144.12.00 (120.000684)	valve
AIRBOX K-S-GE-MO	
81.029	valve
BBG-2-600-HDH	Body Blank Gauge
<u>1869601</u>	
BBG-CAL-2L-SA	
Certificate for calibration angle	
HT-D30-F-24VDC 100% ED	sticking magnet
<u>54.025</u>	Pneumatic timer
<u>76.127.91.00</u>	solenoid valve
HM157-F 24VDC 45%ED	oppressive solenoid magnets
54.021 (Ident-Nr.: 50154)	timer
<u>K-F-SW-MO</u>	AS-Interface Module, pneumatic
<u>H6286-R-F 24VDC 100%ED</u>	
<u>76.127.71.41</u>	valve
<u>77.012.12.00</u>	
D33.ROR.F.24VDC.100%ED	Rotary Solenoid
<u>76.410.02.15</u>	coil
<u>105A310-24VDC</u>	Relay
<u>UR 050.135 NT95</u>	Cylinder
76.410.00.02 (57843) for quantity 4 pieces	
<u>H 3406-F-24VDC 100% ED</u>	lifting magnet
<u>UR 050.90 NT95</u>	
<u>D22-LOL-F-24VDC 100% ED</u>	rotating magnet
D26.ROR.F.DS9420.12VDC.100%ED	
<u>V30-N-24DC100%ED</u>	Solenoid Actuator
<u>76.124.12.00</u>	5/3 way valve
<u>76.124.02.0076.124.02.00 (120.000713)</u>	76.124.02.00 5/3 way valve
<u>19.304.080</u>	cylinder
<u>Z801</u>	Connector Plug
RM040W-OBOO-N-24VDC.100%ED	
<u>Z836</u>	Stroke Limiter
<u>Z837</u>	Flange Plate
D24.BOL.F.24VDC.100%ED	
D 24BOR * -F -DS9420- 12VDC 100%ED / 72167	
<u>51.018.01US</u>	timer
<u>38150012</u>	

Kuhnke Page 8 / 14





Product	Description
<u>39.230.010</u>	
47.251.60	
65.171-24VDC	Solenoid valve
764100002	coil
76.087.91.00	
120.000156	valve
120.000716	
P/N: 060.000442, Type: 1-1393154-5	
H6206-F 24VDC 100%ED	Solenoid Actuator
37.290.100	Cylinder
KA2P.050.0175	Magnetic Twin Shanks Anti-Rotation Cylinder
CBM.32.020.DOM.DX	ag.reas van ename van violation by missi
CBM.32.020.DOM.SX	
P/N: 120.000020, Type: 81.021	
74.002	Poppet valve
76.067.92.00	valve
694 443 57	Control cabinet modul
694 454 53	Counter-Encoder
694 454 01	Counter module
694 455 02	communication module
77.610.00.06	24VDC coil
D 29ROL12* -F -DS9420	
<u>D 29NOL 12 -F -D39420</u> 28.291.080	magnet
694 454 16 00	FIO Drive Control
76.143.25.42	version with plastic body
76.127.71.42	valve
E53.ROR.N.24VDC.100%ED	solenoid
81.024	valve
<u>37.250.025</u>	Pneumatic cylinder
18.796.01	Colomoid
H32-F-HS3025/1 240 VDC	Solenoid
E53-BOR-F-DS5632-24VDC OEM	Rotating magnet
<u>150.000530/195422 - 65.176-110VAC</u>	solenoid valve
680.180.14	bus terminator P-DP
<u>76.146.11.00</u>	solenoid valve 3/2
AIRBOX-1-F-GE-MO	AS-Interface module, pneumatic
D54-ROL-F-24VDC	
<u>2515025</u>	F10.1
<u>184111</u>	FIO bus coupler DI16 DO16
<u>182639</u>	
<u>195227</u>	
<u>182646</u>	
p/n: 53954 type: 105A310F-230VACHE	relay
<u>D 32ROR</u>	
<u>694 454 16 00 / 196876</u>	FIO Drive Control

Kuhnke Page 9 / 14





Product	Description
<u>17514</u>	BRAKE ELECTROMAGNET
<u>51550</u>	Rotating solenoid
<u>77.012.14.00</u>	-
H3486-R-F 24VDC 100%ED	Solenoid
<u>33.008.18.05</u>	
<u>77.032.91.00</u>	valve
<u>50.880.00.80.00</u>	Pressure regulator
<u>81.021</u>	valve with manual actuation
<u>84.230.01</u>	Solenoid Valve
<u>770229100</u>	valve
D29.LOL.F.DS9420.24VDC.100%ED	Solenoid
D 24-BOR-F-DS9420-24VDC 100% ED	rotary magnet
D 24BOL * -F -DS9420- 24VDC 100%ED	rotary magnet
D 34-BOR-F-DS9420-24VDC 100% ED	Rotary solenoid
<u>200004891</u>	2/2 magnetic valve
<u>76.094.08.00</u>	
770129000	valve
<u>90195</u>	
19.194.050	-
H6246-F * 24VDC 100%ED	Solenoid Actuator
76.083.98.00	
<u>81.025</u>	valve
<u>438956101</u>	door lock
37.400.02	Cylinder Seal Kit
46.000	seat valve, mechanical
RM080W-HBOO-N / 77459	Solenoid
<u>60972</u>	
<u>8000554</u>	Valve
76.067.94.00	
76.136.01.00	
60G700 / 36.290.025	cylinders
79.029	Valve
D26-BOR-F-DS9420-24V DC 100 ED	
D29-BOR-F-DS9420-24V DC 100 ED	
694.412.01	Umbrella clamp
<u>694.412.02</u>	Shield terminal
RS9558-230VACH	
28291025	0.5-10 BAR PISTON
E56.ROL.F40.24VDC.100%ED	magnet
<u>21.51A.0250</u>	Pneumatic Cylinder
D54-BOR-F-24VDC	electric motor
KX.51B.0125.2389	
D39.LOL.M.DS9420.12VDC.100%ED	
1VDC000009R0005	Coil
1VDC000009R0002	Coil
	

Kuhnke Page 10 / 14





Product	Description
D26.LOR.F.DS2993.24VDC.100%ED	
76.136.21.00	Valve
76.411.02.14	
76.143.91.00	
76.067.81.41	valve
D23.ROL.F.24VDC.100%ED	
76.746.01.00	
D56LOR-F-DS9420	
81.029 /58720	ROUTER
old code 76.026.71.21 new 76.126.71.21	110012.1
76.126.71.21	
AR380050 / MP 1024-F/VA	load cell
76.027.95.00	solenoid
76.410.02.14	Reels
33.21.326	Pneumatic Proximity Switch
	-
114-A4.24VAC1L	relay
21.41A.0050	
76.123.71.41	solenoid
77.610.00.06 24VDC	coil
D92-LOL-N-24VDC 100%ED	ROTARY SOLENOID
<u>19104010</u>	cylinder
<u>81.014</u>	Mini chair pneumatic valve
<u>D59-BOR-N-DS9420-24VDC100%ED</u>	
D59.BOR.F.DS9420.24VDC.100%ED	Rotary Solenoid
<u>Code 72.015</u>	MACROVALVE AND BUTTON
toggle/leaver switch for 74.002	
<u>24.291.015</u>	
<u>76.023.71.42</u>	valve
<u>76.023.95.00</u>	pneumatic piston
<u>39.240.025</u>	Pneumatic Clamping Cylinder
<u>28.29.050</u>	CYLINDERS
<u>4-1415033-1</u>	
<u>VF.032.0025.D10</u>	cylinder
MT336230 / 060.000370	
<u>20.596.01</u>	Cylinder seal kit
20.504.0075	Cylinder
213R11	Seal kit
87.040.01.24VDC	solenoid
13282 - 83.240.01-24VDC	DYN valve
21.11A.007 <u>5</u>	
E54-BOR*-N-24VDC 100%ED	magnet
VF.063.0150.DOM	cylinder-piston
150.000071 / 65.171-24VDC	solenoid valve
51.006.00	Zeitglied
E52.BOR.N.24VDC.100%ED	Zeitglieu
<u>LJZ.DUN.IV.Z4VDU.10076ED</u>	

Kuhnke Page 11 / 14





Product	Description
76.083.97.00	
<u>76.027.94.00</u>	solenoid valve
76.067.91.00 (12v dc)	compressed air distributor
76.410.00.01 (12VDC coil to suit)	,
182634	
KE.023.71.42	
21.41A.0400	
19.504.015	
4013331	conversion kit
<u></u> <u>35.150.080</u>	PRESSURE CYLINDER
KE.023.71.41	
K6310.0115	
81027	
760879400	
D52ROL-F-24VDC-100%ED	D5 Series Rotary Solenoid
C.050.0075.DOM	Do defice Hetally defended
D52.ROL.N.24VDC.100%ED	
H3486-R-F 220VDC	
33.20.501	
<u>SP778013520</u>	
47.07 <u>6</u>	
47.07 <u>5</u>	
67.499.02-old code ,new code- 65.495.02	
76.420.00.99 (left)	MANIFOLD End Plate - Left
76.420.00.01	WANT OLD LITE Flate - Left
76.527.91.0 <u>0</u>	
76.420.00.98 (right)	MANIFOLD End Plate right
160.000162	MANIFOLD End Flate right
	votowy dwiyoo
701.002	rotary drives
<u>21.11A.0500</u>	
KE.087.97.00.0012	and the state of t
<u>36.290.150</u>	compressed air cylinder
<u>76.144.25.39</u>	0.1
64.017.24V	Coil
KX61A05004222	cylinder
<u>76.047.69.41</u>	Pedal
<u>76.420.00.12</u>	Iso 2 single subbase
<u>76.420.00.14</u>	Subbase x iso 2 battery
<u>76.420.00.85</u>	Alim subbase. /close iso 2
<u>76.420.00.32</u>	Blind plate x iso 2
<u>38.250.025</u>	
RM080W.OBOO.N.24VDC.100%ED	magnetic actuators
<u>V30.N.24VDC.100%ED</u>	
D23.ROR.F.24VDC.14%ED	Solenoid Valve
<u>59196</u>	Piston

Kuhnke Page 12/14





Product	Description
<u>130.000165 - 97940</u>	·
<u>201885</u>	Coil
D39.LOL.M.DS9420.24VDC.100%ED	
<u>76.147.81.41</u>	
060.000297	
KE.042.27.00.3848	valve
<u>36.250.075</u>	pneumatic piston
776100012	24VAC coil
123B-50250/1	
33.19.200	sensors
<u>761448138</u>	compressed air valves
760422721	compressed air valves
<u>85.030.01</u>	air distributor
Vitoflame 200 / Z004790	
<u>85.022 / 120.000046</u>	
120.00074274514/19.104.025	SHORT STROKE CYLINDER
76.266.01.00	solenoid valve
39027 / RS-9558	 Relais
19294025	cylinders
H34-F-HS3144	Solenoid lock
64.025 24V DC	micro solenoid valve
46.001	valve
21.41A.015 <u>0</u>	
150.000073 / 201899	solenoid valve
150.000530 / 201898	solenoid valve
<u>2111A0250</u>	piston
691.200.01	·
120.000746 / 76.420.00.29	
201088	
D26.BOL.F.DS9420.24VDC.100%ED	
21.31A.0750	
160.000267 / RS-9564	
160.000292 / RS-9529	Relais
EMI-SS-224A	
D52.ROR.F.24VDC.100%ED	
RS9529 (105-G310F.230VAC)	
RS9564 (105-G220F.230VAC)	
EA5MH2	Valve
76.387.97.00 / 120.000747	3/2-way valve
AC.3A.0160.MX.0160	
16.109.11	
SP750.0315	reducer
HDM.063.150.GS.M	
HDM.040.250.GS.M	
761279200	
_ · · · · ·	

Kuhnke Page 13 / 14





Product	Description
77.610.00.07	
RM32.R.F.24VDC.100%ED	
<u>74.004</u>	
<u>47.002</u>	
<u>38.250.050</u>	Pneumatic cylinder
D54-ROR-F-24VDC / 130.000440	magnet
D64-ROR-N-24VDC / 130.000330	magnet
D64-BOR*-F-24VDC / 130.000469	magnet
<u>Z376.02 - 7A / 300V</u>	
<u>50.780.00.10.10</u>	microregulator
D96-BOO*-N-205VDC 5%ED	magnet
<u>D54-LOR40-N-24VDC 100%ED /</u>	magnet
<u>38.250.075</u>	Cylinder
RM040W.OBOO.F.24VDC.100%ED	Solenoid
81.044.01.24VDC	
<u>39.242.025</u>	
<u>48.250.00.10.10</u>	Pressure Regulator
<u>39.240.005</u>	cylinder
<u>81.028</u>	valve
D26.ROR.F.24VDC.48%ED	
SZ-50-185-ED-F689.1	
<u>19.104.005</u>	
<u>76.093.98.00</u>	valves
<u>74.000</u>	3/2-way seat valve
<u>160.000293</u>	coil
<u>AV.6A.0100.MX</u>	
<u>HDM.032.025.GS.M</u>	
<u>ADM.100.020.GS.F</u>	
RM50.N.24VDC.4,8%ED	
<u>16775</u>	
<u>D22.ROR.F.24VDC.4.4%ED</u>	
79.028 / 120.000009	3/2 steel spool valve
1730134/ SL 7010	
120.000572 (25,291,025 cylinders)	
<u>50.061.02</u>	Coupling part
<u>47.251.16</u>	check valve
<u>D23-ROR*-F-24VDC 4,4%ED</u>	
D36BOO-F-24VDC 24%ED (130.000744)	
<u>120.000153</u>	
<u>64.031.24VDC</u>	

Kuhnke Page 14 / 14