



Identification	Type	OT 6-2082 DC 24 V
	Part-No.	762082
Input		
Input voltage range	4.2 V – 30.0 V	
Rated current	0.1 mA	
Interrupting voltage	<2.7 V	
Protection device	Suppressor diode	
Status Indication	LED yellow	
Load Side		
Switching element	Transistor, N/O contact	
Min. switching voltage	DC 5 V	
Max. switching voltage	DC 48 V	
Min. switching current	DC 10 mA	
Max. switching current	DC 500 mA (Derating)	
Switch-on delay	12 µs	
Switch-off delay	12 µs	
Switching frequency	<20 kHz	
Protection device output	Suppressor diode	
General		
Housing material	PPE	

14.08.2014 – Subject to technical modification

Part-No. 762082

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA

Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223

www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park

Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU


Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2

www.lutze.com • sales.gb@lutze.co.uk


Technical data sheet • Interface Technology

Protection class	IP 20
Field installation	rail TS 35 (EN 50022)
Insulation voltage input/output	3.8 kV _{eff}
Clearance/creep. dist. (control/load side)	>4.5 mm
Safe isolation	yes
Min. working temperature	-25 °C
Max. working temperature	60 °C
Min. storage temperature	-40 °C
Max. storage temperature	80 °C
Width	6.2
Height	78.0
Depth	86.0
Weight (kg/piece)	0.029
Termination	Screw terminal: 0.25–2.5 mm ²

Dimensions



PIN assignment



14.08.2014 – Subject to technical modification

Part-No. 762082

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA

Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223

www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park

Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU


Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2

www.lutze.com • sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY

PIN assignment



Derating



Accessories

Accessories	Colour	Article number	Type	PU
Jumper comb 24-pin, 26 A	blue	760801	BK 6-0801	5
Tag holder 4×11 mm	white	681313	BZT-0411	100

14.08.2014 – Subject to technical modification

Part-No. 762082

USA: LUTZE INC.
13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.
Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk