



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk



Mecalectro

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
8.56-.24.62T (80W-125VCC-SI)	Electro-magnet
5.83.01	
8.10.11.64 24VCC	Solenoid type 18W 40%
8.10-.AB.64L5	Electro-magnet
8.10-.BA.83	Electromagnet
D-.8.565.12	Hydraulic Control Electromagnet
8.56.24.62T (250W-125VDC-SI)	Solenoid
18P41103	(Solenoid 24VDC 70W)
8.P41.01.01	ELECTRODYNAMIC ACTUATOR
1825030A46 S-.8.25-.CY.18 - 24V CC-SP	.
S8 458 BM02 24 VCC	
1845865A38	Electromagnetic Lock
1BS2820A55	
1BS2820A61	(Shotbolt 12VCC 110W 40%)
TMB1290 (OEM*)	ELETTROMAGNETE
Z.8.15.AK.83	Axial Electromagnetic Lock
16593	COMPLETE KIT FOR SOLENOID FSL/FSO TH790
Z8.15.83.83	Solenoid
XV18-2515	Atex electromagnet
AE.P41.41.01 OEM	Voice coil
8.MB30.02.19 12Vcc-10W 42217	ELECTRO AIMANT
S-.9.28-.44.04	Shotbolt
1581101A31	Holding magnet
S-.8.25-.BY.57	Electromagnetic lock
Z.8.15.AM.83 - P9904838	electro magnet
1823132A37	SOLENOID
58-10-Z-110	Coil
Type : 58-10-Z-110	Coil 110V
Type : 1.510	COIL
18P27103	Diesel Control Electromagnet
58-6-Z-380	Coil
8.19-11.83	Single acting linear actuator electromagnet
8.10-.11.83	Solenoid
8.56-.24.29T - 220Vca - SI	Electric magnet
8.56-.24.62T / 48Vcc-SI-80W	Single-Effect Linear Control Electromagnet
8.23.AB.62T-23W-48VCC-100%	



Product	Description
8.23.AB.62T-23W-24VCC-100%	
.8.23-.AB.62T (125Vcc)	Single Acting Linear Drive Solenoid
8.56.24.62T 24VCC 80W	solenoid
1845875A38	Locking electromagnet
8.13-.11.64	Solenoid
854AA62	Hubmagnet
1815148A40	Electro magnet
B-.8.31-.41.66U	Solenoid
8.23-.AB.62T (125VDC 23W)	Solenoid
1856114A27	COIL SOLENOID 110VDC
8.10-.11.64	Electromagnet
8.23-.AB.62T (125Vcc - 23W)	
B 8 28 86 29	Solenoid
8 10 AB 64 L5 (24Vcc-20% 2mn-30W)	magnetic coil
1813119A37	
Z.8.15.AQ.83	Solenoid valve
1845877D25	
Z-.8.15D.46.18	Solenoid
1BS1311A36	
K1 8 25 AR 78	
5.82.01	
8.19-.11.73T /15%	Electro-magnet
P- 5 12 D 44	
Coil 56 10 Z 24	
1BS1310A36	
8.10.BM.28 (24Vcc-100%-9W)	Electromagnetic Lock
P.7.40.33.05 (24Vcc-40% 2mn-24W)	Electro-Magnet Bistable
Coil for solenoid 1.508 / 58-6-Z-110	Coil for solenoid
8.23-.AB.62T (100%-23W 115/125VDC)	Solenoid
1825334D34	
324536-02 OEM	ELECTROAIMANT CABLE
Z.8.15.AS.66	
58-11-Z-48	coil
8.13-.43.29L5 /1813176A37	Solenoid
8.30-.40.25 - 110V	Coil
0-10-Y-110	Spare Coil for Electro-Magnet
8.23-.80.64	Electro Magnet
5.80.15	electromagnet
L-.7.60-.05.10	Electromagnet
1834195A64	Electromagnet
8.56-.24.62T - 110VCC-SI	
8.M15.02.73	D-frame DC solenoid
P-.5.12-.44	Electromagnetic suction cup
8.23D.91.85 // 1823204A30	
S-.8.25-.DA.57	Electromagnetic lock



Product	Description
8.10-.AB.64L5 (24Vcc-100%-8.5W)	Electro-Magnet for Simple Linear Control Effect
NF91 48VDC	Complete Valve + Solenoid
1845873A19	LOCK E.A.
8.56-.AP.62	
8.23-.AB.62T (110Vcc)	Electromagnet
Z-.8.15-.AM.83 - 20Vcc - 100% - 20W	Single Acting Linear Control Electromagnet
1628/02	coil
1823132A23	Electromagnet
Z-.8.15-.02.29	Single acting Linear Control Magnet
8.13.AU.83 (24 VDC- 32W-100%)	
8.13-.11.73	Single Effect Linear Control Electromagnet
8.56 -.24.62T - 125Vcc - SI - 80W	electro magnet
D-.8.473.40	Hydraulic Control Electromagnet
B-7.60-05.10	Bistable electromagnet
5.19 -.45 / 24Vdc - 100% -17.5W	Electro - Magnet Carrier
B-5.34-44	ELECTRICAL MAGNET
Z-.8.15-.AB.83	Single Acting Linear Drive Solenoid
8.M05.40.15 18M051001	electro magnet
70-008-10645 // TECSM810AB64L5	
1815159A38	
S4.9.28.20.04	
8.13.AB.83	magnetic switch
1813162A53	Electro magnet
1825021D34	Lock
B-.8.25-.35.64	Single Acting Linear Control Electromagnet
S4.8.25-.DM.18F	Axial Electromagnetic Lock Live Lock
XS.8.25-.DA.57T4	Electromagnetic Lock
F-.5.80D.50L10	Electromagnetic suction cup
1740110A34	Solenoid
8.23-.01.64	Single Acting Linear Drive Solenoid
8.13-.11.83	Single Acting Linear Drive Solenoid
R433693	electro magnet
58015 24V	Holding magnet
S-9.28-51.05	Electrovalve / actuator (per photo)
1823132A29	Single Acting Linear Drive Solenoid
1825034A46	Electromagnetic lock
D4.5.34-.44	Carrier Electromagnet
D3.8.28-70.28	Electro-magnet
8.403.69.26 - 72VCC-SP	coil
5.84.01	holding magnet
1CD25127A5	electromagnet diesel control
1856114A26	Single Effect Linear Control Electromagnet
5.19-.45 (17.5W)	Carrier Electromagnet
8.13-.43.29	Single Acting Linear Drive Solenoid
8.10-.BA.83 (24Vcc)	Single Acting Linear Drive Solenoid



Product	Description
8.10-.BA.83 (110Vcc)	Single Acting Linear Drive Solenoid
M05411D	Suction cup kit
8.10-.11.83 (114W)	Single Acting Linear Drive Solenoid
12daN 7.80.01-24VCC-100%-3.5W	Electromagnetic suction cup
8.19.AB.83	Push/Pull Linear Magnetic Switch 24 Vdc 6 → 22N 16mm
1823238A28	Electromagnet
56 6 Z 220	spool
B8.31-41.66	electromagnet
D3.8.28.78.29	Single-acting linear control electro magnet
Ref : 8.10.11.64	
S1.8.25-.DA.57 - 24VCA -100% - 32W (Code 1825031A48)	Axial Electromagnetic Lock Power-Off Lock
1810137A36	Euromagnet Valve
B101122	Solenoid Coil
8.56.AA.62 24VCC 100% 10W	coil
Electromagnetic lock 3.5 daN 24VDC 100% 1.6W	
Electromagnetic suction cup 12 daN 24VDC 100% 1.6W (5.80.05)	
1823113D30	Single Effect Linear Control Electromagnet
Z-.8.15-.AX.83 / 12Vcc-5% 2mn-275W	
1815157A38	Electro magnet
9030000331	Complete Kit For Solenoid Fsl/Fso
1823238A37	coil
D4.8.28.70.28	electromagnet
B.8.28.DA.85 41VCC 100% 48W	Electroaiman
12daN 5.80D.15 220VCA 50Hz 100% 4VA	Electromagnetic suction pad
18M1710202	linear thrust solenoid
Y7.8.23.AP.64F	magnetic switch
1AEG411001	voice coil
1AEG511002	voice coil
1BS1510D24	
8.23D.01.64 - 240V	
8.M14.02.52 18M1410303	Electro magnet
1813151A39	
1825207A46	Magnet
1815169A42	
S-.8.458.BM .02 - 24V -18W-SP 1845865A38	E.A. LOCKING (ST)
18M1410303	Electromagnet
1VM8018D10	SAFETY SUCTION CUP
1BS2824A36	
--.8.10-.AB.64L5 - 24VCC-20% (code 1810137A36)	
1856114A31	
1VM1216A21	Safety suction cup
1856114A35	
1VM1237A21	SECURITY SUCTION CUP



Product	Description
1BS2815A53	
8.M14.02.73.12.VCC.100%	linear magnetic switch
1VE1218A26	
Z.8.15.AR.83	
1138395	Electrovalve
Z-8.15-A0.43	SAFETY INTERLOCK COIL
1BS2813A53	
1823121A43	
7.80.05	holding magnet
8.23D.80.64	
1856112A28	COIL
1856114A39	trip coil
B.8.34.BP.41F.-12V-100%	
8.23-.01.64.24VCC.-15%	
1823238A43	
1825320A33	
1855130A28	electromagnet
Z8.57D.AA.52	Electromagnet
K.8.458.44.14	
1821115A25	electromagnetic actuator
8.10.11.83.-24VCC-15%	coil
8.19-.11.52-24VCC-100%	
1823177A43	
F.7.12.44L6	SAFETY SUCTION CUP
F.7.12.44L10	SAFETY SUCTION CUP
8.56.AA.52T	solenoid
1856114A32	Minimum coil
1513102A35	
F-5.80-50L10	Electromagnetic suction cup
8.56.24.62T (48VCC- 80W)	coil
8.56.24.62T 48VCC 23W 100%	
M.F3013.05 - 6W12/24VDC	
1823238A27	Solenoid
P.7.40.33.05-24V-40%	
8.23D.91.85	coil
7.80D.05	magnets
8.P27.40.03	
S.9.28.20.04	
1BS1014A16	
C.8.25W.BL.88 /B111000287	
1VM8013A19	magnet
187610A43	electromagnet
1810109A30	
8.13-11.83 /B803000517	
S.9.28.42.05 12VCC- 5MN	



Product	Description
K4.8.10-.BP.17 100%-9W-230VCA	solenoid
C207000052	
250W 8.56.24.62T -110VCC - SI	Minimum spool
23W 8.23.54.62T-110VCC - 100%	opening coil
1VE8012A23	
1XBS251042	safety lock
S-.9.28-.42.05 - 12VCC-5MN / 1BS2820A61	
5.80-.11 - 24V CC-1,6W	WIND. OF SAFETY (ST)
1810126A36	
1819164F41 / 8.19.11.52F (24VCC, FM 100%, 18W)	Coil
1823238B28	
8.458.DD.54T - 24V CC-SP	E.A. OF UNLOCKING
D.8.570.41.11	
8.56.-.24.62T (80Watt)	
8.56.-.24.62T (125Watt)	
8.23-.AB.62T	
8.M 17.02.62	ELECTROMAGNET 69.5W
1856114A28	