



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онџл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Microsonic

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
p/n: 29320, Type: crm+130/IU/TC/E	Article no. 29 320
p/n: 29210, Type: crm+35/DD/TC/E	ultrasonic sensor
p/n: 50023, Type: KST5A-2/M12	angled connector with cable 2 m
p/n: 50033, Type: KST5A-5/M12	sensor cable
p/n: 50002, Type: KST5G-2/M12	straight plug with 2 m cable
p/n: 50013, Type: KST5G-5/M12	operating mode
p/n: 50211, Type: LCA-2	Control-Adapter
22320 / MIC+130/IU/TC	Ultrasonic approach switch
p/n: 22321, Type: mic+130/IU/TC/E	sensor
p/n: 22100, Type: mic+25/D/TC	Sensor
p/n: 22420, Type: mic+340/IU/TC	ultrasonic sensor
p/n: 22200, Type: mic+35/D/TC	ultrasonic sensor
p/n: 22510, Type: mic+600/DD/TC	Proximity Switch
p/n: 22422, Type: mic-340/IU/M	ultrasonic sensor
p/n: 22502, Type: mic-600/D/M	Ultrasonic sensor
p/n: 22522, Type: mic-600/IU/M	
p/n: 22310, Type: mic+130/DD/TC	sensor
p/n: 22150, Type: mic+25/E/TC	sensor
zws-15/BE/ MAN1.2B 80.37U44-A120	Ultrasonic proximity switch
p/n: 18009, Type: zws-15/CD/ 5ms.a	sensor
p/n: 19000, Type: ucs-15/CDD/QM	
dbk-4/Empf/CDD/O/M18	
p/n: 18014, Type: zws-24/CU/QS	
mic+600/D/TC	Ultrasonic sensor
p/n: 22110, Type: mic+25/DD/TC	Ultrasonic sensor
p/n: 28210, Type: lcs-35/DD/QP	ultrasonic sensor
zws-25/CU/QS	sensor
p/n: 16620, Type: dbk+4/M18/3CDD/M18 E+S	Intelligente Sensoren
p/n: 16630, Type: dbk+4/M12/3CDD/M18 E+S	
dbk+5/3CDD/M18 E+S	dbk+5 double sheet control
dbk-4/CDD/O/M18 E+S	
dbk-4/Sender/M18/K2	
mic+25/D/TC	
mic+25/IU/TC	
mic+340/DD/TC	
mic+35/DIU/TC	

Product	Description
p/n: 22530, Type: mic+600/DIU/TC	mic+ ultrasonic sensor
SoundPipe zws1 / for zws-15 and zws-7 sensors	Waveguide tube for attachment to zws series sensor
vnp-35/DD/TC	
p/n: 31600, Type: wms-25/RT/HV/M18	
p/n: 18001, Type: zws-15/CD/QS	Ultrasonic sensor
18011 / zws-24/CD/QS	zws ultrasonic sensor
12 100 / pico+25/E	ultrasonic sensors
p/n: 22322, Type: mic-130/IU/M	
p/n: 31320, Type: wms-130/RT	wms ultrasonic sensor
p/n: 22201, Type: mic+35/D/TC/E	Sensor
p/n: 22211, Type: mic+35/DD/TC/E	Ultrasonic sensor
p/n: 22330, Type: mic+130/DIU/TC	andere Bauformen
p/n: 22331, Type: mic+130/DIU/TC/E	andere Bauformen
lpc-25/PK/CU/M18E	lpc-25/PK/CU/M18E
p/n: 22300, Type: mic+130/D/TC	
p/n: 14201, Type: bks+6/FIU	Ultrasonic web edge sensor
zws-15/BE/ MAN1.2B	
p/n: 18015, Type: zws-70/CD/QS	Ultrasonic sensor
lpc-25/CDD/M18/E	Ultrasonic sensor
p/n: 14001, Type: bks-3/CIU	
p/n: 14011, Type: bks-6/12/CIU	sensor
p/n: 14101, Type: bks+3/FIU	Track edge sensor
p/n: 29100, Type: crm+25/D/TC/E	
p/n: 29110, Type: crm+25/DD/TC/E	crm+ ultrasonic sensor
p/n: 29120, Type: crm+25/IU/TC/E	
p/n: 29200, Type: crm+35/D/TC/E	
p/n: 29220, Type: crm+35/IU/TC/E	Ultrasonic sensor
p/n: 29300, Type: crm+130/D/TC/E	
p/n: 29310, Type: crm+130/DD/TC/E	
p/n: 29330, Type: crm+130/DIU/TC/E	
p/n: 29400, Type: crm+340/D/TC/E	
p/n: 29410, Type: crm+340/DD/TC/E	
p/n: 29420, Type: crm+340/IU/TC/E	ULTRASONIC SENSOR
p/n: 29430, Type: crm+340/DIU/TC/E	
p/n: 29500, Type: crm+600/D/TC/E	
p/n: 29510, Type: crm+600/DD/TC/E	
p/n: 29520, Type: crm+600/IU/TC/E	
p/n: 16600, Type: dbk+4/3CDD/M18 E+S	Sensor
p/n: 16610, Type: dbk+4/WK/3CDD/M18 E+S	
p/n: 16650, Type: dbk+4/3BEE/M18 E+S	
p/n: 16660, Type: dbk+4/WK/3BEE/M18 E+S	
p/n: 16670, Type: dbk+4/M18/3BEE/M18 E+S	
p/n: 16680, Type: dbk+4/M12/3BEE/M18 E+S	dbk+4 double sheet control
p/n: 16605, Type: dbk+4/Sender/M18/K1	
p/n: 16635, Type: dbk+4/Sender/M12/K1	

Product	Description
p/n: 16601, Type: dbk+4/Empf/3CDD/M18	
p/n: 16611, Type: dbk+4/Empf/WK/3CDD/M18	
p/n: 16621, Type: dbk+4/Empf/M18/3CDD/M18	
p/n: 16631, Type: dbk+4/Empf/M12/3CDD/M18	
p/n: 16651, Type: dbk+4/Empf/3BEE/M18	
p/n: 16661, Type: dbk+4/Empf/WK/3BEE/M18	
p/n: 16671, Type: dbk+4/Empf/M18/3BEE/M18	
p/n: 16681, Type: dbk+4/Empf/M12/3BEE/M18	
p/n: 16700, Type: dbk+5/3CDD/M18 E+S	
p/n: 16710, Type: dbk+5/3BEE/M18 E+S	
p/n: 16705, Type: dbk+5/Sender/M18/K1	
p/n: 16701, Type: dbk+5/Empf/3CDD/M18	
p/n: 16711, Type: dbk+5/Empf/3BEE/M18	
P/N: 16 900 Type: esf-1/CDF	
16901 / esf-1/CF	
p/n: 16800, Type: esp-4/3CDD/M18 E+S	
p/n: 16830, Type: esp-4/M12/3CDD/M18 E+S	
p/n: 16801, Type: esp-4/Empf/3CDD/M18	
p/n: 16831, Type: esp-4/Empf/M12/3CDD/M18	
p/n: 33001, Type: ews-15/CD (single unit)	
p/n: 33100, Type: ews-15/M18/CD Set	
p/n: 33110, Type: ews-25/M18/CD Set	
p/n: 33130, Type: ews-100/M18/CD Set	
p/n: 26111, Type: hps+25/DD/TC/E/G1	
p/n: 26132, Type: hps+25/DIU/TC/E/G1	hps+ sensor
p/n: 26210, Type: hps+35/DD/TC/E/G1	
p/n: 26230, Type: hps+35/DIU/TC/E/G1	
12411 / hps+80/I/GF/K5	sensor
p/n: 12412, Type: hps+80/I/GF/OS/ K5	
p/n: 26730, Type: hps+80/DIU/TC/E/G1	
p/n: 26310, Type: hps+130/DD/TC/E/G1	
p/n: 26330, Type: hps+130/DIU/TC/E/G1	
p/n: 26410, Type: hps+340/DD/TC/E/G2	
p/n: 26411, Type: hps+340/DD/TC/G2	
p/n: 26431, Type: hps+340/DIU/TC/G2	hps+ ultrasonic sensor
p/n: 28110, Type: lcs-25/DD/QP	
p/n: 28140, Type: lcs-25/DDD/QP	
p/n: 28120, Type: lcs-25/IU/QP	
p/n: 28240, Type: lcs-35/DDD/QP	
p/n: 28340, Type: lcs-130/DDD/QP	
p/n: 28320, Type: lcs-130/IU/QP	ultrasonic sensor
p/n: 32410, Type: lcs+340/DD	
p/n: 32420, Type: lcs+340/IU	
p/n: 32510, Type: lcs+600/DD	
p/n: 32520, Type: lcs+600/IU	lcs+ ultrasonic sensor

Product	Description
P/N: 17 050 Type: lpc-25/CDD/M18	
lpc-25/GDI/M18	Ultrasonic Sensor
p/n: 22102, Type: mic-25/D/M	
p/n: 22122, Type: mic-25/IU/M	
p/n: 22202, Type: mic-35/D/M	
p/n: 22222, Type: mic-35/IU/M	
p/n: 22302, Type: mic-130/D/M	
p/n: 22312, Type: mic-130/DD/M	sensor
p/n: 22402, Type: mic-340/D/M	
p/n: 22412, Type: mic-340/DD/M	sensor
p/n: 22101, Type: mic+25/D/TC/E	
22111 / mic+25/DD/TC/E	
p/n: 22121, Type: mic+25/IU/TC/E	
p/n: 22130, Type: mic+25/DIU/TC	sensor
p/n: 22131, Type: mic+25/DIU/TC/E	
p/n: 22160, Type: mic+25/EE/TC	
p/n: 22210, Type: mic+35/DD/TC	
p/n: 22230, Type: mic+35/DIU/TC	mic+ ultrasonic sensor
p/n: 22231, Type: mic+35/DIU/TC/E	
p/n: 22250, Type: mic+35/E/TC	
p/n: 22260, Type: mic+35/EE/TC	
22301 / mic+130/D/TC/E	
p/n: 22311, Type: mic+130/DD/TC/E	
mic+130/DIU/TC	mic+ ultrasonic sensor
p/n: 22350, Type: mic+130/E/TC	
p/n: 22360, Type: mic+130/EE/TC	
p/n: 22400, Type: mic+340/D/TC	
p/n: 22401, Type: mic+340/D/TC/E	mic+ ultrasonic sensor
p/n: 22410, Type: mic+340/DD/TC	Ultrasonic sensor
p/n: 22411, Type: mic+340/DD/TC/E	
p/n: 22421, Type: mic+340/IU/TC/E	sensor proximity ultrasonic
p/n: 22430, Type: mic+340/DIU/TC	Ultrasonic converter
p/n: 22431, Type: mic+340/DIU/TC/E	
p/n: 22450, Type: mic+340/E/TC	
p/n: 22460, Type: mic+340/EE/TC	
p/n: 22501, Type: mic+600/D/TC/E	
p/n: 22511, Type: mic+600/DD/TC/E	
p/n: 22520, Type: mic+600/IU/TC	Ultrasonic sensor
mic+600/DIU/TC	mic+ ultrasonic sensor
p/n: 22531, Type: mic+600/DIU/TC/E	
p/n: 22550, Type: mic+600/E/TC	
p/n: 22560, Type: mic+600/EE/TC	
p/n: 34000, Type: nano-15/CD	
p/n: 34009, Type: nano-15/CE	
p/n: 34005, Type: nano-15/CI	nano ultrasonic sensor

Product	Description
p/n: 34006, Type: nano-15/CU	
p/n: 34001, Type: nano-24/CD	
p/n: 34010, Type: nano-24/CE	
p/n: 34007, Type: nano-24/CI	
p/n: 34008, Type: nano-24/CU	
p/n: 12110, Type: pico+25/I	Sensor
p/n: 12112, Type: pico+25/WK/I	
p/n: 12120, Type: pico+25/U	pico+ ultrasonic sensor
p/n: 12122, Type: pico+25/WK/U	Ultrasonic sensor
P/N: 12 200 Type: pico+35/F	
p/n: 12 202, Type: pico+35/WK/F	
p/n: 12210, Type: pico+35/I	ultrasonic sensor
p/n: 12212, Type: pico+35/WK/I	sensor
p/n: 12220, Type: pico+35/U	Ultrasonic sensor
p/n: 12222, Type: pico+35/WK/U	
p/n: 12312, Type: pico+100/WK/I	
p/n: 12320, Type: pico+100/U	
p/n: 12322, Type: pico+100/WK/U	ultrasonic sensors
p/n: 12006, Type: pico+15/TF/F	
p/n: 12026, Type: pico+15/TF/I	
p/n: 12023, Type: pico+15/TF/U	
p/n: 12104, Type: pico+25/TF/F	
p/n: 12114, Type: pico+25/TF/I	Pico+TF ultrasonic sensor
12124 / pico+25/TF/U	Ultrasonic level sensors
p/n: 12240, Type: pico+35/TF/F	
p/n: 12226, Type: pico+35/TF/I	Ultrasonic level sensor
p/n: 12224, Type: pico+35/TF/U	
p/n: 12316, Type: pico+100/TF/F	
p/n: 12314, Type: pico+100/TF/I	ultrasonic filling-level sensor
p/n: 12315, Type: pico+100/TF/U	Ultrasonic Level Transducer
p/n: 13000, Type: sks-15/D	
p/n: 13001, Type: sks-15/CD	sensor
p/n: 13002, Type: sks-15/E	
p/n: 13003, Type: sks-15/CE	
p/n: 13008, Type: sks-15/CI	
p/n: 13007, Type: sks-15/CU	
p/n: 19001, Type: ucs-15/CEE/QM	
p/n: 19002, Type: ucs-24/CDD/QM	sensor
p/n: 19003, Type: ucs-24/CEE/QM	sensor
p/n: 31310, Type: wms-35/RT	sensor
p/n: 31330, Type: wms-340/RT	Distance sensor
p/n: 31340, Type: wms-600/RT	
p/n: 18035, Type: zws-7/CD/QS	ultrasonic sensor
p/n: 18002, Type: zws-15/CE/QS	
p/n: 18003, Type: zws-15/CI/QS	

Product	Description
P/N: 18004, Type: zws-15/CU/QS	zws ultrasonic sensor
p/n: 18011, Type: zws-24/CD/QS	
p/n: 18012, Type: zws-24/CE/QS	
p/n: 18013, Type: zws-24/CI/QS	Ultrasonic Distance Sensor
p/n: 18041, Type: zws-25/CD/QS	
p/n: 18043, Type: zws-25/CE/QS	
p/n: 18016, Type: zws-70/CE/QS	
p/n: 18018, Type: zws-70/CI/QS	zws ultrasonic sensor
p/n: 18017, Type: zws-70/CU/QS	
p/n: 50000, Type: KST4G-2/M12	
p/n: 50001, Type: KST4G-2/M12/S	
p/n: 50020, Type: KST4A-2/M12	
p/n: 50021, Type: KST4A-2/M12/S	
p/n: 50010, Type: KST4G-5/M12	
p/n: 50011, Type: KST4G-5/M12/S	
p/n: 50030, Type: KST4A-5/M12	
p/n: 50031, Type: KST4A-5/M12/S	
p/n: 50012, Type: KST4G-10/M12	
p/n: 50035, Type: KST4A-10/M12	
p/n: 50036, Type: KST5G-10/M12	cable
p/n: 50407, Type: KST3G-2/M8	
p/n: 50406, Type: KST3A-2/M8	
p/n: 50409, Type: KST3G-5/M8	
p/n: 50408, Type: KST3A-5/M8	
p/n: 50401, Type: KST4G-2/M8	cable
p/n: 50400, Type: KST4A-2/M8	
p/n: 50403, Type: KST4G-5/M8	
p/n: 50402, Type: KST4A-5/M8	
p/n: 50060, Type: STG4/M12	
p/n: 50070, Type: STA4/M12	
p/n: 50061, Type: STG5/M12	
p/n: 50062, Type: STA5/M12	
p/n: 50212, Type: LCA-2 Koffer	
p/n: 50250, Type: SyncBox 1	
p/n: 50251, Type: SyncBox 2	
p/n: 50301, Type: dbk-Testbogen	
p/n: 50140, Type: UF-90/M18	
p/n: 50150, Type: UF-90/M30	
p/n: 50411, Type: MW-ZWS1	
p/n: 50412, Type: MW-ZWS2	
p/n: 50413, Type: MW-ZWS3	
p/n: 50414, Type: MW-LCS1	
p/n: 50090, Type: BF-18	
p/n: 50100, Type: BF-30	
P/N: 17 050 Type: lpc-25/CDD/M18	

Product	Description
p/n: 22120, Type: mic+25/IU/TC	
p/n: 22212, Type: mic-35/DD/M	Level sensor
p/n: 28310, Type: lcs-130/DD/QP	sensor
p/n: 28220, Type: lcs-35/IU/QP	
P/N: 17 056 Type: lpc-25/CU/M18	Ultrasonic sensor
p/n: 12310, Type: pico+100/I	
22 120 / mic+25/IU/TC	ultra sonic sensor
P/N: 17 056 Type: lpc-25/CU/M18	ULTRA-SONIC SENSOR
Bks-3/CDD	Sensor
MIC+35/D/TC	ultrasonic sensor
p/n: 26430, Type: hps+340/DIU/TC/E/G2	
22 420 / MIC+340/IU/TC	
p/n: 22220, Type: mic+35/IU/TC	Sensor
22 220 / mic+35/IU/TC	ultrasonic sensor
p/n: 22 320, Type: mic+130/IU/TC	Ultrasonic sensor
105491	Ultrasonic sensor
bks+6/FIU	
22 210 / mic+35/DD/TC	sensor
18 001 / ZWS-15/CD/QS	Sensor
mic+340/IU/HVM	
pico+25/F	ULTRASONIC-SENSOR
p/n: 36100, Type: lpc+25/CFF	
mic+35/DDIU/TC	
16635 / dbk+4/Sender/M12/K1	
zws-24/CD/ HP	
MICT25/D/TC	Ultrasonic sensor
lcs+340/IU	
zws-15/BE/ MAN2.1A 80.37U44-A092	
mic+600/DD/TC - 600-M3000mm	Ultrasonic Level Meter
mic+340/DD/TC - 350+3400mm	Ultrasonic Level Meter
p/n: 29180, Type: crm+25/F/TC/E	
p/n: 29130, Type: crm+25/DIU/TC/E	
p/n: 29280, Type: crm+35/F/TC/E	
p/n: 29380, Type: crm+130/F/TC/E	
p/n: 29480, Type: crm+340/F/TC/E	
p/n: 29580, Type: crm+600/F/TC/E	
p/n: 16950, Type: esf-1/CDF/A	Label and splice sensor
p/n: 16951, Type: esf-1/CF/A	
p/n: 16953, Type: esf-1/7/CDF/A	
p/n: 16952, Type: esf-1/15/CDF/A	esf-1 Label and Splice Sensor
p/n: 33010, Type: ews-15/CD Set	ews disposable barrier set
p/n: 12411, Type: hps+80/I/GF/K5	
p/n: 32480, Type: lcs+340/F/A	ultrasonic sensor
p/n: 32580, Type: lcs+600/F/A	
p/n: 36000, Type: lpc+15/CFF	

Product	Description
p/n: 36001, Type: lpc+15/WK/CFF	
p/n: 36101, Type: lpc+25/WK/CFF	
p/n: 36200, Type: lpc+35/CFF	
p/n: 36201, Type: lpc+35/WK/CFF	
p/n: 36300, Type: lpc+100/CFF	
p/n: 36301, Type: lpc+100/WK/CFF	
p/n: 36010, Type: lpc+15/CFI	
p/n: 36011, Type: lpc+15/WK/CFI	
p/n: 36110, Type: lpc+25/CFI	
p/n: 36111, Type: lpc+25/WK/CFI	
p/n: 36210, Type: lpc+35/CFI	
p/n: 36211, Type: lpc+35/WK/CFI	
p/n: 36310, Type: lpc+100/CFI	
p/n: 36311, Type: lpc+100/WK/CFI	
p/n: 36020, Type: lpc+15/CFU	
p/n: 36021, Type: lpc+15/WK/CFU	
p/n: 36120, Type: lpc+25/CFU	
p/n: 36121, Type: lpc+25/WK/CFU	
p/n: 36220, Type: lpc+35/CFU	
p/n: 36221, Type: lpc+35/WK/CFU	
p/n: 36320, Type: lpc+100/CFU	
p/n: 36321, Type: lpc+100/WK/CFU	
p/n: 22180, Type: mic+25/F/TC	
p/n: 22111, Type: mic+25/DD/TC/E	
p/n: 22280, Type: mic+35/F/TC	
p/n: 22221, Type: mic+35/IU/TC/E	
p/n: 22301, Type: mic+130/D/TC/E	
p/n: 22380, Type: mic+130/F/TC	ultrasonic sensor
p/n: 22480, Type: mic+340/F/TC	
p/n: 22580, Type: mic+600/F/TC	mic+ ultrasonic sensor
p/n: 22521, Type: mic+600/IU/TC/E	
p/n: 39000, Type: nero-15/CD	
p/n: 39005, Type: nero-15/WK/CD	
p/n: 39050, Type: nero-15/CE	
p/n: 39055, Type: nero-15/WK/CE	
p/n: 39010, Type: nero-15/CI	
p/n: 39015, Type: nero-15/WK/CI	
p/n: 39020, Type: nero-15/CU	
p/n: 39025, Type: nero-15/WK/CU	
p/n: 39100, Type: nero-25/CD	ultrasonic sensor
p/n: 39105, Type: nero-25/WK/CD	
p/n: 39150, Type: nero-25/CE	
p/n: 39155, Type: nero-25/WK/CE	
p/n: 39110, Type: nero-25/CI	nero ultrasonic sensor
p/n: 39115, Type: nero-25/WK/CI	

Product	Description
p/n: 39120, Type: nero-25/CU	
p/n: 39125, Type: nero-25/WK/CU	
p/n: 39200, Type: nero-35/CD	
p/n: 39205, Type: nero-35/WK/CD	
p/n: 39250, Type: nero-35/CE	
p/n: 39255, Type: nero-35/WK/CE	
p/n: 39210, Type: nero-35/CI	
p/n: 39215, Type: nero-35/WK/CI	
p/n: 39220, Type: nero-35/CU	
p/n: 39225, Type: nero-35/WK/CU	
p/n: 39300, Type: nero-100/CD	
p/n: 39305, Type: nero-100/WK/CD	
p/n: 39350, Type: nero-100/CE	
p/n: 39355, Type: nero-100/WK/CE	
p/n: 39310, Type: nero-100/CI	nero ultrasonic sensor
p/n: 39315, Type: nero-100/WK/CI	
p/n: 39320, Type: nero-100/CU	
p/n: 39325, Type: nero-100/WK/CU	
p/n: 12500, Type: pico+15/F/A	
p/n: 12501, Type: pico+15/WK/F/A	
p/n: 12010, Type: pico+15/I	
p/n: 12012, Type: pico+15/WK/I	
p/n: 12020, Type: pico+15/U	
p/n: 12022, Type: pico+15/WK/U	
p/n: 12600, Type: pico+25/F/A	sensor
p/n: 12601, Type: pico+25/WK/F/A	
p/n: 12700, Type: pico+35/F/A	Ultrasonic sensor
p/n: 12701, Type: pico+35/WK/F/A	
p/n: 12800, Type: pico+100/F/A	pico+ Sensor
p/n: 12801, Type: pico+100/WK/F/A	
p/n: 35000, Type: pms-15/CF/A1	ultrasonic sensor
p/n: 35100, Type: pms-25/CF/A1	
p/n: 35200, Type: pms-35/CF/A1	
p/n: 35300, Type: pms-100/CF/A1	
p/n: 35010, Type: pms-15/CI/A1	
p/n: 35110, Type: pms-25/CI/A1	
p/n: 35210, Type: pms-35/CI/A1	pms ultrasonic sensor
p/n: 35310, Type: pms-100/CI/A1	
p/n: 35020, Type: pms-15/CU/A1	
p/n: 35120, Type: pms-25/CU/A1	
p/n: 35220, Type: pms-35/CU/A1	
p/n: 35320, Type: pms-100/CU/A1	
p/n: 13009, Type: sks-15/CF/A	
p/n: 18130, Type: zws-25/CI/QS	
p/n: 18131, Type: zws-25/CU/QS	ultrasonic sensor

Product	Description
p/n: 18132, Type: zws-35/CD/QS	
p/n: 18133, Type: zws-35/CE/QS	
p/n: 18134, Type: zws-35/CI/QS	
p/n: 18135, Type: zws-35/CU/QS	
p/n: 50164, Type: SoundPipe sks1	
p/n: 50415, Type: BF-pms/A1	
p/n: 50232, Type: Adapter 5G/M12-4G/M12/M8	
22 510 / mic+600/DD/TC	
zws-15/CD/QS	
MIC+35/DDD/TC/DE L	
mic+130/D/TC	ultrasonic sensor
sks-15/CD	sensor
14001 / BKS-3/CIU	Sensor
zws-15/CU/QS	ULTRASONIC, BLOCK, 250MM RNG, ANALOG
dbk+4/Empf/3BEE/M18	
18009 / zws-15/CD/ 5ms.a	ultrasonic proximity switch
16020 / dbk-4/CD/O/M18 E+S	
dbk-4/Empf/CDD/O/QP	transceivers
dbk-4/Sender/M18/K1	transmitters
mc+34D/D/TC	
ZWS-15/CD/KST0.15	Sensor in QA housing
ICP-25/CU/M18	
lcs-130/IU/QP	
dbk+4/Empf/M12/3BEE/M18	Ultrasound double arch control
pico+25/l	Ultrasonic Sensor
esf-1/CDF/ K1	label sensor
mic+340/D/TC	Ultrasonic sensor
dbk-4/Empf/CDD/O/M18 /K7K2	
34020 / nano-15/CF	Sensor
crm+35/DD/TC/E	
KST3A-5/M8	
KST3G-5/M8	
WMS-340/RT 1558953	ultrasonic sensor
mic+130/DD/TC/E	
mic+35/DD/TC/E	
crm+130/DD/TC/E	Ultrasonic sensor
7G.110.1495	
zws-25/CU	Ultrasonic sensor
ZWS-15/CU/QS	sensor (from photo label)
zws-25/CU/ 7G.110.1495	