







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





## **Omega**

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## **BRAND'S PRODUCTS**

Product	Description
<u>001-101-1</u>	HANDLE ASSY- SHORT NOSE
<u>0100-0026</u>	Chart Recorders
<u>21-180</u>	Non-Reversible Temperature Indicating Label
<u>220Z001U01</u>	TO-312 DISPLAY 4000
5LRTC-KK-J-20-36 (pack x5)	SNAP-ON STRAIN RELIEF T/C,5/PK
<u>5TC-GG-K-30-36</u>	Drahtthermoelement Typ K, Glasseide-Isolierung
<u>5TC-KK-E-30-36</u>	Ready-Made Insulated Thermocouples
5TC-TT-K-36-72 (pack 1x5)	Drahtthermoelement
5TC-TT-K-40-36	
<u>5TC-TT-K-40-72</u>	PFA INSULATED T/C'S 5/PK
7035-J-300	
<u>7035-J-600</u>	
<u>98202K</u>	SURFACE PROBE TYPE K
<u>CHAL-0005</u>	Drahthermoelement NiCr-Ni Typ K ohne Isolation
<u>CHAL-010</u>	
CHAL-015 (pack x5)	
<u>HSK-CHF01901-N4</u>	
<u>CT485-CWC</u>	
<u>CT485-PS-6</u>	Pen set
CTXL-TRH-W	Humidity/temperature recorder
DPG4000-300	digital pressure gauge
<u>DPG7000-7K</u>	gauge
FF-KI-24S-TWSH-SLE-15M	
<u>FLR1013ST-I</u>	
FMA1002B-MA	
FMA1002R-V1	AIR VELOCITY TRANSMITTER
FMA1003A-V1	Indicating Air Velocity/Temperature
<u>FMA-2609A</u>	
<u>FMK-25A</u>	FLANGE MOUNT KIT-PGS-NEW STYLE
<u>GF520150</u>	fuse
HDC00014	HIGH DENSITY CARTRIDGE HEATER
<u>HFMPW-K-M</u>	Sub mini ferrite connector
HFS-3	Wärmeflusssensor
HFS-4	Wärmeflusssensor
HGMP-K-F	
<u>HH1384</u>	

Omega Page 1 / 23





Product	Description
<u>HH306A</u>	
<u>HH309A</u>	
HH309A-CAL-3-HH	
<u>HH314A</u>	
<u>HH376</u>	Data Logger
<u>HH378</u>	4 CHANNEL DATA LOG THERMOMETER
<u>HH500P</u>	
<u>HH500-RP-2</u>	
<u>HH506A</u>	
HH506RA	
HH506RA-USB-SW	
<u>HH509</u>	
<u>HHT13-KIT</u>	Tachometer
HMPW-KI-F	Miniature thermocouple connector
HMPW-KI-M	Miniature thermocouple connector
HPC-AL-P	Thermocouple Contacts
HPC-AL-S	HOLLOW PIN ALUMEL FEM 20/PK
HPC-CH-P	Thermocouple Contacts
HPP-100	Pump
HPP-100-KIT	Pump kit
HTTC36-K-14G-6-GG	hollow tube tc,dia&l in inches
<u>HX85A</u>	Environmental/Process Air Transmitters
HX85BA	Temp/RH/Barometric Pressure Transmitter Sensor Only
<u>J-0-200F-6-1/2</u>	BIMETAL THERMOMETER
<u>KH-202/10</u>	flexible heater
LC8313-200-10K	LOAD CELL
LC8400-213-100K	Load cell
LC8450-313-10K	LOAD CELL
LCAD-1K	PLATFORM LOAD CELL FOR WASHDOWN APPLICATIONS
<u>LV-21</u>	liquid level switch
<u>LV4121-60</u>	probe
<u>LV-50</u>	Stainless Steel Liquid Level Switche
<u>LVCN1710-G</u>	Ultrasonic level controller
LVU41-RS232	Ultrasonic Füllstandsensor
MTC-12-MC	Thermocouple Connector
MTC-12-SHL	Thermocouple Connector
MTC-24-FF	FEMALE BULKHEAD CONNECTOR
MTC-24-MC	Thermocouple Connector
MTC-24-SHL	Thermocouple Connector
MTC-41-FC	FEMALE CORD
MTC-41-FF	Thermocouple Connector
MTC-5-MC	Connector
MTC-AL-S	Thermocouple Contact
MTC-CH-S	Circular Connector
MTC-CO-S	

Omega Page 2 / 23





Product	Description
MTC-CT	HEAVY DUTY CRIMPING TOOL
<u>OM-73</u>	Temperatur-Feuchte Datenlogger
OMB-RM-DBK90	Thermocouple Input Module
OM-CP-TEMP1000IS	INTRINSICALLY SAFE TEMP LGR
OM-EL-USB-1	TEMP DLG WITH USB INTERFACE
OM-EL-USB-1-LCD	TEMP USB DLG W/LCD DISPLAY
ORX-11618-24	ceramic single round insulator
OS-MINI152-D-MA	Infrared Temperature Sensor
OSTW-TI-M	Male plug
PGS-25L-2000-F	Pressure Gauge
PHH-103B	PH/MV TEMP METER
PS-4G	pressure snubber
PS-4G-MG	PRESSURE SNUBBER
PSS-D12A-220V	Power Supply
PSS-D15C	Power Supply
PX656-01BDI	Differential Pressure Transmitter
RD8802CF-ST	PAPERLESS RECORDER
RDXL4SD	digital thermometer
RHCN-7006	On/Off Relative Humidity Controller
RTDCAP-100A-2-P098-050-T-40	Platinum RTD Capsule
RTD-NPT-72-E-DUAL-1/8	sensor
SA1-JI-2M-SC	5611661
SA1-K	
SA1-K-120	Self-adhesive thermal elements
SA1-K-120 (pack x5)	Thermocouple
SA1-K-120-SRTC	Thermocouple
SA1-K-72	
SA1-K-72-SC	SELF ADHESIVE T/C W/SPOOL CAP
SA1-K-SC	Thermocouple
SA1-RTD	Stick-on Pt100 sensors
SA1-RTD-120	Surface Sensor
SA1-RTD-80	Guildoc Goilgoi
SA1-RTD-B (pack x3)	
SA1-TH-44006-120-T	Thermistor Sensor
SGD-1.5/120-LY11	strain gauge
SICSS-040G-6-SHX	High Temperature Quick Disconnect Thermocouple
SJP1-06-J	riigh remperature Quiek Disconnect Thermocouple
SM-CTHD	crimping tool
SMP-CC-TOOL	Miniature Thermocouple Mounting Kit
SMP-CC-J-M	Miniature Thermocouple Connectors
SMPW-K-F	Miniature Connector
SMPW-T-M	TC plug
SMTC-15F	i O piug
SSLK-116-18	Compression Eittings
	Compression Fittings
TT-K-24-SLE-1000	Thermocouple cable

Omega Page 3 / 23





Product	Description
TT-T-40-SLE-1000	thermocouple wire
TX13	Programmable thermocouple my transmitter
UHXH-K-M	HOLLOW PIN CONNECTOR
UHX-K-F	HIGH TEMP CONNECTOR
XCIB-J-4-4-10	XCIB T/C ASSEMBLY
XMO-W5R26-U-125-30-H-TJ-3	Thermocouples
XTA-W5R26-U-250-24-H-Q-16	, 100 110 20 20 20 20 20 20 20 20 20 20 20 20 20
M12JSS-1/4-U-6-B	Cased thermocouple
M12CM-EXTP-J-SF-10	Cable
DP63100	built-in measuring device
DTC-K-F	4-Prong Dual Circuit Standard Connectors
OTP-K-F	BASIC CONNECTOR 2
OM-EL-USB-2-LCD	2.000 00.0.20.0.0
FTB791 flowmeter with options:low	
flow;external power module (930Vdc)	
PX409-015VV	PRES TRAN 0-15 PSIV MV 0.08
LC402-200k	
<u>TPJ-U-F</u>	
MTP-U-M	
RTD-830	
<u>PX209-015G5V</u>	Solid state pressure transducer
<u>PX615-20KGI</u>	Pressure Sensor
<u>PT06F8-4S</u>	connector
<u>21-140</u>	Temp Label
FF-KI-24S-TWSH-SLE-300M	thermal pipe
<u>WTJ-8-36</u>	WASHER T/C ASMBLY STRIPED ENDS
<u>WTJ-8-60</u>	WASHER T/C ASMBLY STRIPED ENDS
<u>WTJ-14-36</u>	WASHER T/C ASMBLY STRIPED ENDS
<u>WTJ-14-60</u>	WASHER T/C ASMBLY STRIPED ENDS
<u>FMA-7101E</u>	Masse Durchflußkontroller für Hydrogen
ILD44-UTP-33-C4EI-SM	
PR-22-3-100-A-M3-100-M12	RTD Probes with M12 Molded Connectors
<u>OM-DVTH</u>	Temperature/Relative Humidity
RDXL8	8-Kanal Datenlogger für TC
<u>OS211-LT</u>	Low-cost Infrared Temperature Sensor/Transmitter
<u>HH802U</u>	Thermocouple handheld measuring device
<u>HH806AU</u>	Thermocouple data logger
PX656-25BDI	Druckaufnehmer
CT485-PS-6 (pack of 6)	PRECISION WRITING PINS
MPJ-KI-F	Thermoelement-Einbaubuchse für Miniatur-Steckverbi
<u>5TC-TT-KI-36-2M</u>	thermocouples
<u>5TC-TT-KI-30-2M</u>	Drahtthermoelement Typ K
<u>5TC-TT-TI-30-2M</u>	Drahtthermoelement Typ T
RDXL12SD	12-Kanal Datenlogger
HHF2005HW	Hotwire Anemometer-Echtzeit-Datenlogger,

Omega Page 4 / 23





Product	Description
SRFG-303/10-P-230	SILICONE RUBBER HEATER
KFH-03-120-C1-11L1M2R	PREWIRED STRAIN GAGE
KFH-06-120-C1-11L3M3R	PREWIRED STRAIN GAUGE
KFH-1.5-120-C1-11L1M2R	PREWIRED STRAIN GAUGE
KFH-3-120-C1-11L1M2R	prewired strain gauge
KFH-6-120-C1-11L1M2R	PREWIRED STRAIN GAUGE
KFH-10-120-C1-11L1M2R	PREWIRED STRAIN GAGE
KFH-20-120-C1-11L1M2R	PREWIRED STRAIN GAUGE
OM-LGR-5325	
OM-LGR-5327	
PX656-05BDI	PRESSURE TRANS. +/- 5" H2O
SA1XL-K-SRTC (pack x5)	Schnelle selbstkl. TE
DWT1305D-10-CAL-3	
BB705-230VAC	Blackbody Calibrator for Very High Temperature Infrared Calibration
HMPW-K-MF	MALE/FEMALE CONNECTORS
	Temperaturmeßgerät
HMPW-K-M	High Temperature Miniature Connectors - Male Connector
LCM411-500-USBH	Lastzelle
RD6	
MDR-10-24	Power Adapter
TL-C5-140-30	miniature temperature measuring strips
OM-CP-IFC200	USB INTERFACE CABLE
SRTD-1	surface mount rtd temp.sensors
<u>5TC-GG-JI-24-2M</u>	
<u>HSTW-J-M-S</u>	Standard-Thermoelement-Stecker
<u>SRFG-101/10-P</u>	Rectangular Silicone Rubber Heater
<u>SA1XL-K-120</u>	
<u>SJP4-48-T</u>	
<u>SJP1-12-T</u>	
PR-11-2-100-1/16-3-E-CLA	
ZED-TH	ZSERIES WIRELESS END DEVICE
<u>CN742</u>	
<u>SA1XL-J</u>	
SSRLDUAL240DC25	
PCM5	
<u>SRFR-3/10</u>	
<u>SRFR-4/10</u>	
SRFG-101/10	
<u>SRFG-102/5</u>	
SRFG-202/10	
ZED-TH(ED01)	ZSERIES WIRELESS END DEVICE
<u>zCDR</u>	ZSERIES COORDINATOR
KK33U-009-00-4-MC	
KK33UH-009-00-4-MC	
HHT12 (SGD383.00)	Economical Non-Contact Pocket Optical Tachometer

Omega Page 5 / 23





Product	Description
HHT13-CC10	Padded pouch fits tachometers
5TC-TT-K-20-72 (pack 1x5)	 Drahtthermoelement
CN32PT-225-C24	
CL1000A-230V	-
FTB2001	
KMTXL-032U-6	•
HSRTD-3-100-B-80-E	
LV-1201	•
CHAL-005-BW (pack x5)	Thermocouples with Butt-Welded Junction
PX419-500AI-XL	Pressure Transducer
<u>CX5302</u>	DIN Connector
DP41-B-C24	Panel Meter
NB6-CAIN-18G-12	Industrial Mineral-Insulated Thermocouple
NB6-CAIN-18G-3	Industrial Mineral-Insulated Thermocouple
DP41-B-C24-TC	Universal Input Meter
TJ120-CAIN-18G-6	Rugged Transition Joint Probe
98202K-IEC	SURFACE PROBE TYPE K IEC COLOURS
<u>P13R-001</u>	Draht-Thermoelement Typ R ( Pt/13%Rh-Pt )
MCJ-C	Elektronische Eisreferenz für Thermoelement Typ C
TAP	Thermoelement-Befestigungs-Pads
SMPW-CC-KI-M	Miniature thermocouple connectors
FMA906R-MA	Luftgeschwindigkeit
UWTC-NB9-CASS-M60U-300-G2	
<u>UWTC-REC2-MA</u>	
KHLV-101/5	Flexible Kapton-Isolierte-Heizelemente
DRF-TCK-24VDC-0/250C-0/10	
SA1XL-KI-8M-SB	
DRF-RTD-24VDC-0/200C-0/10	
<u>LVU-A716</u>	Ultraschall-Pegel-Sensor
<u>UWRTD-NB9-1PT304-14-12</u>	Wireless Thermocouple
<u>UWTC-REC2-D-MA</u>	Wireless Receiver
<u>CDE-100-01</u>	conductivity cell
<u>CDTX-112</u>	conductivity monitor
<u>22075 S</u>	Filterelement
<u>22075 P</u>	Filterelement
<u>07050 P</u>	Filter Element
CN3251-DR-A-PV	RAMP & SOAK CTRL
<u>SSRL240AC10</u>	SOLID STATE RELAYS
FHS-2	FINNED HEAT SINK
OSTW-CC-K-M	Integral Cable Clamp Cap Conn
<u>UPJ-K-F</u>	
<u>CN245-R1-R2-F3-C4</u>	Temperature and process controller
OMB-DAQ-3005	
CCT-20-0/600C	
<u>SC-TT-K-30-36</u>	CONNECTOR SPOOL T/C

Omega Page 6 / 23





Product	Description
HH300-ADAPTER	AC adaptor
HH300-CABLE	Spare RS232 interface cable
HH300-CABLE-USB	Spare USB interface cable
TRCIII-A-230	'
TRP-K	
KH-410/10	
KH-610/10	
OM-CP-RHTEMP101A	Humidity and Temperature
OM-CP-OCTTEMP-A	Data Logger
XIN-P10R-U-062-30-M-TJ-6	•
XIN-P13R-U-062-30-M-SX-26	
XIN-P13R-U-125-30-A-TJ-24-DUAL	
XMO-W3R25-U-125-30-H-Q-27.5	
XMO-W5R26-U-062-40-A-Q-36	
XMO-W5R26-U-187-24-A-Q-72	
XPA-P13R-U-062-30-M-TJ-6	
XPA-P30R-U-062-30-M-RP-6.150	
XPA-W5R26-U-125-30-A-HX-6	
XTA-W5R26-U-062-30-H-MQ-6	
XTA-W5R26-U-125-30-H-MQ-6	
XTA-W5R26-U-250-24-H-Q-14	
<u>HH520</u>	Data Logger
<u>HH800</u>	
<u>HH806</u>	
HHEM-SD1	
HHF-SD1	
HHF-SD2	Vane Anemometer with Real Time Data Logger
HHLM112SD	
<u>HHSL-101</u>	
<u>ITHX-D3</u>	
<u>iBTX</u>	
iTCX	
<u>iTHX-SD</u>	
<u>iTHX-W3</u>	
OM-140-Series	
<u>OM-2041</u>	
<u>OM-21</u>	
<u>OM-24</u>	
<u>OM-62</u>	
<u>OM-63</u>	
<u>OM-70</u>	
<u>OM-91</u>	
OM-CP-AVS140-1	
OM-CP-CRYO-	
OM-CP-ETR101A-KIT	

Omega Page 7 / 23





Product	Description
OM-CP-HITEMP140-FP	
OM-CP-HITEMP140X2-	
OM-CP-HITEMP140X2-FP-72-PT-1	
OM-CP-IRTC101A	
OM-CP-LEVEL101	
OM-CP-LF101A-KIT	
OM-CP-OCTRTD	
OM-CP-OCTVOLT	
OM-CP-PR140	
OM-CP-PR2000	
OM-CP-PRTC110	
OM-CP-PRTC210	
OM-CP-PRTRANS	
OM-CP-QUADRTD	-
OM-CP-QUADTEMP-A	
OM-CP-QUADVOLT	-
OM-CP-RFOT	
OM-CP-RHTEMP1000IS-A	-
OM-CP-SHOCK101	
OM-CP-SVR101	-
OM-CP-TC101A	thermo based temp logger
OM-CP-TEMP101A	
OM-CP-THERMALERT-GB-P Series	
OM-CP-THERMALERT-RH	
OM-CP-TRANSITEMP-EC-13	
OM-CP-TSR101	
OM-CP-ULT90-9	
OM-CP-ULTRASHOCK-EB	
OM-CP-VOLT101A	
OM-CP-WIND101A-KIT Series	
OM-DAQPRO-5300	
OM-DAQXL	
<u>OM-DVCV</u>	Data Logger
OM-DVT4	
OM-EL-DATAPAD	
OM-EL-ENVIROPAD-	
OM-EL-GFX	
OM-EL-USB-1-RCG	
OM-EL-USB-1-PRO-A	
OM-EL-USB-2-5	
OM-EL-USB-5	
OM-EL-USB-CO	
OM-EL-USB-LITE-5	
OM-EL-USB-TC	
OM-EL-USB-TC-LCD	

Omega Page 8 / 23





Product	Description
OM-EL-USB-TP-LCD	Doonplan
OM-EL-WIFI	
OM-LGR-5320	
OM-NOMAD-340	
OM-PL	
OM-PQR1010	
OM-PR-Series	
OM-SQ2010	8 CH DATA LOGGER
OM-SQ2020	CONDAINEGUALIT
OM-SQ2040	
OM-THA2-U	
OM-USB-5201	
OM-USB-5203	
OM-VIB-101	
OMYL-M32	
OMYL-M33-OMYL-M34	
OMYL-M41-OMYL-M42	
OMYL-M61-OMYL-M62	
OMYL-M90	
OMYL-RH20-OMYL-RH20E	
OMYL-RH23-OMYL-RH23E	
OMYL-RH25	
OMYL-T10-OMYL-T10E	
OMYL-T11-OMYL-T12	
OMYL-T15-OMYL-T16	
OM-CP-OCTTEMP2000-CERT	
<u>LD400-2.5</u>	
OMB-DAQ-2408-2AO	
OM-CP-OCTTEMP2000	
<u>5TC-TT-K-36-36</u>	
OM-CP-PRHTEMP2000	Temperature Data Logger
<u>GL138260</u>	
<u>CA150</u>	
OSTW-CC-R/S-F	
OSTW-CC-U-F	
<u>EXTT-K-24-25</u>	
EXTT-C-24-25	
EXTT-RS-24-25	
OSTW-CC-U-M	
OSTW-CC-R/S-M	
OSTW-CC-C-F	
OSTW-CC-C-M	
<u>HHT31R-230-KIT</u>	
<u>EXTT-B-26S-25</u>	
OSTW-CC-K-F	





Product	Description
SMTC-CH-S	Sub min fem. Pin chrmel 100/pk
SMTC-AL-S	Sub min fem. Pin alumel 100/pk
SMTC-15M	MALE SUB D CONNECT
OM-92	
FGR-030	Seil-Heizband
<u>SL 50-90</u>	
SL 50-90 400 V	
OM-DAQXL-2-EU	GRAPHICAL DATALOGGER, 16CH, BASIC, EUROPE
HHG191	magnetic field meter
<u>FTB321D</u>	
FTB323D	
FTB326D	
OM-DAQXL-1-EU	
OB-600	High Temperature Chemical Set Cement
OB-700	<u> </u>
CNIS822-C24-DC	
TL-C5-140-10	round temperature measuring
SMPW-J-M	
SMPW-K-M	Miniature Connector
GG-N-30-200	a.c Coco.c.
OM-144	Portable Temperature/Humidity Data Loggers with USB Interface
HTWC101-002	
LCPB-20	
PX319-030A5V	Absolutdrucksensor
HH11C	
KHSS-IM15G-RSC-300	
TL-C5-140-30 (pack 1x30)	
<u>GG-T-20-SLE-500</u>	
5860EA143JEA	
TL-WELD-220V	
HHG1394	
OB-200-16	Adhesive
RTD-NPT-72-E-DUAL-1/4-MTP	Probes with Lead Wires
SRTD-2-72 INCH-MTP	
RTD-NPT-72-E-DUAL-1/8-MTP	
SHX-K-M	Connector
<u>HFH81</u>	
HH374	
SMPW-CC-K-M	Connector
FTB331D	Micro-flow meter
OME-DB-16R	
PX419-32B5V	Barometric Transducer
DRF-LC-24VDC-20MV-0/10 FSW801B	AIRFLOW SWITCH

Omega Page 10 / 23





Product	Description
PX163-2.5BD5V	Low Pressure Transducer
PX41S1-20KGI	Pressure transmitter
RLC-50-0/30-10	
WTT-6-12-TT	
NI80-040-50	
OT-201-2	
NIC80-040-250-50	
SJP1-06-T	Standard jack panel
OSTW-CC-T-M	INTEGRAL CABLE CLAMP CAP CONN
4TX24SPP	
DMD4059	
CL-300-CABLE-K-10	Cable SMP male crocodile 3M red black
CL540ZA	Luminous couple simulator 14 type
PXM459-17.5BA10V	Pressure transducer with cable
CHF01901	Troccure transactor man capita
BE-180F-30	Temperature monitor model "Bulls-Eye"
PX02C1-100G5T	PRESSURE CONVERTER
SPJ-K-F	Snap In Jack Connector
OSTW-K-F	Chap in basic Connector
OSTW-K-M	
PX119-300GI	Pressure Transducer
OMFT2050	Trocoure Transactor
OMFT2300	
PX359-030G5V	RESSURE TRANSDUCER
PX359-015V5V	Pressure Transducer
PX359-100G5V	Pressure Transducer
PX319-015V5V	PRESSURE SENSOR
FF-KI-24S-TWSH-SLE-7.5M	cable
SHX-K-F	Standard female connector
SGD-1/120-RYT21 (pack x5)	Strain gauge
GF632220	J
ISC-HZ-6	FREQUENCY SIGNAL INTERFACE
LVN-10	LOW LEVEL SWITCH
TYUTH95-316107-100-BL	2 2
PHH-7011	pH pocket tester
RMJ-KI-R	panel jack
SHX-J-F	L
OM-CP-OCTPRO	
OS523-2	Infrared thermometer with binoculars
405RB	
HX92BV1	Relative Humidity Transmitters
OMSF520220	
<u>50100</u>	Auto Straightening Tool Hydraulic 10TON
OS210-ABS	Adjustable mounting bracket
OS210-APSN	,

Omega Page 11 / 23





Product	Description
OS210-LSTS	Laser sighting tool for compact sensors
<u>CN16DPT-305-EIP-DC</u>	CONTROLLER, ELECTRICAL; PROCESS PID
EZIO-4RLO	Relay Out Module
MINI-MSD	
OS-MINI152-D-MA-MINI-PMCE-30	IR SENSOR
TT-J-24-SLE-1000	Thermocouple Wire
PX319-150G5V	Sensor
OM-CP-ULTRASHOCK-5-EB	
PXM319-010GI	
FPR207-PC	transmitter
OS152-MT	
4WE6E-50/AG24NZ5L	VALVE
PX359-10KGI	Pressure Sensor
PX359-7.5KGI	Pressure Sensor
4WE6H-50/AG24NZ5L	VALVE
4WE6M-50/AG24NZ5L	VALVE
4WE6D-50/AG24NZ5L	VALVE
GG-TI-20-SLE-60M	Thermocouple
FLR1010ST-I	Low Flow Turbine Meters
RSCM-K-4-4-5	
SMPW-CC-K-F	
SCAIN-062U-72-SHX	
NK07V020 (pack 1x3 pcs)	
NK07V010 (pack 1x3 pcs)	
HH-K-20-SLE-200	
XR-K-20-200	
XTA-W5R26-U-250-30-H-HX-6	
HH806WE	Multimeter
SMPW-C-M	Miniature Connectors
SMPW-C-F	C Type Coonector
EXTT-C-24-100	Ctype Wire
GG-K-30-SLE-1000	K type Thermocouple Wire Duplex Insulate
MBS-10	Bezel Mounting Strip
OMB-DAQ-2408	
<u>LVU809-G</u>	Ultrasonic Level Transmitter
PX409-2.5DWUV	
<u>FLR1011ST-I</u>	SS turbine for liquid
<u>GTMQSS-062E-6</u>	Type t thermocouple
OM-CP-PRTRANS-1-500G	Transient pressure data logger
XVP/25	PHOTOPIC FILTER
<u>HHT31R-230</u>	STROBOSCOPE
<u>HHT41B</u>	STROBOSCOPE
<u>CN9211A</u>	TEMPERATURE CONTROLLER
<u>8JX24SPP</u>	
LCFD-1KG	Load Cell

Omega Page 12 / 23





Product	Description
KMQXL-040U-6	SUB MIN T/C W/MOLDED CONNECTOR
<u>DPI32</u>	
SA1-RTD-4W-SB	Temperature sensor
<u>8KX24SPP</u>	8 multi core thermal double cable
<u>HH-KI-20-100m</u>	K-type double shielding resistant to 704C
XC-K-20-150M	K type thermocouple resistant to 980C
<u>12KIX20PP</u>	12-core multi-core thermocouple cable
<u>SA3-KI</u>	Surface mounted Type K Thermal double
<u>OT-201-1/2</u>	
<u>OB-101-1/2</u>	Thermally conductive epoxy adhesives and thermal pastes
<u>HMPW-K-F</u>	Miniature Connectors
DP8PT-DC	Temperature and process display
DMA15-AAAAA1	Picomag Flow Meter
<u>TQM201-1</u>	
HYP2-21-1-1/2-T-G-48-OST-M	
TJ36-CAXL-116U-18-SB	
TJ16-CAXL-116U-18-SB	
KMQSS-125U-6	
<u>P10-M8-A-G-2M</u>	sensor
TT-K-30-SLE-100	Thermocouple Wire
PX409-2.5DWUI	Transduser
<u>AHPF-102</u>	
<u>LC411-15K</u>	
PP-TI-24-300M	
SSRL240DC10	
<u>MJP4-72-J</u>	Miniature jack panel
SMPW-CC-TI-M	Male Connectors
LCMWD-200KN	load cell
TL-WELD-CAR	PART CARBON ELECTRODE REPLACEMENT
TL-WELD-PL	PART-INSULATED PLIERS
FLV-4619A-I-IN	
<u>OS137A-1-MA</u>	Miniature Non-Contact Infrared Temperature Sensor/Transmitter
<u>OS137-MB</u>	MOUNTING BRACKET
<u>CL27</u>	
<u>FOB104</u>	4-channel fiberoptic thermometer
FOBS-2	sensor
FOB100-SOFT	SOFTWARE FOR FOB SERIES
<u>JMTSS-125G-6</u>	
LD630-30	sensor
<u>TL-C5-190-30</u>	Temperature measuring strips with 5 measurement points
<u>TL-C5-240-30</u>	Temperature measuring strips with 5 measurement points
<u>TL-C5-290-30</u>	
RLC-50-30/0-30	
RLC-50-60/90-30	
RLC-50-30/90-30	





Product	Description
HH-K-20-SLE-1000	Insulated T/c Wire
OM-USB-1608FS-PLUS	
OM5-BP-2-C	Strain Gauge Backplane
OM5-WBS-2-C	Strain Gauge Input
TJC36-CAXL-020U-40	Compact transition joint probe
TJC36-CAXL-020U-28	Compact transition joint probe
TJC36-CAXL-032U-40	Compact transition joint probe
TJC36-CAXL-032U-28	Compact transition joint probe
TJC36-CAXL-020E-40	Compact transition joint probe
TJC36-CAXL-020E-28	Compact transition joint probe
TJC36-CAXL-032E-40	Compact transition joint probe
TJC36-CAXL-032E-28	Compact transition joint probe
EXGG-C-24-25	C Type Thermocouple Extension Cable
<u>MET-1512</u>	-
<u>MET-1513</u>	
SC-GG-K-30-36	Thermocouple cable
PX409S20-030GI	Pressure transmitter
PX409S20-2.5GI	Pressure transmitter
PXM309-0,14GI	Pressure transmitter
PXM309-0,07GI	Pressure transmitter
<u>PX359-100GI</u>	PRESSURE TRANSDUCER
PX359-015VI	PRESSURE TRANSDUCER
PX359-030GI	PRESSURE TRANSDUCER
RTDM12-1/8NPT-3MM-13MM-A	Temperature meter (sensor)
<u>3MGS160L4</u>	Motor
<u>KTSS-116E-6</u>	Thermocouple Probe
<u>KHA-210/10-P</u>	
<u>SRFGA-612/10-P</u>	Silicon Heater
<u>KHA-110/5-P</u>	
<u>PXM319-020G10V</u>	
<u>KHA-505/5-P</u>	POLYIMIDE FILM FLEXIBLE HEATER
<u>KHA-304/5-P</u>	POLYIMIDE FILM INSULATED FLEXIBLE HEATERS
OM-CP-PRHTEMP101A	Pressure, Humidity, Temperature Logger
DP25B-E-AR	
<u>DP8EPT-330-006</u>	
<u>GG-K-28-SLE-500</u>	
PS-4D-M	pressure prope-lock
PX319-030G5V	High Performance Pressure Transducer
TXDIN1620	
TL-10-290-30	
<u>TL-10-390-30</u>	
4C-400-30	
TJC325-CASS-040U-4	
RLC-80-100/220-10	
8MB-100/38-30	

Omega Page 14/23





Product	Description
OM-CP-ULTRASHOCK-A	
OM-CP-SHOCK300	
TQIN-316G-10-NP	Connector needle point
TT-T-20S-SLE-1000	İnsulated wire
OMG-4-2K-3000-IE3-A	ELECTRIC MOTOR
PR-14-2-100-1/4-12-E	
TJ36-CASS-116U-6-SB	Thermocouple-K type
PX419-5.0KG5V	Pressure transducer
PX309-030G5V	
OS136A-1-V1	Infrared Sensor Transmitter
DRF-LC-24VDC-10MV-0/10	DIN RAIL SIGNAL CONDITIONER BRIDGE I/P. 0-10V O/P 24VDC
OMNK07V020	
DFG-RS5	Force Gauge
RLC01-100	RLC01 Series 'S' Type Tension/Compression Load Cell
RLC04-100	RLC-04 Series Miniature Tension/Compression Load Cell
CN32PT-330-C24-DC	Platinum™ PID Temperature and Process Controller with USB Port
SMPW-CC-J-F	Miniature Thermocouple Connectors
LCM101-1K	Load Cells
UWTC-2	Wireless thermocouple plug
UWTC-REC2-V2	48-channel wireless transmitter receiver
HHF142B	
SA3-T-120-SRTC	Thermocouple, T, -17 °C, 260 °C, 120 ", 3 m
SMTC-AL-P	sub min male pin alumel
SMTC-CH-P	sub min male pin chrmel
EXPP-K-20S-UL-200	ous min mais pin simmer
EXPP-KI-20S-TWSH-SLE-60M	
CHAL-005-394	
GG-KI-30-300M	Thermocouple wire
GG-KI-24-300M	Thermocouple wire
T5R-015-12	Thermocouples
T5R-020-12	Unsheathed Fine Gage Tungsten-Rhenium Microtemp Thermocouples
EXXC-C-24-1000	Thermocouple Extension Cable
EXGG-C-24-1000	Thermocouple Extension Cable
PTRA-11618-12	Ceramic Thermocouple Protection Tubes
AHP-7562	In-Line Air and Gas heater
AHP-NPT34	Thermocouple T-Fitting
K-M-1-3-25-1/4NPT-GS-1	probe
CN8DPT-145-C24-EIP	Temperature, Process and Strain Controller
HHP360-A	Precision absolute pressure gauge
HHP360-B	Precision absolute pressure gauge
	Quick Disconnect Handle Probe
PRX-AP-100-E-12	
TT-K-30-1000	Thermocouple Wire
SGT-1/350-XY41	DMS in transducer quality
T5R-010-12	C Thermocouples
EXGG-C-24-1000	

Omega Page 15/23





Product	Description
EXTT-J-24-100	Thermocouple Extension Wire
PXM319-001V10V	Vacuum pressure transducer
PXM319-010G10V	Pressure Transducer
LVU2718	Trossaro mansasso.
DP41-S-AR4-230	High Performance Strain Meter
TRX-010364-6	Ceramic Insulator
TL-WELD	Welder
OT-201-16	high temperature conductive paste
KHSS-18G-RSC-24-NP	riigit terriperature conductive paste
KHSS-18E-RSC-12-CL5	Handheld Thermocouple Probes with Retractable Cable
XPA-P13R-U-062-30-M-TJ-SB-8	Handicia memiocoapie i robes with netractable Gable
TRX-164116-12	
PTRA-564532-12	
XPA-P30R-U-062-30-M-TJ-6	
KMTXL-M150U-150	
HH911T	SINGLE CHANNEL T/C THERMOMETER
TT-T-24-SLE-1000	T Type Thermocouple Duplex Wire
CNI16D53-EIT-DC	DUAL DISPLAY CONTROLLER
SS-001-1-EU	Wireless Smart Sensor
TJ36-CASS-116U-12-CC-XCIB	Thermocouple Probe
iBTHX-D	memocoupie Probe
5TC-TT-K-36-72	thormonounto
AHPF-NPT12	thermocouple
HFS-6	
KHLVA-202/10-P	POLYIMIDE FILM FLEXIBLE HEATER
TAS-K-2	FOLTIWIDE FILW FLEXIBLE REATER
SMPW-CC-K-M-ROHS	CABLE CLAMP CAP SMPW CONNECTOR
	Construction Thermocouples Terminated
TJ36-NNIN-116U-12	PFA insulated T/C wire
TT-K-22S-30M	PFA Insulated 1/C wire
RTD-809-4W	
WTK-10-60	lately six the set of D to see such as two seeds
OSAT-151-C-LT-05	Intrinsically safe IR temperature transmitter
EXPP-K-24-1000	Thermocouple Extension Cable
TFCY-010-50	
TFAL-010-50	T.T I. D. I. W.
TT-T-36-SLE-1000	T Type Thermocouple Duplex Wire
SMPW-T-F	KONN M T-F THERMOCOUPLE
FMA1828A-BCKUPEG, DISPLAY FOR FMA1828A	DISPLAY
TJ36-CAXL-116U-6-SB	Rugged Transition Joint Probe
5TC-GG-KI-36-1M	riugged Transmon John 1 1006
MBS-05	mounting strip
MBS-08	mounting strip
MBS-12	mounting strip
	CABLE CLAMP CAP SMPW CONNECTOR
SMPW-CC-K-F-ROHS	GADLE GLAIVIF GAF SIVIFW GUINNEGTUR





Product	Description
SMPW-K-F-ROHS	Thermocouple connectors
EXPP-K-24S-500	Thermocouple Extension Cable K Ty
TT-T-24-SLE-300M	Thermocouple
TT-T-30-SLE-300M	· ·
TT-T-36-SLE-300M	
PX4202-100G5V	•
OM-HL-EH-TC-J-CAL	
PX656-02D1	Highly Accurate, Low Pressure Industrial Transmitter
OM-CP-OCTTCTEMP2000-A2	8 Channel Thermocouple Logger w/ LCD
TT-K-20S-1000	
KMQSS-062U-6	
<u>TL-S-180</u>	temp indicating label
PXM359-001AI	Transducer
ML4C-143-30	TEMPERATURE LABEL
ML4C-121-30	TEMPERATURE LABEL
ML4C-166-30	TEMPERATURE LABEL
ML4C-210-30	TEMPERATURE LABEL
ML4C-188-30	TEMPERATURE LABEL
ML4C-241-30	SCAKLIK LABEL
<u>HSTC-TT-K-24S-36</u>	Sterilizable
HDC00005	Hi-Density Cartridge Heaters
EXPP-T-20-UL-25	UL Thermocouple Duplex Extension Wire
<u>5SRTC-GG-T-30-36</u>	Thermocouples
SMPW-J-F	
<u>FL-2013-SS</u>	
<u>PX613-1KG5V</u>	
EXPP-K-20S-UL-100	
<u>5TC-TT-KI-24-2M</u>	
<u>FTB-1313</u>	
<u>FTB-1310</u>	
<u>FL603G</u>	water flowmeter
<u>RTD-810</u>	
<u>DRSL-TC-ISO</u>	DIN Rail Thermocouple Input Signal Conditioner
<u>PX655-0.5DI</u>	pressure transmitter
<u>DRC-4710</u>	Rail Mount Bridge Input Signal Conditioner
SMPW-CC-K-M-100	
<u>SMPW-CC-T-M-100</u>	
TT-K-36-SLE-1000	
<u>5SC-TT-T-36-72</u>	
<u>5SC-TT-K-36-72</u>	
CT 485-CMC	Graphic Card
OSTW-J-F	Thermocouple connectors
<u>OSTW-J-M</u>	STD T/C CONN W/WINDOW, BLACK
SRB	Rubber protection for OST and OGP connectors
<u>BV2000TRN250B</u>	Turbine Flow Meter

Omega Page 17/23





Product	Description
HSTW-J-M	Standard thermocouple connectors
<u>DP20</u>	Panel Meter
M12CM-EXTT-K-SM-1.5	M12 Cable
M12CM-EXTT-T-SM-1.5	M12 Cable
HMPW-T-F	Miniature Connectors
HMPW-T-M	High Temperature Miniature Connectors - Male Connector
CO3-K	Thermocouple
PR-10E-3-100-1/8-6	
<u>CO1-K-B</u>	
<u>UWTC-REC4-MA</u>	Transmitter Receiver
DRSL-RTD-ISO	DIN Rail RTD Input Signal Conditioner
CHCO-002	Unsheathed Fine Gage Thermocouples
CHCO-003	Unsheathed Fine Gage Thermocouples
CHCO-005	Unsheathed Fine Gage Thermocouples
CHCO-010	Unsheathed Fine Gage Thermocouples
CHCO-015	Unsheathed Fine Gage Thermocouples
CHCO-020	Unsheathed Fine Gage Thermocouples
CHCO-032	Unsheathed Fine Gage Thermocouples
88003K-IEC	Thermocouple
<u>Px2300-1DI</u>	Wet/Wet Low Difference Pressure Transducer
ZW-ED-LCD	Temperature Humidity & Barometric pressure transmitters
<u>ZW-REC</u>	Receiver
ZTHP2-P	Probe
PX359-150G5V	Stainless steel pressure transducer
FF-JI-24S-TCB-SLE-JU-25M	Shielded thermal line with FEP insulation
<u>1PT100GX1511</u>	platinum resistance element
<u>5TC-TT-T-24-36</u>	THERMOCOUPLE
<u>5TC-TT-T-20-36</u>	THERMOCOUPLE
<u>TT-T-40-50</u>	THERMOCOUPLE WIRE
TC-K-1/8NPT-G-72-SMP	probe
TECK10-9	cable
<u>TJ36-ICSS-116U-6</u>	T/C ASSEMBLY W/TRANS JOINT
TJ36-ICSS-116U-12	T/C ASSEMBLY W/TRANS JOINT
TJ36-CPSS-116U-6	T/C ASSEMBLY W/TRANS JOINT
TJ36-CPSS-116U-12	T/C ASSEMBLY W/TRANS JOINT
<u>HSTH-44033-3M</u>	hermetically sealed thermister
<u>TECT10-9</u>	Thermocouple Extension Cable, 2 wire, and Retractable Cable T Type
<u>OS136A-1-MA</u>	Miniature IR Infrared Sensor Transmitter -18 to 538°C
TT-K-24-TWSH-50	tt-k-24 model thermocouple cable
TJC325-CASS-020U-2	tempature sensor
TT-K-30-100	insulated T/C wire
<u>TT-K-36-100</u>	insulated T/C wire
<u>TT-K-40-25</u>	insulated T/C wire
PX51S-15KG-USBH	transducer
HH-K-20-SLE-100	Thermocouple Wire

Omega Page 18 / 23





Product	Description
PX429-015CG5V	·
CIR-10151/240V	Cartridge heaters
CIR-10153/240V	Cartridge heaters
MJP2-24-(K)	111119111111
MJP2-24-(J)	
MPJ-T-F	
SMPW-CC-T-M	
FL-505	
FL-510	In-line Flow Meter
SMPW-N-F	
SMPW-N-M	
SMPW-E-F-NL	
SMPW-E-M-NL	
SS-001-1-NA	Omega Link Wireless IIoT Smart Environmental Sensor
ST522225	, and the second
OS-MINI802-D-MA	Miniature Fixed Infrared Temperature Sensor
LC8300-1.00-100K	load cell
EXFF-T-24-1000	Thermocouple Wire
5TC-TT-TI-30-3M	·
BV1000TRN025A	NSF/ANSI Certified Turbine Flow Meters
BV2000TRN050B	NSF/ANSI Certified Turbine Flow Meters
<u>DPG7000-1K</u>	Digital Pressure Gauge
PP-T-24-SLE-1000	Thermocouple Wire
DPG210-500G-KIT	Gauge Pressure Cal Kit
BB703-230VAC-C2	Temperature Blackbody Calibrator
<u>DPG7000-5K</u>	Pressure Gauge
DP41-E-A-230	PROCESS PANEL METER
OB-102-1/2	High Temperature Conductive Epoxy Kit
<u>5TC-GG-K-30-120</u>	
<u>5TC-GG-K-20-36</u>	
<u>LVU503</u>	2" NPT Level Transmitter 9.8' (3M) range, 4 SPST relays, w/ Fob USB Interface
<u>LVSW-701</u>	Level switch, 316 LSS, 1 A SPDT relay
OM-CP-HITEMP140	Autoclave Temperature Data Logger
SGD-6/120-LY11	strain gauge
HX93BDC-RP1	T/RH DISPLY REMOTE PROB
LC8300-1.00-10K	Load cell
<u>X-BRLK-116</u>	Screw connection (single) sensor
TT-T-40-SLE-30M	INSULATED T/C WIRE
<u>CSH-101100/120V</u>	Cartridge Heater 1/4"X1" 100 W
CSH-1011001/120V	1/4" Cartridge Heater 100 W
<u>CSH-2015150/120V</u>	1/4" Cartridge Heater 100 W
RSJ-J-R	
<u>12KX20PP</u>	Multipair Thermocouple Extension Cable
SSRL240DC25	Solid State Relay

Omega Page 19 / 23





Product	
<u>CN8501TC-R1</u>	
P/N: 10287730, Type: 7300025M	
DP25B-S-230-AR	MODULUS
RHCN-7000-RP	Humidity probe
PX309-200A5V	Stainless Steel Pressure Transducers
PX655-01BDI	•
PR-19H-4-100-1/4-24	RTD PROBE WITH SUBMINI ALUMINUM PROTECTION HEAD
TJ36-CA316SS-14G-6-CC-BXSMPW-M	HEAVY DUTY THERMOCOUPLER PROBES
EXTT-4CUI-26SSB-1000	PT100 EXTENSION CABLE FOR RTD'S AND THERMISTORS
EXPP-K-20-TCBP-500	THERMOCOUPLE WIRE SHIELDED EXTENSION CABLES
MRBS	SMP HI-TEMP BOOT,GRAY SILICONE
PRMAG-2-100-A-S-3M	MAGNET MOUNT PT100 SENSOR
RTD-NPT-72-EDUAL-1/4-MTPHT-S	DUAL ELEMENT RTD PIPE PLUG SENSORS
5SRTC-GG-K-30-72	thermocouple with connector
5SRTC-TT-K-36-72	thermocouple with connector
PX409-10WG10V	Configurable, High Accuracy Pressure Transducers
	Intelligent Pt100 transmitter
PX5500C1-7-5KGI	Pressure Transducer
OS137A-3-MA	Sensor/Transmitter
SCASS-020G-6-ROHS	Probe
WTJ-10-60	Bolt-On Thermocouple with SS Washer Housing
<u>OM-141</u>	Portable Temperature/Humidity Data Loggers with USB Interface
NB1-ICSS-14U-9	T/C ASSEMBLY W/CAST IRON HEAD
TT-T-30-SLE-500	
OMB-DAQ-TCRACK-EXP32	
OMB-DAQ-TCRACK	
OS-AO250-801-90	Adjustable Output IR Sensor High Temperatures and Display
Type KFH-03-120-C111L1M2R	
<u>LVP-51-R</u>	NON INTRUSIVE SENSOR W/RELAY
<u>HHP452-C</u>	
<u>WTM-1000-EU</u>	Mini Wind Tunnel-Europe
<u>FL-530</u>	In-line Flow Meter for Use with Water and Air
<u>FOM-H201-8</u>	
<u>FOM-L201-6</u>	
FOS-LT-2	
<u>OS211-MT</u>	Fixed Infrared Temperature Transmitter
<u>FOM-H201-4</u>	
3M0SG4E-28SA40AT0	
3M0SA3E-18MA20AT0	
NB2-ICSS-14G-12	T/C ASSEMBLY W/ALUMINUM HEAD
<u>NB2-ICSS-14G-3</u>	T/C ASSEMBLY W/ALUMINUM HEAD
DPF66	Frequency Meter
15 KW 1500 D IE3 B3 ALM	
15 KW 1500 D IE3 B3 PİK	
HX94C	Temperature/Relative Humidity Conditioner/Transmitter Probe

Omega Page 20 / 23





Product	Description
NCRR-10-100	resistance heating ribbon wire
PX1009L0-100AV	high temperature pressure transducer
4WE6M6X/EW110N9K4	
3MAS 90SA4	ELECTRIC MOTOR
RSC-K-4-2-3	Retractable Sensor Cables for Thermocouples, RTDs and Thermistors
FF-K-24S-TWSH-SLE-50	wire
88007K	Probe, K Type Thermocouple, Miniature, 250°C, 88000 Series
KQSS-18G-30	QD T/C WITH MOLDED CONNECTOR
PF-DC-24	Proportional Valve Amplifier Board Amplifier Electromagnetic Proportional Valve Controller (Color : Single proportional)
<u>HHT13</u>	Tachometer
MFR01201220000	MECHANICAL HYGROSTAT
<u>TL-10-105-30</u>	Temperature marking labels
<u>SA3-K-120</u>	Thermocouple
<u>TL-10-105-10</u>	Non-Reversible Temperature Labels
PF-DC-24 Dual	
<u>FL-2068</u>	Acrylic Flow Meter
<u>FL-2068-NV</u>	Acrylic Flow Meter
FL-2068-SS	Acrylic Flow Meter
<u>DP40-A3</u>	Meter device
RA-18-14-SS	FITTINGS
<u>LD630-50</u>	LVDT Linear Position Sensors with Current Output
TT-K-24-TWSH-SLE-1000	K Type Thermocouple Duplex Wire
3MAS 90SA2	motor
FF-KI-24S-TWSH-300m	IEC INSULATED T/C WIRE
TT-KI-24S-TWSH-150m	IEC INSULATED T/C WIRE
TT-K-30-SLE-200	SPECIAL LIMITS OF ERROR WIRE
GG-K-36-SLE-200	SPECIAL LIMITS OF ERROR WIRE
IEC-TFCY-010-30M	
IEC-TFAL-010-30M	
SMP-NP-K-125G-6	SUB MINI NEEDLE POINT PROBE
SSLK-18-14	SS COMPRESSION GLAND FS316-18-NPT-T-14
BRLK-18-14	1/8 X 1/4 COMPRESSION FITTING
TMQ316SS-062U-6	Sub min t/c w/molded connector
KMQ316SS-062U-6	Sub mini t/c assembly
KMQ316SS-062U-12	Sub mini t/c assembly
3MAS 112MA2	MOTOR ELECTRIC
RTD-809	Encapsulated RTD Sensor
OM-CP-QUADRTDTEMP-A2	Data Logger
3MAS 132MA4	
TT-T-30-SLE-1000	Type T thermocouple cable pair, double insulated
MSRT-116-100	Thermocouple Cable Holder 1.16
FMA-2613A-I-IN	Mass flow controller
ST522220	
TJ36-CPSS-18U-150-DUAL	Thermocouple
	·

Omega Page 21 / 23





Product	Description
TJ36-CPSS-18U-250-DUAL	Thermocouple
DW-G-CS-F-S-AC-WW-XX-G-F	Ultrasonic Flow Meter
4KX20PPSH	Multipair Thermocouple Extension Cable
OTP-K-M	3 prong standard thermocouple Connector
5SC-TT-K-30-72	Thermocouples
5SC-GG-K-30-36	Thermocouples
AHPF-122	circulation heater
<u>TL-S-210-50</u>	
OSAT-301-XT-C-05	Intrinsically Safe Infrared Temperature Sensor
<u>FMG470-08-BXN</u>	Electromagnetic Flow Meters
<u>iLD24-UTP</u>	Panel Meter
<u>LC321-750</u>	MINIATURE COMPRESSION LOAD CELL
<u>DP25B-S</u>	1/8 DIN Thermocouple and RTD Panel Meter with Large, Selectable Color Display
ACC-CB6	BNCM/PIGTAIL CABLE
<u>USB-1608G</u>	8-Channel Voltage Input High Speed USB Data Acquisition Module
<u>FTB-1441</u>	Liquid Turbine Flowmeters
TJ36-CAXL-116U-12-CC-XSIB	Rugged Transition Joint Probe
OM-CP-IFC400	Docking Station with USB Cable
<u>CT485-PS</u>	HUMIDITY-WARM.OLC.CH. PEN
CY670A-SD	Cryogenic sensor, flat sensor, band A
<u>LVN-92</u>	LIQUID LEVEL SWITCH
<u>G2S15N42GMX</u>	Industrial Flow Meter
FL-6302ABR	FLOW METER
XTA-W5R26-U-062-36-H-SX-6	Very High Temperature Exotic Thermocouple Probe
<u>TFIR-003-1000</u>	
<u>TFCI-003-1000</u>	
<u>DPG1000ADA-15G-1N</u>	Digital Pressure Gauge
<u>HMPW-N-F</u>	
<u>TT-NI-24-100M</u>	
<u>DP20</u>	
<u>SCASS-062G-6</u>	
<u>CN7523</u>	
PX359-2KG5V	Transducer
OM01503 / OS151-L-T	temperature sensor
<u>OS551A-MA-1</u>	Infrared Thermometer Pyrometer
<u>0077C</u>	GRES CARTRIDGE
PST30MMA	thermocouple wire stripper
PST60MMA	thermocouple wire stripper
PST187A	thermocouple wire stripper
TL-10-190-30	Temperature marking labels
FLR1012 ST-I	
FMA-4311	
FMA-4000PS-EU-A	
<u>FMA-4000PS-EU</u>	

Omega Page 22 / 23





Product	Description
TJ36-CASS-18G-6-CC	
<u>DPG108-V100G</u>	
PX309-150GV	
LCL-010	THIN BEAM LOAD CELL
MODEL 19SHT	ANSI Current Transformer
3M0SA3E-20LA20AT0	
DP41-TC-DC-A	
<u>HHC280</u>	Manometer
<u>HHC281</u>	Manometer
<u>SPJ-J-F</u>	SNAP IN JACK CONNECTOR, BLACK
FMA5418A-ST	Economical Gas Mass Controllers With or Without Integral Display
XMO-W5R26-U-062-36-H-SX-14	EXOTIC THERMOCOUPLE
DP41-S-DC-AR4	strain panel meter
SGD-2/350-LY11	strain gauge
BTP-1	terminals strips
SGD-3/350-LY11	strain gauge
<u>88002K</u>	
<u>P10R-020</u>	Fine Gage Bare Wire Thermocouple Elements
RTD-850	
5880-PLMLV-103/10-P-ND	Flexible heating element
FS-TE-KK-5MM-2M	
LCGB-2K	Circular Load Cell
<u>GG-J28-1000</u>	
<u>FV103</u>	