







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Omt

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|--------------------------------------|--|
| <u>CPM37GNR</u> | 10 microns anorg. Phases, Nitrile |
| CPM38HN | Filter element for APM 38 |
| <u>CR112C25R</u> | Filter cartridge |
| <u>CR112F10S</u> | Replacement Element 10 micron Absolute for AFR100GNS |
| <u>HC-1140</u> | |
| Kupplung 3tlg. / Alu | Kupplung 3tlg. / Alu |
| <u>LS161</u> | Bellhousing Standard GRP 1D71 Motor |
| ND 8 (ND65B-R62-ND65PU1P) | coupling |
| <u>ND108HD24</u> | Half Coupling |
| <u>ND108B-G1</u> | |
| <u>ND11</u> | coupling |
| OHT 10480011001 / ND48PU1P | coupling half |
| KP-DC-ND5 | coupling |
| ND65B | |
| ND65QD09 | a coupling |
| OCF 75241101063 - CS 10 AN | Filter element |
| FE-CS15AN | Filterele |
| OCF 80207101067 | Filter element |
| OCF 80207101069 (CHP624F10XN) | Filter element |
| OHT 1099999082 (R82) | (Coupling star for clutches ND86) |
| OHT 52510051115 (LS 256) | Bell housing |
| <u>DE500</u> | pressure line clogging indicator sensor |
| <u>OMTF171C10NA1</u> | return filter |
| SF 064B-100-G R90 (old 125) | filter |
| SF 086A-112-G R090 | suction basket |
| SF86A-112-GR125/36 05 | 1-1/2" BSP Suction Strainer Flow Rate 200 l/min 90 Micron |
| SF 086A-114-G R90(125) / 21542112574 | suction basket |
| FE-CFI100C25 | FILTER ELEMENT |
| OCF 0132104068 | air filter |
| OHT 10999990103 / R-103 | coupling star, for NDG 108 couplings |
| <u>CR091C10R</u> | filter |
| <u>CR224C25R</u> | Replacement Element |
| <u>CHP422C10XN</u> | oil filter |
| <u>CU250A25N</u> | Element MP Filtri |
| | |

Enapart Group ! Unit 3 Green Lane Workshops Ashington NE63 0EF United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Omt Page 1 / 16





| Product | Description |
|--|--|
| <u>A1152L10</u> | Breather Element for SAP1152 |
| <u>MX.1591.4.10</u> | Parker Maxiflow Replacement Element |
| HMU 32012303004 | |
| OCU 12038103013 | |
| OCF 31137101093 | return filter |
| OMTF 091C25NA | Rücklauffilter |
| OMTF112C25NA2PV1 | Rücklauffilter |
| ND65C R62 NG65HD22 | Kupplung kompl. |
| ND65C R62 NG65HD20 | Kupplung kompl. |
| <u>LV 2T</u> | Ölstands-Temperaturanzeige |
| <u>LV 3T</u> | Ölstandsanzeige |
| <u>CR171F25R</u> | Filter cartridge |
| | elekt. Verschmutzungsanzeige |
| HPM 622F10 X NR (OCF 61137101067) | Hochdruckfilter |
| OCF 75241106064 | Filterele. SPIN ON für OMTI 15/25/36 |
| OCF 75241101063 | Filterele |
| OCN 60015040071 | Manometer-Abschaltventil |
| | coupling star |
| ND86A-R82-ND86HC35 | Kupplung, ALU |
| OMTF111C10NA1 | 11 0, |
| ND48P1M | Semi joint in aluminum on the pump side |
| OCF 09091104095 | Luft-Filterelement |
| ND65A-G1 | |
| OHT 10650020001 | coupling half |
| OHT 12500022022 | coupling half |
| BH 161/02 | · ů |
| ND 13 (ND65C+R62+ND65P2) OHT 10280010010 | |
| SF 086D-200-G R90(125) | |
| OCF 80347101067 | . |
| OCF 80342109067 | |
| | Filter element for OMTF 222 |
| FE-CS05AN | Filter |
| OCF90900500002 | optical-electr. 1/2" high pressure display |
| ND 61 | Kupplung, Alu |
| OHT 19930010010 / ND108P3U | 11 37 |
| OCF 80311102562 | Filterelement für OMTF 111 / AFR 060 |
| <u>LS 253</u> | Pumpenträger, Alu B3 |
| ND 61 (ND65C+R62+ND65Q2) | Kupplung, Alu |
| OHT 10999999062 , Typ R-62 | Kupplungsstern |
| <u>CS 05 FN (CS 050 A03 A)</u> | Filterele. SPIN ON für OMTI 05 |
| ER100 | Coupling |
| HC-101A | Coupling Half |
| R-62 | ELASTIC INSERT |
| POL - 5 | Bowex Polyamid Ring |
| ND65C+ R62 + ND65QD09 | , , , , |
| | |

Omt Page 2 / 16





| Product | Description |
|--|---------------------------------------|
| <u>B25+Q1B+63B</u> | |
| <u>CS10EN</u> | |
| OCF 75241106064 (CS 150 P25 A) | Filterele. |
| CPM37MN | filter element |
| OCF 80341102568 | Filter element |
| ND65B (OHT 10652000009) | |
| ND65C (OHT 10280000009) | |
| HPM 421F10 X NR (OCF 6112710104) | Hochdruckfilter |
| ND86P2 (OHT 10860020001) | |
| R-82 (OHT 1099999082) | |
| CR091C10R (OCF 80311101061) | Hydraulic Filter |
| HMM 281F25 X NR-1 | · · · · · · · · · · · · · · · · · · · |
| O-Ring Set für Filterelement | |
| A-VRSP01-CC-34-L | Single lowering brake valves |
| P250 | Fussflansch ALU |
| LS 256 | Pumpenträger |
| ND 61C (ND65C+R62+ND65Q3U) | . amponaagoi |
| MHT 11073040071 | |
| OCF 80317101062 | |
| ND108P3U / OHT 19930010010 | |
| OCF 09091104095 , type CTSA 166-40 | air filter element for TSA 166-212 |
| SF 086A-100-G R90(125) / OCF 21532112574 | Saugkorb |
| ND 13 (ND65C+R62+ND65P2) | Complete coupling |
| LS – 251 | flange |
| LS – 202 | Pumpenträger, Alu B3 |
| ND65B+ R62+ND65P1M | Kupplung, Alu |
| ND108B 110-42-12+R103+NS108A5D22 | 3-teilige Kupplung |
| ND108B+R103+ND108P3U | 3-piece coupling, aluminum |
| | 3-piece coupling, aluminum |
| ND13A ND65C+R62+ND65P2U | Causling half agains aids Alu |
| OHT 10280000009 | Coupling half, engine side, Alu |
| ND65H5D16 | Kupplungshälfte, pumpenseitig Alu |
| <u>ND65H5D17</u> | Kupplungshälfte, pumpenseitig Alu |
| CS10BN | Hydraulic filter cartridge |
| OCF 75241101064 | |
| ND 9A (ND65B+R62+ND65P1M) | Clutch, Alum |
| MHP 220 LNR | Hochdruck-Mini-Filter |
| ND108C/ND108H42 | Keyway Half Coupling Motor Side |
| <u>R-160-92</u> | Kupplungsstern |
| ND160-110-C58,R16092,NDG160-110C59 | Kupplung komplett |
| SF 046B-12-G R90 (alt 125) | Suction basket |
| <u>CPM37BN</u> | Filterelement fuer APM 37 |
| ND65H5D24 (OHT 10650020002) | Kupplungshälfte, motorseitig Alu |
| <u>SF86A100GR90</u> | |
| Nr. OHT 11081000009 Type ND108A | coupling half |
| | Kupplungshälfte, motorseitig Alu |

Omt Page 3 / 16





| Product | Description |
|---|---|
| NDG160-085C60G2 | Coupling half, ALU |
| ND65C-G1 | Coupling |
| 1OCF 94097100337 19,35 | Oil filter |
| <u>LS210</u> | Bell housing |
| ND143C-R132-NS143A3D50 | Coupling |
| CS05BN | Filter |
| OHT 52510036115 , type LS 253 | Pump carrier, Alu B3 |
| OHT 10280010013 , type ND 61 (ND65C+R62+ND65Q2) | Kupplung, Alu |
| OHT 10860030001 (ND86P3U) | 11 3/ |
| ND 70A (ND48D+R42+ND48PU1P) | |
| OHT 10999999160 | |
| NDG160-055C98 | |
| p/n:OCF 80317101062 Type:CR111F10R | filter element |
| OHT 10652100009 / ND65B-G1 | a coupling |
| OHT 52008036095 | Pump bracket |
| <u>CR112F10R</u> | Filter element for OMTF 112/AFR 100 |
| ND86B | Drive Coupling Motor Half |
| OMTI 15 CNA | Saugfilter SPIN ON |
| OCF 80207101064 | Filterelement für HPM 421 |
| ND 13 (ND65C+R62+ND65P2U) | complete coupling |
| AFR 060 C25 NR | return filter |
| OCF 31121102592 | return filter |
| FE-CS15BN | Filter |
| | |
| ND86HD22 | Drive Coupling Pump Half |
| POL4 | Ring/OMT Steel Shaft Coupling |
| ND65B + R62 + ND65QD09 | Coupling |
| R132 | Spider for ND143 size coupling |
| CR224C25R/2416 | Filter element for OMTF 224 |
| FE-CR224C25R | <u> </u> |
| <u>R-103</u> | Spider |
| OHT 11083000009 / ND108C | coupling half |
| <u>ND108HD43</u> | Drive Coupling Pump Half |
| ND108C+R103+NS108A8D34 | coupling |
| ND44C | JOINT |
| <u>ND17</u> | coupling |
| <u>SF86A-112GR250</u> | Suction filter |
| <u>OMTF 112C25NA1</u> | return filter |
| <u>LV-3S</u> | Hydraulic station |
| AFR100C25NR | Return Filter |
| <u>NS108C5D50</u> | Coupling Half |
| <u>NS108C5D51</u> | |
| <u>POL - 3</u> | Bowex Polyamid Ring |
| NDG108-110-C55 | 3-piece coupling made of cast iron |
| <u>R-103-92</u> | Spider for ND10 |
| SI 400 + OR81350 | Tank cap aluminum including rubber seal |

Omt Page 4 / 16





| <u>ND48C-G1</u> | |
|---|--|
| | Half jaw coupling |
| <u>NEMA +OMT5-90-41,275-9,652+POL-5+OMT50</u> | Drive Coupling Adaptador |
| NEMA 184TD+OMT3060C27+POL-3+OMT304 | Drive Coupling Adaptador |
| ND65B / 10652000009 | coupling half |
| ND65HD24 | DC Pump Half 20mm Bore+6mm Key |
| ND143B/R132/ND143PD48 | <u> </u> |
| ND108P2 | Drive Coupling Pump Half |
| ND143C+R132+ND143PD48 | |
| ND143D+R132+ND143PD48 | |
| ND143E+R132+ND143PD48 | |
| Kupplungsstern R-82 | für Kupplungen ND86 |
| Kupplungsstern R-103 | |
| CR 171C25R | Filter element |
| CHP283F25XN | filter element |
| SC7-224 | HYDRAULIC TANK |
| BC20-V2-U1P+PIEDE P200 | PUMP SUPPORT |
| ND65P2 (OHT 10650020001) | Town Correcti |
| POL6 | Steel Shaft Couplings |
| OHT 10999990103 Type: R-103 | Coupling star |
| ND65PU1P | Oddpiing stai |
| TSA 135-112 | Filter element |
| CTSA135-40 | air filter element for TSA 135-112 |
| TR-3S1 | diffile definent for 167 166 112 |
| OMTI 05 BNR | filter |
| OMTI-B = PV1 | ilitei |
| TH4-80A | |
| NS 86 B 5 C24 | |
| 1099999082 | oounling stor |
| | coupling star CONNECTION JOINT |
| ND108C + R103 + ND108P3U | |
| ND108K*** | Semi-joint |
| CHP 281 F06 XN | Cartridge-filter |
| CHP 281 F10 X N | Cartridge-filter |
| <u>CR222F10R</u> | Rplcmnt Element |
| NS108C | Semi-joint |
| <u>CS15CN</u> | Filter |
| CHP 421 F25 X N (OCF 80207102564) | |
| ND48D | Semi-joint in aluminum on the motor side |
| OHT 10999999042 Type: R-42 | Coupling star |
| SF 064A-34-G R90(125) / OCF 21522112572 | Suction basket |
| <u>SF 064A-12-G R125</u> | Suction basket |
| <u>CR224F10R</u> | Replacement Element |
| HPM624F10XNR2 | filter |
| <u>AFI 630 R125</u> | Filter |
| <u>L35C-100B</u> | Pump carrier |
| OCF 41115101014 | Filter |

Omt Page 5 / 16





| Product | Description |
|--|--------------------------------------|
| <u>CHP 422 F10 Y N</u> | Filter element for HPM 422 |
| HMM 422F10 Y NS 1+ DE500 | Medium Pressure Filter |
| AFI 250-F10-NR + DE200 | Return filter |
| <u>CFI 250 C25</u> | Filter element for AFI 250 |
| AFR 060 F25 NR | Return filter |
| HPB 061 NYN | Intermediate plate filter |
| <u>CR111F25R</u> | Filter element |
| CHP 061 NYN | Filter element for HPB 061 |
| <u>CR111C25R</u> | |
| SA080-560-S4 | AQUEOUS OIL COOLER |
| OMT 5110 C51 | Bowex grip half M |
| OMT 5052D34 | 3 1 |
| SF64A34GR90 | |
| HMM 283F10 X NR-1 | High Pressure Filter |
| ND 14 | flexible coupling |
| AGN 13A | flexible coupling |
| ND 65Q | Clutch half, ALU |
| OHT 52510036105 | pump carrier |
| SS-50-03-00-A | Oil Air Cooler, Axial |
| ND65PZF | |
| SS500300AP | Oil cooler |
| ND108HD34 | Coupling half |
| T-82 | Rubber Spider insert |
| AFI025F25NR | Filter |
| CS06BN | Spin-On Filter |
| CHP422F10XN | Replacement Element |
| ND43A | Drive Coupling Grp 2 Pump/D160 Frame |
| HPB061GYN | Sandwich pressure Filter 10 micron |
| LS 302 | Pump carrier, Alu B3 |
| OMTF-171C25NA1 | 1 drip carrier, Aid Bo |
| ND65P1M / OHT 10650010001 | Coupling half, pump side Alu |
| ND13 | Drive Coupling Group2 Pump D100/112 |
| ND86H1C34 | Brive Godpling Groupz Fump B100/112 |
| TH3-100E | Lantern |
| <u>CFI100R90</u> | FILTER ELEMENT |
| CFI100F10 | FILTER ELEMENT |
| BSA 6 B PL X 35 | MANIFOLD |
| | |
| ND 12A (ND65C+R62+ND65P1M) | Complete coupling |
| <u>CR224F06R</u> | filter element filter element |
| CHP622F10XN | |
| ND 203 (ND65B+R62+ND65PZF) | Clutch, Alu |
| HPM 622F06 X NR | High pressure filters |
| Filter element for HPM 622 CHP 622 F06 X N | Filter Element |
| HPM 282F06 X NR | High pressure filters |
| Filter element for HPM 282 CHP 282 F06 X N | Filter Element |

Omt Page 6 / 16





| Product | Description |
|----------------------------|---------------------------------------|
| TSA70-12 / 0131104068 | air filter |
| <u>TSA 107-100</u> | air filter |
| <u>R-132</u> | |
| <u>GL250</u> | Sealing ring cardboard for PU backing |
| <u>ND86HD31</u> | Aluminum half-coupling |
| <u>CHP 622 F06 X N</u> | Filter element for HPM 622 |
| <u>CHP 282 F06 X N</u> | Filter element for HPM 282 |
| ND65C+R62+ND65PU1P | |
| SF 064B-100-G R90 | suction strainer |
| ND108C+R103-92+ND108HD99 | 3-piece coupler, ALU |
| ND108C+ R-103+ NS108-Q | |
| <u>CR171R60R</u> | |
| ND65HD22 | Coupling half, pump side Alu |
| Sprocket R-62 | clutch star |
| NS108A | |
| FE-CR171F03R | Filter element |
| SA081-870-S4 | SCAMBIATORE |
| <u>CR171C10R</u> | FILTER FOR HYDRAULIC RETURN |
| B45-T1D-101E | pump carrier |
| ND143C-G1 | P5P 536 |
| R-132-92 | Coupling star for GG |
| NS143 PD 99 | clutch half, aluminum |
| ND108C+R103+ND108KD99 | olator rian, alammani |
| ND143E-G1 | |
| NS143P. | |
| ND 2 (ND48B+R42+ND48PU1P | clutch, aluminum |
| ND65C+R62+ND65HD34 | coupling |
| ND65HD34 | осирнія |
| ND143 R132 | COUPLING TIRE |
| OHT 1099999062 | clutch star |
| OCU 12034104013 | 3 bolt flange |
| OHT 10862000009 | clutch half |
| OHT 10652000009 | clutch half |
| ND65HD17 / OHT 10650020006 | coupling half |
| ND15 | Drive Coupling |
| OCF 75221101061 | Brive Goupling |
| HD65HD17 | Pump Coupling |
| SF46B12GR90 | Fullip Coupiling |
| OCF 75247112564 | |
| OHT 1099999082 | clutch half |
| | Ciutch han |
| ND143C / R-132 / ND143P35 | Drive Counting Dump Helf |
| ND86HD99 | Drive Coupling Pump Half |
| <u>SS220-24-00-A-P</u> | CARTRIDOEC FOR REFORUET |
| HPM 281 CHP 281 F06 X N | CARTRIDGES FOR PRESSURE FILTER |

Omt Page 7 / 16





| Product | Description |
|---|-------------------------------------|
| <u>252403001</u> | |
| <u>252024001</u> | |
| <u>CHP 421 F10 X N</u> | |
| OMTF 112C10NA1 | return filter |
| ND108B110-42-12 + R103 + ND108K7D98 | 3-piece coupling |
| ND86A + R82 + ND86H1D34 | 3-piece coupling |
| S/N:109513455 (MODEL:ALP1-D-16) | 3-piece coupling |
| OCT 12080141388 | infill ventilation filter |
| AFR30C25NR | hydraulic filter element |
| MHPR 220 LN | filter element for MHP 220 |
| AFI100F25NR | Filter Element |
| filter element for AFI 100 CFI 100 F25 25 | filter element |
| ND108D, R-103-92, NS108A7D99 | 3-piece coupling |
| P/N: OCF 51107102572, Type: MHP 220 MNS | High pressure mini filter |
| CHP 281 T25 X N | Filter element for HPM 281 |
| AFR100C10NR | Filter |
| HMM422C25XNR | medium pressure filter |
| ND 10 | Coupling |
| OHT 52008036095 / LS 203 | |
| | Lantern |
| <u>SI-400G</u> | seal |
| <u>SE350G</u> | seal |
| <u>SE475G</u> | seal |
| <u>5110C51</u> | |
| <u>5110C54</u> | Coupling |
| <u>CHP281F25YN</u> | |
| OCF 80317101061 | Filter element for OMTF 091/AFR 030 |
| OCF 80312112561 | Filter element for OMTF 091/AFR 030 |
| <u>SF064B 100GR090</u> | Intake filter |
| <u>ND108H1C43</u> | Half-joint Half-joint |
| <u>OMTF171 C10NB5</u> | Filter complete with cartridge |
| <u>ND86 HD26</u> | Aluminium half-joint |
| <u>BH-LS300</u> | OMT Lantern |
| <u>ND16</u> | Full aluminium joint |
| <u>BMA-P300</u> | Shock Absorbing Bar |
| Elastic Insert R-82 | Elastic Insert |
| OHT 10482014810 Type: ND 48 B | coupling half |
| OHT 11083000009 Type: ND108C | coupling half |
| p/n: OCF 01321040691 Type: TSA 166-212 | airfilter |
| OHT 10862100009 | Coupling half |
| ND86HC27 | |
| G268 N | Gasket |
| ND 48 C / 10480014810 | Coupling half |
| ND48PU1P | coupling half |
| CHP 283 F10 X N | |

Omt Page 8 / 16





| Product | Description |
|--|--|
| ND65A | Coupling half, aluminum on the engine side |
| ND143C / OHT 11433000009 | coupling half |
| NS143A3D53 / OHT 11435300144 | coupling half |
| OHT 10650020001 Type ND65P2 | |
| OCF 80331102565 | Hydraulic filter |
| <u>TSA 70-34 / 0132104068</u> | airfilter |
| <u>CS 050 P10 A</u> | |
| CS10HN / OCF 75247102563 | |
| <u>B55D60T2A1808</u> | |
| <u>NS143A4D53</u> | |
| <u>BMA 250 MF</u> | |
| <u>TH2-125 A</u> | |
| OMT 3060 D43 | |
| <u>R62 (ND65)</u> | |
| ND65B+R62+ND65PU1P / 10240008012 | coupling |
| <u>HMM281F10YNS</u> | filter with housing |
| DC-ND65HC18 | |
| DC-ND65HC19 | |
| SS-40-03-00-A-P / OCK 14135114401 | oil air cooler |
| SF 086A-112-G R125-V / OCF 21552412506 | suction basket |
| <u>2.001.315.142.611</u> | AIR ACCUMULATOR |
| <u>HPM28-1-02</u> | FILTER CARTRIDG |
| TAPPO-HBRC-22-CS | |
| OCF 31157102564 | RETURN FLOW FILTER + electr. high pressure indicator |
| <u>ND86HD34</u> | COUPLING PUMP |
| NBC 81816011160 | |
| OCF 90900200002 | |
| ND65P2 /coupling rubber P/N: R62 | COUPLING TYRE |
| <u>CFI630R90</u> | |
| coupling rubber for ND65P2 | |
| <u>CFI 100F025</u> | Filter cartridge |
| SA081-310-L4 1 1/2 | |
| <u>ES03550-M</u> | Fan assembly |
| ArtNr.: ALP1-D-9 / HYB100006 | pump |
| ND108B / OHT 11082000009 | coupling half |
| ND65C+R62+ND65P1M / OHT 10280012210 | |
| <u>ND65P1C</u> | |
| <u>ND108HD99</u> | |
| <u>ND108A-G1</u> | |
| <u>TRM-2-100P1</u> | |
| <u>HPM422F10XNR1</u> | Filter |
| OMTPR20-GN | |
| spider for ND65 (R62) | |

Omt Page 9 / 16





| Product | Description |
|---|--------------------------------------|
| TAPPO-HBRC-22-SS | |
| OCF 41115061005 | medium pressure filter |
| SF64B100GR90 | |
| OCF 75241106062 | filter |
| OHT 53001311014 / TH4-101A | pump carrier, aluminum |
| SF046A038GR090 | , , , |
| OHT 10140010010 | Drive coupling 14mm to GP1 1:8 Taper |
| CS 05 HN / OCF 75227102561 | Filterele |
| SF 046A-38-G R90(GR125) / OCF 21502112571 | suction basket |
| APM38GNR | |
| CHP281F25XN | |
| <u>CF1025F25</u> | |
| CFM38GN | |
| OCF 80341102567 | filter element |
| A-VRSP01-CC-34-L-X / 06.151.LX0 | |
| ND86P2 (CA-CU) | pump |
| OHT 10861000009 (ND86A) | motor |
| RPA2-34C | 3-hole angle flange |
| ND108C+R103+ND108K4D43 | coupling |
| ND86A+R82+ND86HD17 | coupling |
| ND108B+R103+ND108HD26 | coupling |
| ND108D-G1 | |
| OHT 10650020001 / ND65P2 | Coupling half |
| ND86HD17 | Coup.ii.g itali |
| ND108C-G1 | Drive Coupling Motor Half |
| ND108BHD99 | 2.11/0 Coopining Micros Fra.11 |
| TSA 135-112 (CTSA 135-40) | air filter element for TSA 135-112 |
| ND65CG1+P2 | Complete Coupling |
| ND86A-G1 | Complete Coupling |
| AFR100F10NR | complete filter |
| SF64B100GR60 | FILTER |
| FE-CR111C25R | HEILIT |
| SF 064B-100-G R60 V / OCF 21532106073 | Suction basket |
| CR111F25R / OCF 80317102562 | Filter element for OMTF 111/AFR 060 |
| CR112C25R / OCF 80331102565 | filter element for OMTF 112/AFR 100 |
| MHP220-LNP | OMT Element |
| SS22014 00-A-P | OMT Element |
| | Contrider filter |
| CR221C25R | Cartridge-filter |
| DC-R-103-92 BC20-V2-U1P | numn acriicr |
| | pump carrier |
| P200 | foot flange |
| OMT6110C56 | OMT Steel Coupling |
| OMT6140 C57 | coupling |
| <u>TH4-100E</u> | Aluminium Flange |
| <u>ND143PD98</u> | Drive Coupling Pump Half |

Omt Page 10 / 16





| Product | Description |
|--|-----------------------------|
| AFR 060 C25 NR / OCF 31121102592 | return filter |
| OMTF091R60NA | Return line filter assembly |
| OHT 10483014810 / ND 48 D | coupling half |
| <u>ND108HD50</u> | Drive Coupling Pump Half |
| <u>T2A-152B</u> | Adapting flange |
| MHPR220MNS | Filter Element |
| CR111C10R | |
| OCF 21512112571 / SF 046B-012-G R90 | Suction basket |
| CHP621F10XN | FILTER ELEMENT 5 MICRONS |
| ND901A | - |
| | Pump Gasket |
| ND86P2 | ' |
| ND65C (ND65C-G1) | coupling half |
| FE-CR224C10R | coopg |
| ND48D-G1 | Drive Coupling Motor |
| SSC200302A-P | radiator |
| DC-ND86P3U | - radiator |
| OMTF112C25NA2 | OMT filter |
| AFR60C25NR | COMPLETE FILTER |
| A15AFR60C25NRO | Filter |
| AFR30C10NR | Filter |
| DC-R-132-92 | CAST IRON DRIVE CPLG SPIDER |
| DC-ND143E-G2 | motor |
| old code OMTPR100-2-BN/34 17 new code OMTPR102C25N | filter |
| CR171R60R / 28 17 | filter |
| ND65Q2 | Coupling half |
| KP-DC-ND61 | coupling insert |
| SA080-870-S4-B | Hydro Exchanger |
| | Hydro Exchanger |
| ND143CG105 | Lontorn |
| B55D30Q4G224A | Lantern |
| ND48CC22 | coupling half |
| R42 | |
| ND86HD35(1" bore) | |
| TPB-2D | P |
| ND44A | coupling |
| ND65C | coupling half |
| OMTR62 | |
| <u>ND01</u> | Drive Coupling |
| OHT 10140010110 / ND 1 | coupling, aluminum |
| <u>AFI 040 R60NA</u> | return filter |
| <u>AFI 100 C10NR</u> | return filter |
| <u>OMTF 111C25NA1</u> | |
| <u>NS 143 A7D50</u> | |
| OCF 75221106061 - CS 05 CN | |
| <u>CR091R90</u> | |

Omt Page 11 / 16





| Product | Description |
|--|--|
| OMT-R82 | |
| APM38HNR | |
| OHT 10860020001 | Pump |
| OCF 31117101066 | ' |
| ND180C | |
| ND180K | |
| ST2501200A (12V) | |
| ST2501200A (24V) | |
| ND108HD26 | |
| OHT 11082000009 / ND108B | Coupling half, aluminum on the engine side |
| <u>HD049-176</u> | |
| <u>CS05AN</u> | Filters |
| OMTF 091C10NA / OCF 31311101061 | return filter |
| ND108HD27 | Coupling half, aluminum on the engine side |
| OMTF171C10NA | return filter |
| <u>OMT6110C</u> | Blank Steel Coupling |
| ND108C | |
| ND108K6C43 | |
| DC-ND108C-G1 | |
| DC-ND108HC42 | |
| OMTP1002BN40 | Return filter with filler aerator |
| OMTPR100-2-BN | filter element |
| OHT 11085000009 / ND108 HD 35 | |
| ND108HD42 | Coupling half |
| ND108P3U | Coapga |
| OCF 80387100660 | filter element |
| HB1-RAF | Pressure gauge switch |
| DC-ND108P3U | Tressure gauge switch |
| SA130-995-L4-HJ | oil/ water shell and tube cooler |
| FE-CR112C25R | Oil/ Water Shell and tube cooler |
| <u>CR091F10R</u> | CARTRIDGE |
| ND48C+R42+ND48PU1P | CANTRIDGE |
| | |
| R62 SPIDER FOR ND65 | Elban alamant |
| SP046B012GR090 | filter element |
| CS 15 NN | filter cartridge |
| COUPLING flange 54000103 COUPLING HUB ND 65 P2 | |
| A350 | |
| OMTP20AN1-10 | |
| CS10GN | |
| CS10AN | |
| CR 171C25R/37 22 | |
| ND108KC37 | OMT Pump Coupling |
| OMTF-40BN / OMTF091C25NA | |

Omt Page 12/16





| Product | Description |
|---------------------------------|--|
| CTSA 70-40 / 09091104091 | air filter element |
| <u>BH-TH3-101A</u> | Bell Housing |
| KP-DC-ND16 | , and the second |
| SF 064A-34-G R90 (125) | suction basket |
| SF 064B-100-G R90(alt125) | suction basket |
| SF86B112GR90 | hydraulic filter |
| | hydraulic filter |
| FE-CS05NN | oil filter |
| FE-CS06AN | oil filter |
| FE-CS15EN | oil filter |
| M6 X 10 | GRUB SCREW |
| ND86PZG | 21. 2. 2.2 |
| OHT 53001321254 | |
| SF 86A-100-GO | Filter |
| SF64B34GR90 | |
| <u>nd17a</u> | |
| OCF 21532112574 | |
| OCF 21522112573 | |
| MBSP 2,0-250 / 200.1315.142.6X1 | |
| AFR180F10NR | |
| CR171F10R | |
| <u>OMTF-112F10NA1</u> | |
| <u>005.072.001</u> | |
| OMTPR1002AN | OMTPR102C10N ELEMENT |
| OMTP1002AN OMTP100-3BN2 | OWITH THOSO TOTAL ELEMENT |
| NS65P / OHT 10281000008 | |
| OMTF221F10NA1 | Housing number (for orings) |
| 943729Q | filter element |
| <u>LS303</u> | BELL |
| BH-LS303 | Bell Housing |
| DC-ND86B-G1 | |
| | Motor Motor |
| DC-ND86A-G1 | |
| FE-CS05EN | Hydraulic Filter |
| ND108HC17 | |
| NS01 / ND86H3C24 | |
| NS01 / ND108PD17 | |
| SA081-310-L4 | Aqueous Cooler |
| <u>SQ25201</u> | 5 . 5 |
| OMTF112F10NA2 | Return Element |
| AFR30C10NS | Filter |
| BH-LSE256 | |
| OHT 10862000009 (ND86B) | |
| OHT 10860020001(ND86P2) | |
| <u>LSE300</u> | |
| OHT 53013236143 (LS 300) | |





| Product | Description |
|---|--|
| Kupplungshälfte, pumpenseitig Alu ND86P2 Pumpennabe d=86 mm kon Welle 1:8,BR2 Stck.2 Einzelgewicht: 0,2 kg | Drive CPLG Spider |
| <u>ND108HD22</u> | Pump Side Shaft Coupling |
| <u>TH 15-127 C</u> | |
| ND108B+R103+ND108P2 | coupling, aluminum |
| <u>DC-R-103</u> | |
| OMTF112R60NA2 / (OMTF100CN) | |
| <u>ND48P05GT</u> | |
| <u>AFR100F03NR</u> | |
| CR112F03R / OCF 80337100365 | |
| <u>FE-CR111R60R</u> | |
| DC-POL-7 | blank steel coupling half for OMT POL7 |
| ND108KD43 | |
| CR171C25R/39 22 | FILTER |
| CR111F06R | Hydraulic filter |
| CPM37NN | CARTRIDGE |
| LS35CDF4 | pump carrier |
| ND43C | pamp camer |
| CS10BN-CM | LINE TYPE ATOM FILTER ELEMENT |
| CR091F06R | EINE THE ATOM FIETER ELEMENT |
| OHT 11080030017 / NS108A3D99 | |
| AFI250F10NA1 | Circuit Breaker |
| MHP 220 BNS / OCF 51101102572 | high pressure mini filter |
| MHPR 220 BN / OCF 80101002592 | Filter element for MHP 220 |
| AFI250F10NA | Filler element for WifiF 220 |
| P/N: 10999990103, Type: R-103 | |
| | |
| FE-CR223F10R | |
| EJ-FE1-012 | |
| BH-A-300 | |
| ND12A | shaft coupling |
| OHT 52510036107 | |
| DC-ND108A-G1 | Keyway Half Coupling Motor Side |
| OMT-CS05FN | filter element |
| OMT-CS05FNA | |
| OHT 10862000027 | |
| <u>HPM624F10XNR12</u> | |
| OMTF224C25NA2 | RETURN FILTERS |
| <u>KIT-OMTF09</u> | |
| <u>002.202.0X0</u> | Pressure relief valve 1/2" |
| <u>005.529.001</u> | Solenoid Valve |
| <u>CS05CN 60</u> | Micron Spin On Canister |
| OMT PR102C25N | |
| <u>005 103 OX1</u> | |
| ORND86B | |
| | |





| Product | Description |
|----------------------------------|--|
| ORND86P3U | |
| <u>ND65HD99</u> | |
| <u>4080C36</u> | Bore |
| <u>4040D28</u> | Bore |
| AFR30F10NS | filter |
| <u>FE-MHPR220BN</u> | |
| OCF 80312112565 / CR111R90RS | filter element |
| <u>G-393-N</u> | |
| <u>CR091C25R</u> | filter element |
| <u>SA131-520-L4</u> | Heat exchanger |
| <u>CR222C10R</u> | Filter |
| SA 130285-S4 / OCK 510130285S4 | oil/ water shell and tube cooler |
| 20060021507 / POL - 6 | |
| <u>SF46A 34 GR90 OMT</u> | |
| SF64B-34-G90 same as SF64B34GR90 | FILTERS |
| <u>KIT-B-AFR100</u> | O Ring kit |
| <u>ND108HD98</u> | |
| ND108H1C98 | |
| OMTF222C10NA1 | 1 1/2" Return Line Filter10mic 319 lpm |
| <u>CFI 250 F06</u> | |
| <u>SS501400A-E</u> | SCAMB.COMPL.SS501400A+CAB.EL. |
| HMM422F10YNS1 | |
| CR112R60R / (EX CR100C) | Filter |
| <u>ND202</u> | |
| HMM-422-F10-YSN1 | FILTER |
| HMM283F25XNR | FILTER |
| OMTF112C10NA2 | return filter |
| <u>NS86P</u> | |
| ND65C-G1/R62/ND65PU1P | |
| <u>HPM281F03XNR1</u> | high pressure filter |
| OCF 80207100361 | filter element |
| OMTPR020C10N | Elements (OMTPR020AN) |
| <u>RIA-35-012M</u> | |
| 005554000 | |
| <u>C37 DO 24 DC</u> | - |
| TSA 166-212 | |
| | Breather |
| ND65A/R62/ND65P2 | complete couplings |
| ND65AG38 | |
| F171F10NA1 | |
| F224F10NA1 | |
| ND48B-G1 | |
| HPM281F10XNR | |
| OHT 11084000009 / ND108D | |
| <u>CR111R60R</u> | CARTRIDGE |
| | |

Omt Page 15 / 16



Omt



| Product | Description |
|----------------------|--------------------------------------|
| AFR100F10NS | |
| <u>DE500M</u> | Electric Filter Ind APM Filters Only |
| ND86A-58-28-8 | Coupling |
| NDG160-85-75-20 2 FG | Coupling |
| <u>CR091R250S</u> | |
| POL-6 (POLYAMIDE 6) | |
| AFR60R60NR | FILTER |
| <u>OMTF171F06NA1</u> | return filter |
| <u>OMTF222C25NA1</u> | |
| <u>TR-2</u> | FILLER BREATHER |
| CS15EN | Filter |
| <u>SS240300A-P</u> | |