







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





## Re S.p.A.

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## **BRAND'S PRODUCTS**

Product	Description
CK.125.150.25	Through-hole load cell
<u>C.651.R</u>	Clutches
CF.85.15.40.2RS mA EVO	Druckmessdose
<u>999-800-0136</u>	plunger
<u>999-800-0106</u>	Pad Clip
<u>999-800-0134</u>	Plug-in ring
<u>0017033</u>	
R15 999-800-0322	
HP3 V2	Cover
<u>10073065</u>	Sprengring
CF.120.25.52.2RS	pressure cell
<u>999-802-1204</u>	
999-802-0208	Connection cable pressure gauge CF.120
CF.85.100.40.2RS	Druckmessdose
999-802-0247	E/P-Wandler Antlia ohne Filter
<u>999-800-0646</u>	Powder for powder brake & clutch 651
MA.0017268.0215	
<u>999-800-0647</u>	Repair kit for powder brake & clutch 651
<u>SU.5/B-50</u>	ultrasonic sensor
<u>999-800-0164</u>	
BK9-800-0322	brake pads
<u>20002035</u>	sealing ring
<u>999-800-0135</u>	Piston Spring
<u>999-800-0113</u>	stop ring
BK9-800-0322 (pack 1x12)	box
Cod. 01A14023	
Cod. 01A67016	
Cod. 01S14017	
Cod. E0304112	
<u>CF.85.25.40 2RS</u>	Loadcell
<u>999-810-1021</u>	Mounting kit load bearing
<u>999-810-0208</u>	Connection cable load bearing
CF.85.100.40.2RS MV	load cell
<u>CX-250-6</u>	PNO BRAKE
EE.250.6.220V	Pneumatic brake
<u>999-801-5105</u>	

Re S.p.A. Page 1/6





Product	Description
999-801-5101	p
5C010149	Controller
4258910	Clip pad spring
01A17031	2h han sh9
999-800-9002A	
01A51006 (BK9-800-9005)	Brake caliper EE with flange 16%
01A61008 (BK9-800-9006)	Brake caliper EE with flange 40%
1S20002	Pneumatic brake
36	Hole machining of the brake disc
02P72002	Valve
999-800-0526	dusty brake
999-745-0920	E / P converter
CX.250.3.V. F.90	cover + ventilator
01A67016	Brake pad
1R11002	Electromagnetic brake
Nr. 999-800-0528 Type	-
<u>B.1201</u>	Magnetic powder brake
CX.300.8.220V	Pneumatic brake
BK9-800-0322	brake pad
<u>5C01070</u>	Tension Regulator T-Two
<u>999-801-5052</u>	Sensor Cable
<u>B.1201</u>	Electromagnetic brake
CX 250.3.V HP1.V2	Pneumatic brake
CF.125.100	Flange load cell
<u>06X63001</u>	Cable
<u>06X63002</u>	Cable
CX.250.6.V HP3	Pneumatic brake
MBD.100	Electromagnetic Disc Brake Model
<u>M0202007</u>	Sealing ring
<u>MWG.10.1</u>	Electronic Control Instrument
<u>999-810-1025</u>	
<u>SU.7/B-50</u>	Ultrasonic sensor
<u>CB.80.100</u>	load cell
CK.175.300.35	Forgauges
999-800-0462	Fan Assembly
BK9-810-0031	amplifier
<u>5Q01010</u>	Sensor
BK9-800-0476	
BK9-800-0477	
<u>999-800-0102</u>	
<u>LEO</u>	
<u>E1405006</u>	Power supply
<u>CF.85.5.40 2RS (Code</u> <u>6A08007)</u>	Flanged load cell
BK9-810-1021	Load bearing assembly kit
	- ,

Re S.p.A. Page 2/6





Product	Description
BK9-810-0208	Load bearing connection cable
<u>01A67016</u>	 Pad
B.1701.V220	Electromagnetic brake
CF85.25.402RS SN.	-
40527.0905	Load cell
<u>CF.120.50.52 RS HT</u>	Flange load cell
<u>B.651.R</u>	Electromagnetic powder brake
<u>2P99002</u>	Pneumatic Cantilever Axial Displacement Expanding Shaft
<u>06X63016</u>	Cable
<u>06X63017</u>	Cable
<u>M0399002</u>	Compressed air gun
<u>5H01010</u>	Digital amplifier
CX.250.4.F90	Pneumatic brake type COMBIFLEX
Cover HP.3 V2 / 01A14077	Cover
1Z06001 B.651	
<u>B.121</u>	Electromagnetic powder brake
SU.5-B.100	Ultrasonic sensor
42530118	Pneumatic brake caliper mod. CX standard
4003811	Aluminum Single Bracket
<u>20000416</u>	OR 6 BIS gasket
CF.85.100.40 1000	Flange load cell
<u>CF.85.xx.40 2RS</u> 1K01004	Bearing mounting kit
1W01001	
E0606001	
01D38005	CX caliper on bracket with NT style brake pads
5C01071	adjuster
5H01007	adjuster
SU.5/B-50 24V Out 0-5V	ultrasonic sensor
SU.5/B-50 24V Out 0-10V	ultrasonic sensor
05X74005	Transducer
CF70 25 25 MV	
CX 250.6.V HP3.V2	PNEUMATIC BRAKE WITH HP COVER
5N01008	Ultrasonic sensor for tension control system
05N63008	Full cable
42582001.001	SPRING RETAINING
4259010	PISTON SPRING
FP25/2 0017033	Current regulator
41000101	
<u>6A08009</u>	Load Cell
E0304011	
<u>01A14077</u>	Cover
CF.85.50.40 2RS HT / 6A08025	Flange load cell
<u>5D01002</u>	Optical sensor

Re S.p.A. Page 3 / 6





Product	Description
51800001	
5Q010010	Ultrasonic Sensor
5A01011	Controller with display
109500	Load Cell
CF.120.100.52	
CF.120.50.52	
CF.120.100.52.2RS	
PU/M-SA	
PZV/M-SA	
CX.250.6.V. F.90	Pneumatic brake
CX 250.6.V HP1.V2	Pneumatic brake
CX standard /4253004	Clamp
<u>5R01011</u>	WEB GUIDE SENSOR
<u>CF.85.25.35</u>	Flange load cell
12488.06 / CX 250.4	brake
CX251	Protective cover
<u>41000100</u>	
1Z06001 / mod B.651	Electromagnetic brake
1Z01002 / B.121	Electromagnetic brake
<u>01A64003</u>	Power cable
<u>42535001</u>	Distributor
01A67016 (12 pcs/box)	Brake pad
TAURUS BX /5E01008	Power supply board
CK225.600.50	Through-hole load cell
<u>4253100</u>	
<u>4253200</u>	
<u>1Z17001</u>	Electromagnetic Clutch with Radiator
<u>B.1201.R</u>	Electromagnetic brake
<u>F90</u>	
<u>01E86003</u>	MEMBRANE
<u>01A14078</u>	
<u>5Q01021</u>	
SU.7/B-50 L=160	Ultrasonic sensor
B.1201.R / SN: 07.01952	Electromagnetic powder brake
MWG22	M 10 1111
4M020002	Manual Sensor Holder
E0203063	Cable
01D38011	Pneumatic brake caliper
01A75070	Proko nada
4254209 06Y62004	Brake pads 10 M CABLE WITH 90° CONNECTOR
06X63004 SU.5/B-50 24 VDC	Ultrasonic sensor
CKF.105.25.17 ACC. V2	OILL ASOLITE SELISOL
1Z99001	
<u>1299001</u> 22294.0518	amplifier
<u> </u>	anpine

Re S.p.A. Page 4/6





Product	Description
42530112	·
4253122	
<u>RDV.81</u>	Push the battery reel
Battery Charger RDV	
Charger (EU-V1)	
Battery RDV-V1	
CF70.25.25	Load cell
TAURUS BX	
05X74007	Floatromognatio novidor brako
1Z01003 / mod. B.121.R 1Z06002 / mod. B.651.R	Electromagnetic powder brake  Electromagnetic powder brake
01A19032	Electionagnetic powder brake
LC2000 - LS	Tension/compression load cell
PYXIS mV	·
EE.0013183.0714.	Digital amplifier
999-802-0303	Transducer
<u>CB80.100MV</u>	Base load cell
<u>1Z12001</u>	Electromagnetic brake
<u>1Z17002</u>	B.1701.R Brake with radiator
B.1201.V (24 VDC )	Electromagnetic powder brake
B.1201.V ( 110 Vac )	Electromagnetic powder brake
B.1201.V (220 Vac)	Electromagnetic powder brake
Md max braking force 690 N at 6 bar	Positive pneumatic clamp
Pressione max 7 bar	Positive pneumatic clamp
WG.251-SKB-B.250.200.50	·
S.F.C. WGL	Mechanical system
<u>2P03022</u>	Pneumatic expandable shaft with strips
TBD-WGP	
<u>4M020008</u>	Manual sensor holder for PYRAMID
<u>E0203043</u>	PYRAMID sensor cable
4M02018	Manual sensor holder
<u>05X63054</u>	Cable
CX-NANO+STAFFA	Positive pneumatic clamp
CKF125.150.25 / 6B13001	Through-hole load cell  Pneumomechanical header
MX16.3 MX16	Adaptation flange
CKC.125.150.25 Cod.	
6B120003	Through-hole load cell
<u>1S20043</u>	brake
<u>01S67005</u>	brake pad
CK 225.300.50	LOADCELL
CKC.225.300.50	Load cell
<u>1H01009</u>	Negative pneumatic clamp
1Z12006	Clutch
<u>1E01003</u>	blockers

Re S.p.A. Page 5 / 6





Product	Description
<u>5H01014</u>	Digital amplifier
4030008 + 01A140020	Pneumatic brake
<u>C.1701.R</u>	Electromagnetic clutch
US3 Controller	Torque control sensor
CKC.105.25.17 ACC	
SU.5/B-50 24V OUT 4/20 MA / 5Q01021	Ultrasonic sensor
<u>Code 36</u>	
<u>5Q01004</u>	
F90/ 01A14078	Cover
<u>01A14075</u>	
<u>2Q06025</u>	Pneumatic adapter
<u>2Q06040</u>	Pneumatic air expanding core adaptor in aluminum internal ø75mm, external ø150mm (suitable for cores ø152,4mm) with stop ring.
CF.120.50.52 2RS	Flange load cell
<u>CF.120.xx.52 RS</u>	Bearings mounting kit
<u>01Z76005</u>	Kit
<u>02P66001</u>	Polyurethane air chamber
Cod. 36 ( L=2048mm )	Air chamber cutting processing
<u>02P40001</u>	Perforated nipple
<u>02P68205</u>	Rubber strip
Cod. 36 ( L= 2003 mm )	Slat-cutting processing
<u>02P32003</u>	Steel return spring
<u>02P69011</u>	Mylar protective tape