



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онџл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Riegler

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
103372 Type: 1084 FL	3-way ball valves
141613 Type: 420.61	Rod coupling nipple
103826 Type: 220.03	Check valve
103828 Type: 220.05	Check valve
103946 / 226.01-1.5	Safety Valve
104023 Type: 226.01-10.0	Safety valve
P/N: 107238 Type: 243.50	Nipple for coupling
247.04	
103477 / 374.01-ES	Stainless steel ball valve
101471 / 569-2	Sinterbronze silencer
569-4	Sinterbronze-Schalldämpfer
113299	
P/N: 113300 Type: 570-6	high performance muffler
60-3/ETS	spare parts kit
105669 / 60-4/ETS	Replacement set
P/N: 100966 Type: 650 C/S	
650 H/M	Filter with metal container, 60 µm, Size 5, G 2
100931 / 678.41 S	"Standard" filter regulators
680.22	filters
680.23	Filter
P/N: 100881 Type: 737.501	Constant pressure regulator
737.503 / 100883	Constant pressure regulator
P/N: 100887 Type: 737.603	Constant pressure regulator
737.703 / 100892	Constant pressure regulator
102997 / DS 4015	Pressure switch
100433 (R55 - 10)	"multifix" pressure regulators
243.01-B	quick-release coupling
517.1205	3/2-Wegeventil
737.502	Konstant-Druckregler
482.20 B)	"Standard-mini" pressure regulator
226.02-10.0	safety valve
MV 103 ES	Magnetventil
112709 / 253.16	Angled piece
N 254.72	T-Stück
P/N: 100893 Type: 737.704	Constant pressure regulator
22.773.4 / 100915	Wear part set

Product	Description
104115 / 226.02-1.0	Full stroke safety valve
571.12 D	Druckregler Edelstahl
60-5/K	Schmutzfänger/
60-4/K	Schmutzfänger/
32	Pneumatik-Spezial-Öl
100794	
101044	Polycarbonatbehälter
100950	Polycarbonatbehälter
101017	
100991	
395.04	Edelstahlkugelhahn
395.02	Edelstahlkugelhahn
P/N: 100478, Type: C 33-K 10-HA	FILTER REGULATOR
34.811	Winkel-Schlauchverbindungsstutzen
p/n: 100908; Type: 251.02	Reducing nipple
101365	Druckregler
101380	Ersatzsieb
101383	Klarsichtsiebtasse
101386	Messingsiebtasse
569-3	Sintered bronze silencer
103327 / 373.01	Ball Valve
103328 373.02	Ball Valve
080120 KS	Blaspistole
104593 (227.55-10.0)	Vollhub-Sicherheitsventil
650 E/S	
116030	3/2-way valve
396.02	Edelstahl-Sicherheitskugelhahn
R33-10	compact regulator
227.55-10.0	safety valve
p/n: 113339; Type: 567-2	Sintered bronze silencer
567-1/M.	Sinterbronze muffler
571.14 B	stainless steel pressure regulator, 1.4404, not reset, G 1/4, 0.5 - 8 bar
P/N: 101753 Type: 216-K	
216-K.	Pressure gauge
p/n: 115678; Type: 252.96/N-E	locking screw
251.04	Reduziernippel
P/N: 113299 Type: 570-5	silencer
P/N: 113345, Type: 567-1/M	Sinterbronze muffler
P/N: 112754 Type: N 253.16	elbow
116127 / 517.2004	5/2-way valve
114606	
106168	
658.6.908 (100986)	Filter element
100892 (737.703)	Constant pressure regulator including pressure gauge
243.02-N (107281)	

Product	Description
243.48-N (107305)	
FU 7002 (100002)	pressure regulator
H 850 (100038)	Fixing angle
253.12 (112703)	
227.12 (103822)	
227.01 (103815)	
P/N: 100977, Type: 650 E/M	Filter
P/N: 103399 Type: 335.03	Kugelhahn
394/9-B	
107126 / 243.19	Quick release coupling
KOM/ 7540/4	Sensor switch
P/N: 103289 Type: 3340.04	
P/N: 102906 Type: MV 1413	
101067	
P/N: 100925 Type: 678.41 K-HA	
P/N: 114421 Type: 26 B	
P/N: 114346 Type: 107/6	
P/N: 105661 Type: 60-3/K	Dirt strainer
P/N: 102911 Type: MV 1413 G	valve
Art.No. 100004, Type: FU 7008	Pressure regulator
P/N: 100010 Type: FU 7108	Pressure regulator
P/N: 100033, Type: FU 71104	pressure regulator
100043 / H 852	
Art.No. 100118, Type: FU 811	filter regulator
Art.No. 100174, Type: V 864/04	Filterelement
Art.No. 100187, Type: M 23/70	
Art.No. 100274, Type: FU 941	distributor
Art.No. 100283, Type: FU 951	ball valve
p/n: 100286, Type: FU 982	Ball valve 3/2-way
P/N: 100290, Type: 567-2/M	Sinterbronze muffler
P/N: 100295, Type: FU 924	3/2-way valve
p/n: 100314, Type: FU 934	Filling valve
p/n: 100252, Type: FU 1103	Service station
638.02	Inline pressure regulator
638.03	Inline pressure regulator
Art.No. 101476, Type: 638.04	
638.05	Inline pressure regulator
Art.No. 101494, Type: 637.11	inline pressure regulator
101495 / 637.13	Inline pressure regulator
Art.No. 101497, Type: 637.17	inline pressure regulator
Art.No. 103143, Type: 320.04	safety ball valve
103229 / KHF-12	
P/N: 103929, Type: 226.01-0.2	Full stroke safety valve
P/N: 103937 Type: 226.01-0.7	
Art.No. 103939, Type: 226.01-0.8	Full stroke safety valve

Product	Description
Art.No. 103957, Type: 226.01-2,5	Full stroke safety valve
226.01-3,0	Full stroke safety valve DN 8
P/N: 103972, Type: 226.01-4,0	Full stroke safety valve
Art.No. 103977, Type: 226.01-4,5	safety valve
103990 / 226.01-6,0	Full stroke safety valve
P/N: 103993, Type: 226.01-6,3	Full stroke safety valve
Art.No. 104007, Type: 226.01-8,0	
P/N: 104026, Type: 226.01-10,5	safety valve
Art.No. 104031, Type: 226.01-11,5	safety valve
Art.No.104166, Type:226.02-8,0	Full stroke safety valve
Art.No. 104184, Type: 226.02-11,0	safety valve
Art.No. 104330, Type: 226.03-9,0	safety valve
P/N: 104336, Type: 226.03-10,0	full lift safety valve
p/n: 104522, Type: 227.55-0,3	Full stroke safety valve
104559 / 227.55-4,5	Full stroke safety valve
227.55-6,0	Safety valve
104936 / 229.03-6,0	Safety valve, Brass, G 1, Trigger pressure 6 bar
P/N: 104961 Type: 229.03-16,0	
P/N: 105066, Type: 229.06-6,5	safety valve
105433 / 222.03-0,8	
P/N: 105537, Type: 221.03-4,0	Corner safety valve
221.03-10,0	Angle safety valve, liquids, G 1/2, set pressure 10 bar
107568 / 244.21-D	
P/N: 107375, Type: 244.909	Plug-in connector
Art.No. 107307, Type: 243.51-N	Nipples for couplings
243.52-N	
107312 / 243.57-N	Nippel
Art.No. 107627, Type: 247.03	Distinctive quick-release coupling
Art.No. 107631, Type: 247.13	Distinctive quick-release coupling
247.76	
570-4 / 113298	High performance silencer
P/N: 113302, Type: 574	replacement felt discs
P/N: 113333 Type: 569-0	Sinterbronze silencer
113334 / 569-1	sintered bronze silencers
Art.No. 101471, Type: 569-2	sinterbronze silencer,
P/N: 113336, Type: 569-5	Sintered bronze silencer
P/N: 113346, Type: 567-3/M	Sinterbronze muffler
113348, Type: 568-1	Sintered bronze silencer, Slot, G 1/8
P/N: 113349 Type: 568-3	
P/N: 113364, Type: 560-1	Sinterbronze silencer
P/N: 113365, Type: 560-2	Sinterbronze muffler
Art.No. 113367, Type: 560-4	
Art.No. 113332, Type: 562-6 ES	Silencer, Stainless steel 1.4401, G 1, AF 36
113983 / SH 01	Hose holder
Art.No. 113420, Type: SP 110	

Product	Description
113782 / 190/6-1-G	
P/N: 114446, Type: 29.22	thread adapter
110.43-KD	
P/N: 101067 Type: 850 C	
P/N: 105791 Type: 1.DM.25100	Rundzylinder
100134 / 611.6.905	Filter element
P/N: 100910 Type: 22.753.4	
P/N: 103769 Type: 240.82 ES	needle valve
105946 / 3.DM.80025	Short stroke cylinder double-acting
220.04-ES	
P/N: 103834 Type: 220.03-ES	
P/N: 102144 Type: 802-C	
P/N: 102148 Type: 806-C	
P/N: 106895 Type: 342.014-8	
P/N: 106940 Type: 343.014-8	
P/N: 111533 Type: 234.05-N	Extension piece
P/N: 106761 Type: 461.014-8	
236 H-ES (111791)	
234 C-ES (111728)	
103512	ball valve
132547	rotary drive
P/N: 103040 Type: MDR 2/11	
P/N: 131773 Type: MS2523434	
P/N: 100815 Type: 637.35C	" Standard" Pressure Regulator
103838 / 220.07-ES	Check valve
107209 / 243.02	Quick release coupling
P/N: 101964 Type: 7303	
MS2391209	
MS2341269	
247.72	
247.24	QUICK-RELEASE COUPLING AIR-OIL QUICK COUPLINGI
P/N: 107127 Type: 243.19/S	
103828 / 220.05	
P/N: 100768 Type: 480.23	
P/N: 103658 Type: 551.12	3/2-way valve
115618 / 243.11-E	Quick release coupling
P/N: 103262, Type: 3350.03	Ball valve heavy version
P/N: 100950, Type: 650/2-HA	Polycarbonate container
P/N: 103952 Type: 226.01-2.0	Safety valve
P/N: 114090 Type: 258.07	Sealing ring
P/N: 112588 Type: 16.0962	DISTRIBUTOR IN T
P/N: 111797 Type: 252.24-ES	STAINLESS STEEL SLEEVE
P/N: 111742 Type: 239 C-ES	THREADED HOSE NOZZLE
P/N: 112593 Type: 16.0972	TRASVERSAL DISTRIBUTOR
P/N: 114227 Type: 158 C-ES	HOSE CLAMP

Product	Description
P/N: 135892 Type: 3395.01	stainless steel ball valve
P/N: 134710 Type: MSN251K1418	
P/N: 100003 Type: FU 7004	
P/N: 103528 Type: 350.214	
105667 / 60-2/ETS	Replacement set
P/N: 101528 Type: 769 K	Mini-mist oiler
P/N: 100870, Type: 737.302	Constant pressure regulator
P/N: 100902 Type: 737.903	Constant pressure regulator
517.2005	5/2-Wegeventil
678.41 K-HA	filter regulator
P/N: 105675 Type: 60-2 ES	tamis filter
P/N: 105682 Type: 62 ES	tamis filter
P/N: 103493 Type: 377.02-ES	valve
250.54	
P/N: 100894, Type: 737.705	Constant pressure regulator incl. manometer
P/N: 100903 Type: 737.904	
P/N: 100919 Type: 22.793.4	
P/N: 103774 Type: 250.33	VALVE
P/N: 103776 Type: 250.35	GATE
P/N: 103333 Type: 374.01	VALVE
P/N: 115613 Type: 243.01-N E	
P/N: 114323 Type: 22 K	GUN; AIR
P/N: 104388 Type: 226.03-32.0	Safety valve
P/N: 101602, Type: 65/0-S	Automatic drain valve
P/N: 103006 Type: DS 4802	Pressure switch
103731/351.941	valve
103734 DN 25	
P/N: 103021 Type: DS 6012	Pressure switch
331E003/R	Pressure switch standard design, galvanised steel, 1 - 10 bar
P/N: 103034 Type: DS 5822	Pressure Switch
P/N: 103826, Type: 220.03	check valve
P/N: 100937 Type: 678.41 M	Filter regulator »Standard«, Metal container, 5 µm, Size 3, G 1/2
P/N: 102453 Type: 5055	MANOMETRE
101382	Bowl
101419 / 100/621	Filter insert
101379	Replacement strainer for pressure regulator for drinking water
101416	Filter
P/N: 103007, Type: DS 4803	pressure switch
110531	
136683	
P/N: 113295 Type: 570-1	
P/N: 112288 Type: ES 30-ZW	
120758 EX 329-516105	Valve
P/N: 100767 Type: 480.22	Pressure regulator "standard MINI" incl. pressure gauge
P/N: 103815 Type: 227.01	

Product	Description
P/N: 105242 Type: 1144.03-6.0	
P/N: 100497 Type: C 55 M-SR	Filter pressure regulator
114323	gun,air
131013	
100881	
103770	
P/N: 102943 Type: MV 1374 G	
P/N: 116155 Type: 517.3004	
103812 / 225.56	Throttle valve, in block shape, Anodised aluminium, G 1/2
116134 / 517.2104	5/2-way valve
P/N: 103537 Type: 350.315	pneumatic ball valve
178472 (GAC 13)	Filter regulator
101602 / 65/0-S	Automatic bleeder valve
P/N: 108634 Type: 756.005-6	
C 12-K 10-HA	Pressure regulator
103335	Mini ball valve
103336	Mini ball valve
103337	Mini ball valve
114323 / 22 K	
P/N: 103005 Type: DS 4801	pressure switch
321.04 / 103151	ball valve
320.08 / 103147	ball valve
321.06 / 103153	Ball valve
225.54	Throttle valve
103510 / 392.15	valve
115713	Ball valve
637.35 D.105	pressure regulator
p/n: 100855; Type: 637.513 C	Pressure regulator
p/n: 134443; Type: MS251K3814	Reducing nipple
100294 / FU 923	3/2-way pilot valve
MSN232M2014	Bulkhead screw connection
103887 / 9227.37	
15.DMI.80040	
105670 / 60-5/ETS	spare parts set
p/n: 100121, Type: FU 814	Filter regulator
103885 / 9227.35	Valve
103884 / 9227.34	Check Valve
100222 / FU 604	AIR TREATMENT GROUP
103009 / DS 30	Safety cap pressure switch
P/N: 135963, Type: MS290MS14	Locking screw
243.29	
6301-DE	Standard pressure gauge
247.34	
252.05-ES	
252.17-ES	

Product	Description
253.21-ES	
254.36-ES	
330.04-R	
103826 / 220.03	check valve
170631 / 16.DMD.63080	Standard cylinder, double-acting, Piston Ø 63, Stroke 80, G 3/8
100417 / R11-10	Pressure regulator »multifix«, Size 1, G 1/4, 0.5 - 10 bar
GS1410MSVUNI	Straight push-in fitting
103836. Type 220.05-ES	check valve
103480 / 374.04-ES	stainless steel ball valve
2223.12 (139077)	Hose breakage protection
103771 / 240.84 ES	
136363 / 97.08-100	
152946 / H 853	
243.351 ART. 107233	Plug-in connector
107153 / 243.034/S	Nipple for couplings
107708 / 246.61	Quick coupling
107703 / 246.11	
350.511	ball valve
P/N: 107457, Type: N 243/1	Nipple
P/N: 107458 N 243/2	Nipple
P/N: 107459, Type: N 243/3	Nipple
P/N: 107462, Type: N 243/7	Nipple for I.D. 10
P/N: 107456, Type: T 243/19	Plug-in connector
114089, Type: 258.06	Sealing ring made of polyamide, for thread G 1/8
580RM3-12-17 (133530)	
p/n: 100416, Type: R 11 - 6	
107709 / 246.62	Lock nipple shut off on both sides
113671	Polyurethane hose
P/N: 113641, Type: 259.02-B-100	Polyethylene hose
p/n: 100781, Type: 578.00 K-HA	
P/N: 194159, Type: 259.11 N-V2	Polyamide hose
113777, Type: 190/75	Screw-in fitting
113770, Type: 190/65	Screw-in fitting
350.524 / 103610	actuator
100474 / C 12-K 10-HA	Filter regulator »multifix«, 5 µm, Size 1, G 3/8, 0.5 - 10 bar
125658 / 51 D	
KS 33 F-HA / 100504	Polycarbonate container, incl. O-ring
569-2 / 101471	
DKSKAG14	quick coupler with male ends.
101786 / 6301	Standard pressure gauge
737.504 / 100884	Constant pressure regulator
103841 / 228.01	check valve
22.1811.4	set of wearing parts
110865 / 140.52-PP	FITTING 90 ELBOW DN6/8 - 1/8G pp
79.010	

Product	Description
VFR 53	Filter regulator
117445 / 22 K/TD	
110990	Straight hose connection supports
158115 / SP8500PA	
135219 / 871.038-10 ES	
135133 / 843.038-10 ES	
P/N: 100764, Type: 480.12	Pressure regulator
P/N: 135894, Type: 3395.03	stainless steel ball valve
103528	Brass ball valve
080181 3/8	distributor with 3 couplings
100076 / FU 7401	Micro-filter
100323 / FU 917	Micro-filter
102823 / MV 1214 G	2/2-way solenoid valve
115616 / 243.03-E	Quick-connect coupling
P/N: 103127, Type: 330.06	Ball valve
P/N: 100959, Type: 650 E/K-HA	filters
P/N: 100885, Type: 737.601	Constant pressure regulator
P/N: 104262, Type: 226.03-0.5	safety valve
P/N: 103770, Type: 240.83 ES	Needle valve, stainless steel 1.4571, G 3/8, DN 6, PN max. 400 bar
P/N: 101875, Type: 306/63	Standard pressure gauge
100813 / 637.35 A	Pressure regulator
114428 / 21-0	Bleeder valve
637.86	large pressure regulator
100478 / C 33-K 10-HA	Filter regulator 'multifix'
105684	Replacement sieve for dirt strainers
102618 / 257.02	Pressure gauge
66.014-14	stop valve
243.09/6-N	Nipple for couplings
101433 / 200.08 / DRV 200	Pressure regulator
103837	Check valve
100459	
109563 / 173.018-4	T-push in fitting
100442	
107551 / 243.55 ST	
103313 / 350.303	Rectangular ball valve
115646 / 243.44-E	TUBE HOLDER NOZZLE (SPIKE) FOR 6 MM HOSE
115612 / 243.01-E	coupling
115644 / 243.33-E	Quick-connect coupling
107232 / 243.06	CONNECTOR COUPLING
107238 / 243.50	Nipple for coupling
107242 / 243.55	CONNECTOR COUPLING
107244 / 243.57	Nipple for couplings
107214 / 243.44	
101049	maintenance unit
103342 (375.03)	Mini ball valve smooth surface

Product	Description
100494 / C 12 M-SR	Filter regulator »multifix«
777.301	Stainless steel pressure regulator
637.203 / 101265	high performance pressure regulator
737.905 / 100904	Constant pressure regulator
737.903 / 100902	Constant pressure regulator
737.705 / 100894	Constant pressure regulator
737.704 / 100893	Constant pressure regulator
100922 / 578.020 K-HA	Filter regulator »Standard«
136125	Bushing
134441	Reducing nipple
134446	Reducing nipple
134445	Reducing nipple
134739	Reducing nipple short
136087	Locking screw
637.902	High pressure regulator
637.903	High pressure regulator
080181 1/4	distributor with 3 couplings
100660 / VFR 53	Varioblock filter controller with PC container
107218 / 243.46	Quick-connect coupling
107240 / 243.52	Nipple for coupling
131791	Double threaded nipple
131759	Double threaded nipple
131756	Double threaded nipple
100482 / C 34-K 10-HA	Filter regulator
107714 / 246.32	Hydraulic coupling locking on both sides
107704 / 246.12	Hydraulic coupling lock on both sides
107273 / DW 266-K	Ceiling bracket
107274 / DW 267-K	Ceiling bracket
100894 / 737.705	Constant pressure regulator
110.43-K / 101728	Standard pressure gauge
105668	Replacement set
PN:100343 / Type: R 06-10	Pressure regulator
102910 / MV 1412 G	Solenoid valve
100915 / 22.773.4	Wear part set
129272	Stainless steel pressure regulator
100354 / C 06-K10-HA	Filter regulator
103579 / VT 5228	Distributor strip
112978 / 342.014-8-D	Throttle check valve
250.51	Socket shut-off valve
103767 / 210.82	Needle valve
105673 / 60-8/ETS	Replacement parts set
141017 / 68 M	Replacement sieve
103765 / 210.80	Needle valve
103602 / 350.515	pneumatic valve
103688 / 350.911	position indicator

Product	Description
350.515	Stainless steel ball valve
392.26	ball valve
107717 / 246.35	Hydraulic coupling
100344	pressure regulator
655-6-940	
100925 / 678.41 K-HA	Filter regulator
113869/ 259.30 N	PTFE tube
109260	Push-in L-fitting
637.103	high performance pressure regulator
637.101	high performance pressure regulator
Type KS 11 N, code 100385	
103249 / 337.06	Ball valve
102663 / 9016/S	Blocking valve
P/N: 107070, Type: 243.08/2	Quick release coupling
110473 / 11.118-8	Straight screw-in fitting
101149 / 637.903	High pressure regulator
101150 / 637.904	High pressure regulator
220.05-ES	check valve
633.6.905	Filter element
100514 / F 33 K-HA	Filter
P/N: 243.17, EAN: 4047322058643	Plug-in grommet for couplings
114320	Blowgun grommet
P/N: 107216, Type: 243.45	Quick-connect coupling
P/N: 107234, Type: 243.07	Plug-in connector
P/N: 115614, Type: 243.02-E	Quick-connect coupling
P/N: 107239, Type: 243.51	Nipple for couplings
103846	Check valve
103911	Mini bleeder valve
110880 / 140.01-PP	straight hose connection
110852 / 120.11-PP	straight screw-in fitting
110868	angled screw-in fitting
131752	Toledo Transmission Operations
141516	
517.202 / 106545	directional control valve
115641 / 243.27-N E	
107180 / 243.29-N	
113417 / SP 12-250KSD	Spiral lock -Coupling set
737.402	
115611 / 243.00-E	Quick-connect coupling
244.552	
101434 / 300.01	Pressure regulator
100566 / CL 11 K-HA	Service unit
151733 / 3396.05	Stainless steel safety ball valve
108588 / 744.014-8	
108586 / 744.018-8	

Product	Description
103911 / 218.23	Mini bleeder valve
206057	filter regulator
101195	stainless steel pressure regulator
137952 / MSN290SK34	Locking screw
170585 - 16.DMD.32400	Cylinder
190/6-1	PVC fabric hose
199981 / DKSKIG12	push-button safety clutch
101925 / 110.85	Standard pressure gauge
103846 / 228.22	Check valve
570.12 D	Stainless steel pressure regulator
107712 / 246.65	Closing nipple
107707 / 246.15	Hydraulic coupling
82640744	inline pressure regulator
131770	
131771	
DRES.G12R.1-15B (Art.no 129271)	Stainless Steel Pressure Regulator
655.6.900	Automatic drain valve
114431	"Typhoon" high-performance blow gun,
103532 / 350.310	Brass ball valve
658.6.9600	Filter element
105660 / 60-2/K	Dirt strainer
206924	PNEUMATIC ACTUATORS-CYLINDER
136481 / 77.0604	Reducing piece POM
110280 / 67.006	Straight connector POM
110341 / 78.0606	Plug-in angle connector POM
P/N: 114500, Type: EA 201	Tension spring
272.04-ES	
100510 / 655.6.908	filter element
22.1855.4 / 100447	Wearing parts set
RP 33-6	pressure regulator
482.20C	CONTROL RANGE: 0.5-10BAR
103881 / 9227.31	check valve
134715 / MSN251K1238	Short reducing nipple
134717 / MSN251K3438	Short reducing nipple
111346 / 235.07/N	Reducing nipple
136561 / MSN252L1212	nipple
112749 / N 253.14	Winkelstück
136560 / MSN252L3838	nipple
131898 / MSN2523812	nipple
103094 / 329.03-R	Standard version ball valve
111059 / LN 1260	Double pipe nipple
MS2391213	screw-in hose nozzle
103740	Drain and vent valve
22 K	Blow gun
220.05	check valve

Product	Description
101161 - 680.22	Filter
112509 / ES 409	Sewing nut
151765 / FU 811-2	Filter regulator
103492	Valve
FRL 44 S-10	maintenance unit
104763 / 227.66-20.5	safety valve
103850 / 228.38-ES	check valve
250.55 ES	Socket shut-off valve
250.52 ES	Socket shut-off valve
240.85 ES	needle valve
250.51 ES	Socket shut-off valve
080120 STAR	STAR blow gun
100118 / FU 811	filter regulator
100130 / BSF14	polycarbonate container
240.89 ES	valve
101195 / 571.14 B	stainless steel pressure regulator
100354	
100382	
100386	
P/N: 113311, Type: LX 15	high performance muffler
137556 // SVKUNW78IG14BR	Distinctive quick-release coupling
137560 // SCKUNW78IG14R	Distinctive quick coupling
137554 // SVKUNW78IG14G	Distinctive quick-release coupling
136991 // SVKUNW5IG18BL	Distinctive quick-release coupling
137558 // SVKUNW78IG14BL	Distinctive quick-release coupling
136989 // SVKUNW5IG18BR	Distinctive quick-release coupling
151765	Filter regulator
136993 // SVKUNW5IG18R	
243.52-B / 107525	Nipple for clutch
100470 / C 11-K 10-HA	filter regulator
3403.66114	Storz fixed coupling
414.018-8	Flow controller
146677 / 243.96-19NV	
107460 / N 243/4	
107454 / T 243/13	
107479 / 243.65	quick connector coupling
141555 / 241.44-E	
117904 / 243.96/6	
107471 / 410.91	
107456 / T 243/19	
107450 / T 243/6	
107458 / N 243/2	
107459 / N 243/3	
107461 / N 243/6	
107462 / N 243/7	

Product	Description
107463 / N 243/8	
107464 / N 243/9	
243.52-B	Nippel
568-1-E	Sinterbronze muffler
typ. R 11-3	pressure regulator
102160	Glycerine pressure gauge, radial bottom
195.1410-2	Stopper valve
246.54	Locking nipple locking on both sides
246.04	Hydraulic coupling locking on both sides
414.018-4	throttle valve on both sides
P/N: 114321, Type: 22 B	Blow gun
414.014-8	valve
414.014-6	valve
MS252L1212	fitting
MV 1371 G	Solenoid valve
100157 / FU 851	prefilter
100175 / FU 871	microfilter
100191 / FU 891	activated carbon filter
101395 / 100/222	replacement sieve
106783	pressure indicator
737.605	Constant pressure regulator including manometer
650 E/M	
133124 / CL 45 S-10	regulator
135861 / MS 45 FS	Metal container with viewing tube
135864 / MS 45 NS	Metal container with viewing tube
101398 / 218-KD	pressure gauge
655.6.950	filter insert
680.24	filters
134714 / MSN251K1214	Reducing nipple short
100362 / 656.6.900	Valve
100034 / FU 71108	Pressure regulator
103791 / 250.53	Socket shut-off valve
103393 / 1084 C	3-way ball valve
103785 / 250.36 ES	Socket gate valve
P/N: 100145, Type: FU 831	Filter
112550 / VT 15144	Distribution panel
105659 / 60-1/K	Strainer
112543 / VT 15406	Distribution panel
147576 / SCHFR.G14.MW0.25	Strainer
108822 / 762.005	hollow screw
112758 / N 253.20	Winkelstück
112624 / DVD34-3	Pass-through distributor
107062	Stop valve pneumatically operated
p/n 105668, type 60-3/ETS	spare parts set
6141.6.905	FILTER ELEMENT OF

Product	Description
MW 0.25 105668	spare parts set
132364	
637.503 C	Pressure regulator
158127 / SP8500PASK	Spiral hose coupling set
6500742.0100 / SH 01	Aluminium hose holder size"small"
107500 / 243.17-B	Plug-in connector
107492 / 243.18-B	Quick-connect coupling
107282 / 243.03-N	
100505 / KS 33 F-A	polycarbonate container
102099 / 807-K	Glycerin gauge
100814 / 637.35 B	pressure regulator
107210 / 243.03	Quick-connect coupling
P/N: 100357, Type: 640/1-HA	polycarbonate container
107913 / 270.03	SHUT OFF COUPLING WITH VALVE
107937 / 270.624	SHUT OFF NIPPLE WITH VALVE
PN: 100941, Type: 640/2-HA	polycarbonate container
PN: 101677, Type: 206-KD	Standardmano
754.014-8	L screw connection
103879, Type: 227.45	Check valve, reduced passage, G 1
101415 / 100.63	fine filter
117816	
226.03-0.9/ 4047322044455	Safety valve
228-00729	
135893 / 3395.02	stainless steel ball valve
135895 / 3395.04	stainless steel ball valve
135896 / 3395.05	stainless steel ball valve
135898 / 3395.07	stainless steel ball valve
103481 / 375.01-ES	stainless steel ball valve
103483 / 375.03-ES	stainless steel ball valve
172927	3/2-way miniature valve
125593	Deep groove ball bearing
107493	Quick release coupling
115622	Quick release coupling
107088	coupling
374.01	Mini ball valve
FU 7001	Pressure regulator
253.32	Elbow,90°,3/4",f/f, red brass
194182	
65/0-N	Fully automatic drain valve
SK 03	Protection cage
22.6203.4	wearing parts set
113301 / 572	replacement felt discs, set of 3 discs for size G 1/2 - G 3/4
113295 / 570-1	high performance muffler
100507 / 633.6.905	filter element
100477 / C 33-K 6-HA	filter regulator

Product	Description
100606 / Z 33	distributor
100553 / L 33 K	Mist Oiler
108204 / 2403.4410	Storz fixed coupling
108259 / 2407.44	SPC x Coupling
114090-258.07	sealing ring
103396 / 1084 F	3-way ball valve
243.50-B	Nipple for clutch
243.03-B	Quick release coupling
140262	
148952	
140264	
080118 ALU	Blow gun
080132 SILENT3	Nozzle for blow gun ALU
135990	Locking screw
680.21 (3/8")	
845.018-6	Straight plug-in
129758	polyurethane hose
P/N: 100219, Type: FU 601	maintenance unit
810.07 K	Combo maintenance unit
P/N: 135962, Type: MS290MS18	Locking screw
113367	
113365	pneumatic sintered bronze
113983	
115653	
107235	
100121 / FU 814	Filter regulator
228.01-ES	Check valve
101420 / 100/651	Filter application
147530 / DRK.G112.BG5.0,5-10B	Constant pressure regulator
DSK6-5 / 113747	
148149	Line pressure regulator
220.02	VALVULAS ANTIRRETORNO (non-return valves)
103760 / 3214.72	Hand-operated sliding valve
108099 1112.34-ES	Kamlok quick coupling box
108100 1112.10-ES	Kamlok quick coupling box
109121	Straight plug-in fitting
737.313	Constant pressure regulator
147520	Constant pressure regulator
CL 11 M-SR	
243.08/1-N	Quick release coupling