



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk



Serto

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
2X70955 / 018.2700.120 / SO 42721-12	Brass M, angle bulkhead (5mm)
128.3000.060 / SO 23021-6	PVDF, T-Verschraubung
168.2600.060 / SO 32621-6-A6	Adjustable elbow fitting
P/N: 056.0031.140 Type: SO 50003-8-6	056.0031.140, stainless steel (1.4404), support sleeve
058.1020.060 / SO 51021-6	Straight fitting
SO 51121-10-1/4 NPT (058.1102.270)	screw-in fitting
SO 53021-10 / 058.3000.100	Ring compression fitting
431.0405.000	PTFE tube, natural
128.1000.100	PVDF, straight fitting
018.1101.400 / SO 41121-12-1/2	
168.1101.110	PA, Gerade Einschraubverschraubung
128.1102.100	PVDF, Gerade Einschraubverschraubung
128.2402.100	PVDF, Winkel-Einschraubverschraubung
128.3701.100	PVDF, T-Einschraubverschraubung
126.0010.060 / SO 20001-6	PVDF, clamp ring
126.0100.060	PVDF, Raendelmutter
128.1101.110	PVDF, Gerade Einschraubverschraubung
128.3000.060	PVDF, T-Verschraubung
166.0100.060	PA, Raendelmutter
126.0010.080 / SO 20001-8	PVDF, clamping ring
126.0010.100 / SO 20001-10	Compression ferrule
128.1500.060 / SO 21521-6	PVDF, straight bulkhead fitting
P/N: 128.2401.110 Type: SO 22421-6-1/4	Elbow screw-in fitting
P/N: 128.1101.110, Type: SO 21121-6-1/4	screw-in fitting
P/N: 128.1161.110 Type: SO 21124-6-1/4	Straight screw-in fitting
p/n: 128.1101.100; Type: SO 21121-6-1/8	Straight screw connection
SO 40001-12 (016.0010.120)	Klemmring
016.0014.110 / SO 40001-6-4	Klemmring
016.0030.140 / SO 40003-8-6	Klemmring
SO 40003-10-8 (016.0030.190)	Stiffener sleeve
016.0030.030 / SO 40003-4-2	support sleeve
016.0030.110 / SO 40003-6-4	Stiffener sleeve
SO 40003-8-6 (016.0030.140)	Stützhülse
016.0030.190 / SO 40003-10-8	support sleeve
SO 40003-12-10 (016.0030.240)	Stützhülse
SO 40003-18-16 (016.0030.620)	Stützhülse



Product	Description
SO 40001-4 (016.0010.040)	Klemmring
SO 40001-6* (016.0010.060)	ferrule
SO 40001-8* (016.0010.080)	Compression ferrule
SO 40001-10* (016.0010.100)	ferrule
SO 40001-12 * Art.-Nr.: 016.0010.120	Klemmring
SO 40001-18 (016.0010.180)	Klemmring
SO 81121-15-1/2 (038.1101.534)	
016.0030.020 / SO 40003-3-2	Stiffener sleeve
SO 40003-3-2,4 (016.0030.024)	Stiffener sleeve
128.1102.100 / SO 21121-6-1/8 NPT	NPT straight screw-in fitting
p/n: 126.0010.060; Type: SO 20001-6	ferrule
P/N: 126.0100.060, Type: SO20020-6	Knurled connection nut
148.1010.060	control valve
42625-18-A18	elbow fitting
SO 41221-15-3/4	
SO 40005-15-3/4 (1x20)	
SO 41124-15-1/2 OR	
SO 40002-15	
SO 40020-15	
068.1010.060	Nadelventil
496.5100.166	
078.1141.280	
068.3010.100	
451.1006.350.15	
018.1101.110	
018.1101.170	
018.1101.180	
018.1101.280	
018.1101.390	
018.1101.400	
016.0010.060	
016.0010.080	
016.0010.100	
016.0010.120	
016.0210.060	
016.0210.080	
016.0210.100	
016.0210.120 / SO 40021-12	Nut connection
016.0030.110	
016.0030.140	
016.0030.190	
016.0030.240	
P/N: 028.1600.110 Type: SO NV 41A21EB-6-1/4	regulator angle valve
P/N: 028.0500.100 Type: SO NV 41C21-10	Fine adjustment valve



Product	Description
P/N: 028.0500.120 Type: SO NV 41C21-12	
P/N: 028.0000.100 Type: SO NV 41A21-10	valves
P/N: 028.0000.120 Type: SO NV 41A21-12	
P/N: 068.0020.100 Type: SO NV 51A21E-10	
421.1300.105	Polyamide tube (PA)
421.1555.103	
036.0010.080 / SO 80001-8	ferrule
036.0010.150	
036.0030.140 / SO 80003-8-6	support sleeve
036.0030.430	
036.0200.080	
036.0200.150	
038.1101.170	
038.1171.170	
038.1020.080	
246.0200.170	Anschlussmutter
246.0010.080	Compression ferrule
P/N: 128.1101.280, Type: SO 21121-10-3/8	Straight screw-in fitting
P/N: 258.7200.060 Type: SO NV 01C21-6	
P/N: 258.7100.060 Type: SO NV 01A21-6	
P/N: 068.0023.084 Type: SO NV 51A40E-5-1/4	
P/N: 053.0301.100 Type: SO 50030-6-1/8	
P/N: 056.0301.170 Type: SO 50030-8-1/4	
P/N: 248.2401.060 Type: SO 02421-4-1/8	
P/N: 016.0030.030 Type: SO 40003-4-2	
P/N: 016.0030.110 Type: SO 40003-6-4	
P/N: 016.0030.140 Type: SO 40003-8-6	
P/N: 016.0030.190 Type: SO 40003-10-8	
P/N: 016.0030.240 Type: SO 40003-12-10	
P/N: 016.0030.620 Type: SO 40003-18-16	
016.0010.040 / SO 40001-4	
016.0010.060 / SO 40001-6	ferrule
P/N: 016.0010.080 Type: SO 40001-8	
016.0010.100 / SO 40001-10	
P/N: 016.0010.120 Type: SO 40001-12	
P/N: 016.0010.180 Type: SO 40001-18	
128.2401.100 / SO 22421-6-1/8	Elbow screw-in fitting
P/N: 058.1101.400, Type: SO 51121-12-1/2	Male adaptor union
P/N: 058.3201.380, Type: SO 53221-12-1/4-12	Tee union with female adaptor
P/N: 058.1020.120, Type: SO 51021-12	Straight union
P/N: 068.8000.120, Type: SO BV 58D21-12	Ball valve
P/N: 058.2000.120, Type: SO 52021-12	Elbow union



Product	Description
056.1601.390 / SO 51600-A12-3/8	Adjustable male adaptor
P/N: 058.3201.390, Type: SO 53221-12-3/8-12	Tee union with female adaptor
P/N: 058.2101.380, Type: SO 52121-12-1/4	Elbow union with male adaptor
P/N: 058.3201.400, Type: SO 53221-12-1/2-12	Tee union with female adaptor
P/N: 058.2600.120, Type: SO 52621-12-A12	Adjustable elbow union
P/N: 058.2102.380, Type: SO 52121-12-1/4 NPT	Elbow union with male adaptor NPT
P/N: 058.1101.380, Type: SO 51121-12-1/4	Male adaptor union
SO 80002-6	gudgeon
036.0210.060 / SO 80021-6	Valve attachment
SO 81021-6	Straight screw connection
SO 81121-6-1/8	Straight screwed connection
SO 81121-6-1/4	Straight screwed connection
SO 81221-6-1/8	Straight screwed connection
SO 81221-6-1/4	Straight screwed connection
SO 81600-A6-1/8	adjustable nipple
SO 81600-A6-1/4	adjustable nipple
SO 82021-6	elbow
SO 82621-6-A6	Setting angle
SO 83021-6	T-fitting
SO 83621-6-A6-6	Adjustable T-fitting
SO 83621-A6-6-6	Adjustable L-fitting
SO 84021-6	cross fitting
450.1006.200.15	precision tubes
P/N: YBD.0H99.0040 Type: PDGP-4 (1/4)	
P/N: YBD.0H53.2040 Type: S-PHN4-1/4 NPSi	
P/N: S-PHN4-G1/4 i Type: YBD.0H53.1040	
056.0031.240 / SO 50003-12-10	Stiffener sleeve to reinforce tubes
P/N: 058.1024.755 Type: SO 51021-22-18	Straight reduction union
P/N: 058.1800.580 Type: SO 51821-A18-12	Reduced union
018.0520.154 / SO 40526-A8-8	Hose nozzle pre-assembled
P/N: 018.0520.140 Type: SO 40526-A8-6	Hose nozzle pre-assembled
P/N: 248.2101.160 Type: S002121-8-1/8	
P/N: 038.2401.170 Type: S082421-8-1/4	
P/N: 038.2401.160 Type: S082421-8-1/8	
TAC.850.0000	
SO 21124-8-3/8 OR (128.1171.180)	Gerade Einschraubverschraubung
SO 21124-8-1/4 OR (128.1171.170)	Gerade Einschraubverschraubung
148.1010.060 / SO NV 22A21-6	Regulating valve
P/N: 028.0500.080 Type: SO NV 41C21-8	
450.1006.300.15	
P/N: 128.1161.120 Type: SO 21124-6-3/8	



Product	Description
P/N: 128.1161.390 Type: SO 21124-12-3/8	
P/N: 128.1161.125 Type: SO 21124-6-1/2	
P/N: 128.1161.185 Type: SO 21124-8-1/2	
P/N: 128.1161.400 Type: SO 21124-12-1/2	
P/N: 168.3600.060 Type: SO 33621-6-A6-6	
P/N: 056.0010.080 Type: SO 50001-8	compression ferrule
P/N: 056.0014.190, Type: SO 50001-10-8	reduction compression redulle
028.2100.270	
126.0010.120 / SO 20001-12	Compression ferrule
016.0010.080 / SO 40001-8	
128.2401.270 / SO 22421-10-1/4	
P/N: 128.1101.270, Type: SO 21121-10-1/4	straight screw-in fitting
P/N: 016.0010.150 Type: SO 40001-15	
016.0210.150 / SO 40021-15	Valve connection
018.1101.270 / SO 41121-10-1/4	Straight screw-in fitting
068.0014.400	Valve
068.0014.110 / SO NV 51A40-6-1/4	Regulating valve
056.0031.230 / SO 50003-12-9	Stiffener sleeve to reinforce tubes
SO 50021-12	
P/N: 168.1000.060, Type: SO 31021-6	Straight screw connection
P/N: 1005533, Type: SO 30001-6	Clamping ring
Art. no.: 1005532 / SO 30001-8	Compression ferrule
Art. no.: 1005531 / SO 30001-10	Compression ferrule
166.0020.060 / SO 30002-6	
Art. no.: 1051479 /SO 31021-10	Union nut knurled
168.1101.110 / SO 31121-6-1/4	Straight male stud fitting
168.1101.160 / SO 31121-8-1/8	Straight screw-in fitting
168.1101.270 / SO 31121-10-1/4	Straight screw-in fitting
168.2401.100 / SO 32421-6-1/8	Angle screw-in fitting
P/N: 168.2401.110, Type: SO 32421-6-1/4	Elbow screw-in fitting
SO 32421-8-1/4	Male elbow
168.3000.060 / SO 33021-6	T-fitting
168.3000.080 / SO 33021-8	
168.3000.100 / SO 33021-10	
168.3000.120 / SO 33021-12	
126.0020.060 / SO 20002-6	Final plug
SO 21021-8	bulkhead
P/N: 128.1101.160, Type: SO 21121-8-1/8	Male adaptor union
P/N: 128.1101.170, Type: SO 21121-8-1/4	Male adaptor union
P/N: 128.2401.170, Type: SO 22421-8-1/4	Elbow screw-in fitting
128.3000.080 / SO 23021-8	
018.1020.060 / SO 41021-6	Straight screw connection
018.1020.080 / SO 41021-8	Straight screw connection
018.1020.100 / SO 41021-10	
018.1020.040 / SO 41021-4	



Product	Description
018.1101.100 / SO 41121-6-1/8	
018.1101.110 / SO 41121-6-1/4	Straight screw-in fitting
018.1101.160 / SO 41121-8-1/8	Straight screw-in fitting
018.1101.170 / SO 41121-8-1/4	Straight screw-in fitting
018.2000.060 / SO 42021-6	elbow fitting
018.2000.080 / SO 42021-8	Elbow screw connection
018.2000.100 / SO 42021-10	
018.2000.040 / SO 42021-4	
018.2401.100 / SO 42421-6-1/8	
018.2401.110 / SO 42421-6-1/4	
P/N: 018.2401.160, Type: SO 42421-8-1/8	screw-in elbow
018.2401.170 / SO 42421-8-1/4	
018.2401.270 / SO 42421-10-1/4	Elbow screw-in fitting
018.2401.060 / SO 42421-4-1/8	
138.1500.060 / SO NV 31A21E-6	Control angle valve
028.0000.080 / SO NV 41A21-8	ball valve
028.2100.390 / SO NV 41C21EB-12-3/8	fine adjustment angle valve
058.1500.060 / SO 51521-6	
056.0500.110 / SO 50503-A6-4	
016.0020.120 / SO 40002-12	Locking pin
2X40642 / SO 42421-12-1/4	Elbow screw connection
018.1020.120 / SO 41021-12	Straight screw connection
018.1320.120 / SO 41325-A12	Adjustable screw connection
128.1201.125 / SO 21221-6-1/2	female adaptor union
40002-12	Plug
42421-12-1/4	Male adaptor elbow union
41021-12	Straight screw connection
41325-A12	Adjustable screw connection
056.0015.190	Compression ferrule with integrated stiffener sleeve
128.1102.110 / SO 21121-6-1/4 NPT	ferrule
018.1143.020 / SO 41124-2-M5	Male adaptor union METR
058.2401.110	
056.1300.120	
056.1310.120 / SO 51304-A12	Tube stub
056.0014.420	
058.3000.150	
056.0201.400	
056.0010.100	
056.0031.180	
p/n: 168.1800.175, Type: SO 31821-A10-6	reduction-adjusting fitting
SO 40003-12-9 Art.-Nr.: 016.0030.230	support sleeve
TAD.5134.044	transition nipple
TAD.5124.104	Male adaptor
TAD.5135.044	Male adaptor
TAD.5125.104	transition nipple



Product	Description
246.0200.534	connecting nut
056.0012.140 / SO 50001-8-6 D	ferrule
016.0014.140 / SO 40001-8-6*	Reduced clamping ring
246.0010.080 / SO 00001-8	Compression ferrule
016.0200.080 / SO 40020-8	Union nut
SO 51300-A8 / 056.1300.080	connecting nipple
SO 50001-15-12/ 056.0014.420	Reduced clamping ring
SO 50001-12/ 056.0010.120	ferrule
018.3000.150 / SO 43021-15	Connector T
128.1101.100 / SO 21121-6-1/8	Straight screw-in fitting
SO 21521-8	bulkhead
SO 21221-8-1/2	
SO 21221-8-1/4	
P/N: 128.1101.185, Type: SO 21121-8-1/2	Straight screw-in fitting
258.7100.080 / SO NV 01A21-8	regulating valve
068.0011.100 / SO NV 51A21-10	regulating valve
431.0300.010	
P/N: 058.1141.160, Type: SO 51124-8-1/8	
128.1000.080 / SO 21021-8	Straight fitting
018.1171.646 / SO 41124-18-1/2 OR	
016.0014.240 / SO 40001-12-10	Reduction compression ferrule
246.0210.110	clutch
3.1 certificate	
P/N: 128.1171.170, Type: SO 21124-8-1/4 OR	Straight male stud fitting
128.1171.180 / SO 21124-8-3/8 OR	Straight male stud fitting
P/N: 128.1171.380 Type: SO 21124-12-1/4 OR	Straight male stud fitting
P/N: 128.1171.110 Type: SO 21124-6-1/4 OR	Male adapter union
P/N: 128.1171.120 Type: SO 21124-6-3/8 OR	Straight male stud fitting
P/N: 128.3000.060, Type: SO 23021-6	T-fitting
058.1151.125 / SO 51124-6-1/2 D	thermocouple screw connection
058.1102.534 / SO 51121-15-1/2 NPT	screw-in fitting
SO 42824-6-1/8	swivel fitting
248.1201.185 / SO 01221-8-1/2	straight screw-on fitting
248.1020.080 / SO 01021-8	straight screw connection
248.1201.400 / SO 01221-12-1/2	straight screw-on fitting
248.1020.120 / SO 01021-12	straight screw connection
P/N: 248.2401.160, Type: SO 02421-1-1/8	screw-in elbow
P/N: 018.1141.160, Type: SO 41124-8-1/8	straight screw-in fitting
P/N: 248.1101.160, Type: SO 01121-8-1/8	straight screw-in fitting
P/N: 056.0210.060, Type: SO 50021-6	faucet connection
028.0000.040 / SO NV 41A21-4	regulating valve



Product	Description
P/N: 148.3010.100, Type: SO CV 23B21-10	cone check valve
P/N: 126.0301.270, Type: SO 20030-10-1/4	transition sleeve
P/N: 128.3201.270, Type: SO 23221-10-1/4-10	T-fitting
018.2000.150 / SO 42021-15	Elbow fitting
018.2000.220 / SO 42021-22	Elbow fitting
018.3000.350 / SO 43021-35	T-fitting
018.2600.150 / SO 42621-15-A15	Adjustable elbow fitting
018.3000.220 / SO 43021-22	T-fitting
016.0020.220 / SO 40002-22	Terminals
018.2501.768 / SO 42521-22-3/4	Angle screw-on fitting
018.1201.534 / SO 41221-15-1/2	Straight screw connection
018.1101.768 / SO 41121-22-3/4	Straight screw-in fitting
016.0500.430 / SO 40503-A15-13	hose nozzle
016.0500.760 / SO 40503-A22-19	hose nozzle
018.2600.350 / SO 42621-35-A35	Adjustable elbow fitting
018.2600.220 / SO 42621-22-A22	Adjustable elbow fitting
056.0020.100 / SO 50002-10	End pin
058.1143.155 / SO 51124-6-M5	screw-in fitting
058.1101.280 / SO 51121-10-3/8	Male adaptor union
058.1500.100 / SO 51521-10	Straight bulkhead fitting
058.1500.080 / SO 51521-8	bulkhead fitting
058.1504.175 / SO 51521-10-6	welding fitting
058.1400.080 / SO 51429-8	Adjustable elbow fitting
058.2600.080 / SO 52621-8-A8	Adjustable elbow fitting
128.3000.100 / SO 23021-10	T-connector
058.1153.068	Thermo sensor screw connection
016.0210.100 / SO 40021-10	Valve connection
P/N: 126.1601.110, Type: SO 21600-A6-1/4	adjustment nipple
246.0010.120 / SO 00001-12	ferrule
246.0010.095 / SO 00001-9.52	ferrule
016.0010.079 / SO 40001-7.94 *	ferrule
016.0010.063 / SO 40001-6.35 *	ferrule
P/N: TAD.5111.228, Type: AD HN 50-1/2 NPT-1/2 NPT	double nipple
P/N: 128.2402.280, Type: SO 22421-10-3/8 NPT	NPT angle screw-in fitting
P/N: TAD.5070.020, Type: AD HSP 50-1/8	Screw plug G
P/N: 128.1171.060, Type: SO 21124-4-1/8 OR	Straight screw-in screw
P/N: 128.1171.270, Type: SO 21124-10-1/4 OR	Straight screw-in fitting
P/N: 126.0411.102, Type: SO 20041-1/4-1/8	G-R transition nipple
P/N: 128.2600.100, Type: SO 22621-10-A10	Adjustable elbow fitting
028.1500.150 / SO NV 41A21E-15	Regulating angle valve



Product	Description
018.1320.220	Adjustable screw connection
431.0300.000 / PTFE 8/6x1, 50m	polytetrafluoroethylene tube (PTFE)
431.0350.000 / PTFE 10/8x1, 50m	polytetrafluoroethylene tube (PTFE)
TFP.311.0612 / FP 31150-6-1/4	screw-in connection
TFP.311.0613 / FP 31150-6-3/8	screw-in connection
TFP.311.0812 / FP 31150-8-1/4	screw-in connection
TFP.311.0813 / FP 31150-8-3/8	screw-in connection
TFP.311.1012 / FP 31150-10-1/4	screw-in connection
168.1101.100 / SO 31121-6-1/8	Straight screw-in fitting
016.0214.140 / SO 40021-8-6	Valve connection
1032811 / SO 40021-6	Valve connection
1017196 / SO 31121-6-1/8 NPT	male connector
SO 41821-18-12	
SO BV 48A05 / TKH.478.5111	mini ball valve
168.1102.270 / SO 31121-10-1/4 NPT	Straight screw-in fitting
056.1601.285 / SO 51600-A10-1/2	adjustable male adaptor
028.1500.080 / SO NV 41A21E-8	elbow regulating valve
016.0210.080 / SO 40021-8	Valve connection
148.3010.080 / SO CV 23B21-8	cone check valve
148.8110.080 / SO BV 28A21-8	Stopcock
148.1010.080 / SO NV 22A21-8	control valve
028.0000.060 / SO NV 41A21-6	control valve
148.1500.080	
SO500015	ferrule
018.2620.195	Adjustable elbow fitting pre-assembled
016.0210.220	valve connection
058.1101.270 / SO 51121-10-1/4	Male adaptor union
058.1141.400	
P/N: 018.2620.220, Type: SO 42421-17-1/2	Adjustable elbow fitting pre-assembled
P/N: 018.2401.596, Type: SO 41221-17-1/2	Straight screw-on fitting
SO 52621-8-A8 / 058.2600.080	
SO 50021-8-6 / 056.0214.140	
SO 50003-8-6 / 056.0031.140	Support sleeve for pipe reinforcement
SO 50001-8-6 FIX / 056.0015.140	ferrule
SO 52021-12-6 / 058.2004.215	
SO 50003-10-8 / 056.0031.190	
P/N: 018.1201.596, Type: SO 41221-17-1/2	Straight screw-on fitting
SO 52021-12-10 / 058.2004.240	
SO 50021-8-6.35 / 056.0214.143	
40526 A8.8	
SO 30020-6 / 166.0100.060	Knurled connection nut
SO 31300-6-A6 / 166.1300.060	
SO 80503-A6-8 / 036.0500.121	
SO 80503-A8-8 / 036.0500.154	
SO 80503-A6-6 / 036.0500.122	



Product	Description
SO 80503-A8-6 / 036.0500.140	
SO 80021-8 036.0210.080	
SO 80021-6 036.0210.106	
SO 80021-10 036.0210.100	
SO 80020-8 036.0200.080	
SO 81121-8-1/8 038.1101.160	
SO 80503-A10-8 0.360500.190	
SO 80021-10-8 036.0214.190	
SO 40020-6 (016.0200.060)	Connection Nut
420.0350.405	
420.0300.505	
420.0200.505	
018.2101.170 / SO 42121-8-1/4	Elbow fitting
018.2101.270 / SO 42121-10-1/4	Elbow fitting
016.0012.060 / SO 40001-6 D	Compression ring
016.0012.080 / SO 40001-8 D	Compression ring
420.0100.205 / LDPE 4/2x1 S, 100m	Tubing
420.0200.205 / LDPE 6/4x1 S, 100m	Tube
420.0300.205 / LDPE 8/6x1 S, 100m	Tube
420.0350.205 / LDPE 10/8x1 S, 50m	Tube
016.0711.020 / AD SP 40-1/8	Screw plug R
SO 42424-3-M5 / 018.2443.050	angle screw-in fitting
016.1001.060 / SO 41001-4-1/8	Nipple connection
P/N: 016.0015.110, Type: SO 40001-6-4 FIX	Clamping ring with integrated support sleeve
058.2841.170 / SO 52824-8-1/4	Single banjo
018.0520.122 / SO 40526-A6-6	Pre-assembled hose grommet
TAD.4000.020 / AD HCP 40-1/8	Pipe cap G
TAD.4000.040 / AD HCP 40-1/4	Pipe cap G
TAD.4020.020 / AD HP 40-1/8	Locking screw R
TAD.4020.040 / AD HP 40-1/4	Locking screw R
016.0711.040 / AD SP 40-1/4	Locking screw R
TAD.5124.166	G-NPT transition nipple
P/N: 058.2401.160, Type: SO 52421-8-1/8	Elbow screw-in fitting
P/N: 248.2402.160, Type: SO 02421-8-1/8 NPT	NPT angle screw-in fitting
P/N: 036.0411.042, Type: AD A 80-1/8-1/8	G-R adapter
P/N: 148.3010.080, Type: SO CV 23B21-8 SO CV 23B21 08	cone check valve
126.0100.080 / SO 20020-8	Union nut knurled
P/N: 056.0031.110, Type: SO 50003-6-4	support sleeve
P/N: 128.2401.330, Type: SO 22421-10/7- 3/8	Elbow screw-in fitting
058.2600.063 / SO 52621-6-A8	Adjustable elbow fitting
016.0210.220 / SO 40021-22	faucet connection



Product	Description
016.0030.775 / SO 40003-22-20	support sleeve
SO 31121-12-3/8/ 168.1101.390	Straight screw-in fitting
SO 31121-10-3/8/ 168.1101.280	Straight screw-in fitting
058.1101.390 / SO 51121-12-3/8	Straight screw-in fitting
058.2700.120 / SO 52721-12	Angled bulkhead fitting
058.3000.120 / SO 53021-12	T-fitting
056.0063.345	Hexagon nut METR
168.1102.170 / SO 31121-8-1/4NPT	Male adaptor union NPT
128.1171.185 / SO 21124-8-1/2 OR	Straight screw-in fitting
128.1500.080 / SO 21521-8	Straight bulkhead fitting
128.1171.160 / SO 21124-8-1/8 OR	Straight bulkhead fitting
TAD.5124.224	Transitional nipple
TAD.5120.224	
018.1141.170 / SO 41124-8-1/4	Straight screw-in fitting
018.1141.270 / SO 41124-10-1/4	Straight screw-in fitting
SO 42824-6.0-1/8	Coupling
SO 42824-3.2-1/8	Coupling
168.1000.102 / SO 31021-10/7	Straight fitting
058.1020.030 (SO 51021-3)	
018.1540.220 / 41524-22	straight bulkhead fitting
018.3000.100 / SO 43021-10	T-fitting
P/N: 126.0010.160, Type: SO 20001-16	ferrule
P/N: 126.0100.100, Type: SO 20020-10	Union Nut Knurled
P/N: 126.0100.120, Type: SO 20020-12	Union Nut Knurled
P/N: 126.0100.160, Type: SO 20020-16	Union Nut Knurled
P/N: 128.1101.390, Type: SO 21121-12-3/8	Straight screw-in fitting
P/N: 128.1101.568, Type: SO 21121-16/13-3/4	Straight screw-in fitting
YBD.0H54.1062 / S-VHN6-G3/8 i-FKM	Nipple with female thread
P/N: 056.0200.080 Type: SO-50020-8	connector nut
058.1201.270 / SO 51221-10-1/4	Adapter
258.7420.060 / SO NV 01A21E-6	Regulating angle valve
SO 50503-A8-6	
1009856 / SO 50001-6-4 FIX	ferrule
P/N: 058.1141.100, Type: SO 51124-6-1/8	Straight screw-in fitting
168.1101.170 / SO 31121-8-1/4	Straight screw-in fitting
988.8350.000 / AC 835	Tube-Cutty
Art. no.: 1007512 / SO 30020-10	Adjustable reduction union
Art. no.: 1010483 / SO 30020-8	Straight union
P/N: 168.3701.110, Type: SO 33721-6-1/4-6	T-screw-in fitting
430.0300.004 / PVDF 8/6x1, 50m	Polyvinylide fluoride tube (PVDF)
430.0350.004 / PVDF 10/8x1, 50m	Polyvinylide fluoride tube (PVDF)
SO 31124-6-1/4 OR/ 168.1171.110	
12097400	



Product	Description
P/N: 036.0030.110, Type: SO 80003-6-4	Support sleeve for pipe reinforcement
P/N: 036.0010.060, Type: SO 80001-6	ferrule
12072230	
11016700	
11003200	
12013880	
P/N: 128.1101.120, Type: SO 21121-6-3/8	compression fittings
P/N: 128.1000.060, Type: SO 21021-6	Straight fitting Union double straight union
431.0050.000 / PTFE 3/2x0.5, 50m	Polytetrafluoroethylene tube (PTFE)
016.0210.030 / SO 40021-3	NUT CONNECTION
016.0214.060 / SO 40021-5-3	Reduction nut connection
P/N: 128.1101.285, Type: SO 21121-10-1/2	Straight screw-in fitting
SO 51429-12	
P/N: 128.1101.180, Type: SO 21121-8-3/8	male adapter union
056.0512.676 / SO 50511-19-1/2 NPT	NPT screw-in grommet
056.0512.678 / SO 50511-19-3/4 NPT	NPT screw-in grommet
246.0210.170 / SO 00021-8-1/4	Nut Connection
TKH.478.5112	mini ball valve
168.1102.280 / SO 31121-10-3/8 NPT	NPT straight screw connection
016.1300.220	
P/N: 058.2000.080, Type: SO 52021-8	Elbow fitting
P/N: 058.2401.170, Type: SO 52421-8-1/4	Elbow screw-in fitting
P/N: 058.1101.170, Type: SO 51121-8-1/4	Straight screw-in fitting
P/N: 016.0412.224, Type: AD A 40-1/2-1/4 NPT	G-NPT transition nipple
SO 31124-8-1/4 OR // 168.1171.170	Male adaptor union
056.0020.060 / SO 50002-6	Stainless Steel Plug
056.0020.080 / SO 50002-8	Stainless Steel Plug
056.0020.120 / SO 50002-12	Stainless Steel Plug
056.0020.150 / SO 50002-15	Stainless Steel Plug
056.0020.180 / SO 50002-18	Stainless Steel Plug
126.0641.106	Male threaded adaptor R
358.1208.001	Coupler with SERTO connection angled
358.6114.001	Nipple with female thread
148.1410.080	Elbow regulating valve
058.1101.180 / SO 51121-8-3/8	Male adaptor union
SO 41124-6-M5	Male adaptor union METR
128.3000.120 / SO 23021-12	
type SO 21021-10, Art. no.: 128.3000.100	Tee union
P/N: 128.1000.120, Type: SO 21021-12	Straight union
P/N: 128.1101.125, Type: SO 21121-6-1/2	Male adaptor union
P/N: 128.1101.380, Type: SO 21121-12-1/4	Male adaptor union
P/N: 128.1101.400, Type: SO 21121-12-1/2	Male adaptor union
116.0030.140	Stiffener sleeve
YBD.SPE.0001 / AC SPE-6	clamp




Product	Description
SO 40001-5.016.0010.050	ferrule
SO 00021-6-1/8	
SOL 52621-6-A6	Adjustable elbow union
PN: 016.0210.180 / Type: SO 40021-18	nut connection
168.2402.100 / SO 32421-6-1/8 NPT	Male adaptor elbow union NPT
988.8325.100.BU / AC 832-10 90° BU	PA 90° angle brace
988.8325.100 / AC 832-10 90°	PA 90° angle brace
056.0010.120 / SO 50001-12	
058.1400.180 / SO 51429-18	
056.0012.150 / SO 50001-15 D	
058.1400.220 / SO 51429-22	
058.1400.160 / SO 51429-16	
058.1400.140 / SO 51429-14	
058.2600.150 / SO 52621-15-A15	
128.1101.065 / SO 21121-4-1/4	Male Connector
128.1101.060 / SO 21121-4-1/8	Male Connector
SO 50003-8-6	
SO 51121-8-3/8 NPT	
SO 51124-8-1/4 OR	
CPT10386 / SO 50001-6 / 056.0010.060	Compression ferrule
p/n 056.0210.100, type: SO-50021-10	Set nut/ferrule
p/n 056.0010.100, type: SO-50001-10	swivel coupling
p/n 056.0200.100, type: SO-50020-10	swivel coupling
634-1130	
634- 1101	
634- 1111	
634- 1121	
634- 1100	
634- 1120	
SERTOflex 6 S	hose black multi-braid
00001-8	Compression Ferrule
018.1171.170 / SO 41124-8-1/4 OR	Male adaptor union
art. nr. 016.0030.100, type: SO 40003-6-3	stiffener sleeve
126.0020.100 / SO 20002-10	plug
128.2201.110 / SO 22221-6-1/4	Angle screw connection
148.1410.060 / SO NV 22A21E-6	Regular angle valve
432.0200.003 / FEP 6/4x1, 50m	FEP pipes
128.1171.285 / SO 21124-10-1/2 OR	Right screw-in fitting
018.1621.380 / SO 41625-A12-1/4	Adjustable screw-in fitting
018.1101.390 / SO 41121-12-3/8	Flat screw fitting
018.1101.405 / SO 41121-12-3/4	Flat screw fitting
246.0210.400/SO 00021-12-1/2	dice and clamping ring
248.2600.120/SO 02621-12-A12	adjustable elbow fitting
SO 41524-22	
SO 41300-A22	



Product	Description
018.1143.050 / SO 41124-3-M5	Male adaptor union METR
SO NV 41A21EB-8-1/8	Elbow regulating valve
128.1201.110 / SO 21221-6-1/4	screw-on fitting
216.0013.060	
SO 01521-8	Raccord Diritto Passaparatia
SO 01121-8-1/4	Male thread straight connector
SO NV 51A40-10-1/2	Control valve
Art. no.: 058.1141.434 Typ.: SO 51124-12.7-1/2	Male adaptor union
SO 20511-4-1/8	
SO NV 51A00-3/8 068.0001.060	control valve
058.1165.021 / SO 51194-2-1/4	Union for thermocouple probe
058.1101.285 / SO 51121-10-1/2	Straight screw-in fitting
SO 52021-15	
SO 50001-15	
SO 50020-15	
246.0210.060 (SO 00021-4-1/8 *)	faucet connection
Q 51 N04PS-6	
Q51 C04VM-1/8 OR	
078.2000.100 / SOL 52021-10	Elbow fitting
SO 81124-6-1/4 OR	
P/N: 216.0013.250, Type: SO 6372-25	ferrule
P/N: 216.0205.250, Type: SO 6374-25	connector nut
058.1171.400	
TAD.5040.040	
P/N: 058.1153.180, Type: SO 51124-6 M10x1 D	METR temperature sensor screw
058.1153.035 (SO 51124-2-M8x1 D)	METR temperature sensor screw
SO 50503- A8-8	Hose nozzle
21121-8-1/8	Male adaptor union
S040003-6-4	reinforcement bushings
P/N: 056.0500.198, Type: SO 50503-A10-10	hose grommet
58D21-10 068.8000.100	
036.0014.140 / SO 80001-8-6	Reduced clamping ring
058.1101. 648 / SO 51121-18-3/4	
058.2841.504	Swivel Coupling
p/n: 056.0031.180, type: SO 50003-10-7	swivel coupling
SO 31121-10/7-3/8NPT	SERTO SO 31121-10/7-3/8NPT TUBE TO PIPE NYLON .3750 MM FLARELESS X .3750 IN MPT
SO52421-4-1/8NPT	
PN: 1010954, Type: SO 32421-8-1/4 NPT	Angle screw connection NPT
S0 31121-6-1/4	Male thread straight connector
1022940	
1037715	Clamping ring



Product	Description
1013280	
1005527 / SO 20001-8	Clamp ring
1030288 / SO 33621-6-A6-6	Adjustable T-screw connection
COP KA/NS-SOS-12/9 E / 1031934	Coupler
1034342 / SO 50021-28	Faucet connection
1034366 / SO 50021-22	Fitting connection
1034393 / SO 50021-18	Fitting connection
1034302 / SO 50021-12	Fitting connection
1034324 / SO 50021-10	Fitting connection
1034311 / SO 50021-8	Fitting connection
SO 21121-6-1/4 NPT / 1006366	Male adaptor union NPT
SO 22421-6-1/4 NPT / 1007120	Male adaptor elbow union NPT
SO 23021-6 / 1039220	Tee union
SO21121-12/9-3/8	
1035933 /SO NV 41A40E-12-3/8	Regulating corner valve
1042539	Non-return valve
P/N: 1035375, Type: SO 51021-6	Straight screw connection
AC1098	Mounting pliers for single or double ear clip
1034182	Compression ferrule
1016198	Stiffener sleeve
1039239 / SO 6372-25	Clamping ring
1006277 / SO 6374-25	Connector nut
1021800 / SO BV 28A21-6	
Art. no.: 1051478 / SO 31821-A10-8	Union nut knurled
SO NV 51B21-6	
P/N: 1004810, Type: SO 52625-12-A12	Adjustable angle screw connection pre-assembled
SO NV 41A40E-8-3/8	
SO 80001-6-4	
SO 80040-6-1/8	
SO 81121-4-1/8	
SO 82421-6-1/8	
SO 82421-6-1/4	
SO 82621-4-A6	
SO 83621-4-A6-4	
1041224 / B-VEAN4-G1/4i	Plug with internal thread
SO 41124-12-1/4	
SO 51429-15	
1008352	Reinforcement bushing
1008353	Reinforcement sleeve
1008348	Reinforcement bushing
1037491	Straight coupling male thread
1034394	Male elbow
1018504 / SO 22421-10-1/4	Angle screw connection
SO 51221-13,5-1/2	
1018739 / SO 22421-6-1/8 NPT	Angle screw connection NPT



Product	Description
SO 21121-8-1/8 NPT	Male adaptor union
1051474 / SO 20020-12	Serrated coupling nut
1051471 / SO 20020-6	Knurled nut
1051470 / SO 20020-16	Knurled coupling nut
1051472 / SO 20020-8	Knurled coupling nut
1051473 / SO 20020-10	Knurled coupling nut
P/N: 1032788, Type: SO 40020-4	Attack die
P/N: 1032799, Type: SO 40001-4	Clamping ring
1050370 / SO 21124-12-1/2	Straight threaded connection
P/N: 1035803, Type: SO 51021-8	Straight screw connection