



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)



## Star

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### eBRAND' PBONUCS'

PatTodu	Ncsdaipuitn
<a href="#">G-881-2SG5MW</a>	solenoid coil
<a href="#">40S/9</a>	S6AB3JA9D/DEDIJACE
<a href="#">CDN1W5F01182AG</a>	GU67 2U74A9E
<a href="#">CDN1W5F.118AG</a>	valve
<a href="#">CDN1W5F0FJ</a>	Folenoid valve
<a href="#">JA8-8SA8T8-1888</a>	JA-8 in AG4XA4UJ
<a href="#">NLO-.5</a>	
<a href="#">sN851</a>	solenoid valve
<a href="#">409B58-01P82 P/-H 8.N05O</a>	5P8RG FU7ECU6S
<a href="#">F58558M-O8C9C 58M</a>	Foleoid valve
<a href="#">F5858.81.51N</a>	2alve
<a href="#">407F9.1D</a>	7imit switch
<a href="#">4UJV0JA5O8SA</a>	Fupply airZ -0M bar 3ub diameterZ 1Lmm Ftars
<a href="#">40B758.8N</a>	
<a href="#">F5858.8P.5-N</a>	Folenoid 2alve
<a href="#">F58588M-O8C</a>	Folenoid 2alve
<a href="#">F-8588N5L82</a>	solenoid valve
<a href="#">9BA58P F5851.8P</a>	valve 5/1H
<a href="#">G-81P82AG5N2A FerieZ G-8</a>	FU7ECU6S GU67
<a href="#">4type 4UJV09C 585.1.N</a>	Bressure switch
<a href="#">F58588L-O8C</a>	Dagnet 2entil
<a href="#">B&amp;F81N3D</a>	FWY4G3 &7UW
<a href="#">F585P8N5L8C</a>	solenoid valve
<a href="#">EA2088O8885</a>	
<a href="#">F58188-5L8C</a>	Folenoid 2alve
<a href="#">JA -8 SA</a>	Actuator
<a href="#">JA8-8SA8T</a>	actuator with stainless ball valve
<a href="#">V2 T8P05N</a>	F4A6C7EFF IA77 2A72E
<a href="#">F18588N5L84</a>	solenoid valve
<a href="#">BA2M810N88FJ</a>	2A72E IX44EJ&7x
<a href="#">409B58N CV</a>	FU7ECU6S 2A72E
<a href="#">BA2T8P05NFJ</a>	pneumatic actuated
<a href="#">JAP1SA</a>	actuator
<a href="#">409B58N01P82 5H 8.N05O !NLON.5K</a>	FU7ECU6S
<a href="#">FN85-.8P</a>	
<a href="#">CDN1W5F0FJ!1.N058K 1P82/AG</a>	















Product	Description
<a href="#">66-STR</a>	
<a href="#">RS1218 HAND HACKSAW</a>	
<a href="#">224.1GRLZ</a>	Mechanical Interchangeable-Anvil Outside Micrometer
<a href="#">696Z</a>	Crankshaft Distortion & Strain Gauge
<a href="#">66</a>	Tempered Steel Thickness Gage with Straight Leaves
<a href="#">55-3</a>	Steel Master Precision Square with Beveled Edge, 3"
<a href="#">25-211J</a>	Dial Indicator
<a href="#">25-881J-8</a>	
<a href="#">20-36</a>	
<a href="#">61841</a>	15 Piece Bi-Metal Industrial Hole Saw Kit
<a href="#">50192 (26-36)</a>	
<a href="#">50191 (26-24)</a>	
<a href="#">269MA</a>	Taper Gage
<a href="#">RS1218</a>	hacksaw blades
<a href="#">248A</a>	Extended Length Drive Pin Punch
<a href="#">90212723</a>	
<a href="#">KS2000E1</a>	Holesaw kit
<a href="#">AC11.MA</a>	Gage Block Accessory Set
<a href="#">KFC06021</a>	Electricians Kit 1
<a href="#">HB400</a>	projector
<a href="#">66B</a>	Feeler Gauge Set
<a href="#">S3089Z-131-6J</a>	Bore Gage
<a href="#">124DZ</a>	Mechanical Solid-Rod Inside Micrometer Set
<a href="#">S234ME</a>	Micrometer Standard Set
<a href="#">S162Z</a>	
<a href="#">66MA</a>	Thickness Gage Set With Straight Leaves
<a href="#">25-341-5J</a>	
<a href="#">T263XRL</a>	micrometer head
<a href="#">PT06608J</a>	Flat black Indicator
<a href="#">445BZ-3RL</a>	Micrometer Set
<a href="#">BC890</a>	pre-drill
<a href="#">3754-12/300</a>	Electronic Height Gage
<a href="#">289C</a>	Height and Depth Gage Set
<a href="#">S253MZ</a>	
<a href="#">W749.1BZ-6RL</a>	Wireless Electronic Micrometer Depth Gage
<a href="#">BE-1</a>	Bulls Eye Level
<a href="#">463MXRL</a>	micrometric head
<a href="#">PT44055</a>	combination square
<a href="#">01-01-17104</a>	Screen Glass With Clips
<a href="#">01-01-17049</a>	Bottom Mirror r (1st Mirror) - 240 mm Diameter
<a href="#">PT27171</a>	
<a href="#">798A-8/200</a>	Electronic Caliper
<a href="#">3753A-12/300</a>	
<a href="#">5004BZ-12/300</a>	
<a href="#">V216MXRL-25</a>	



Product	Description
<a href="#">V216MXRL-50</a>	
<a href="#">V216MXRL-75</a>	
<a href="#">V216MXRL-100</a>	
<a href="#">216MXRL-25</a>	
<a href="#">216MXRL-50</a>	
<a href="#">216MXRL-75</a>	
<a href="#">216MXRL-100</a>	
<a href="#">216MXRL-125</a>	
<a href="#">216MXRL-150</a>	
<a href="#">06836M</a>	Adjustable Bracket back
<a href="#">S4002-250</a>	Precision Steel Pin Gauge Set
<a href="#">S4004-500</a>	Precision Steel Pin Gauge Set
<a href="#">S770BXTEZ</a>	Micrometer Set
<a href="#">S555Z-7</a>	
<a href="#">PNR-1224W</a>	Protractor Head
<a href="#">A014C</a>	Hole Saw Arbor
<a href="#">A014CE</a>	Hole Saw Arbor
<a href="#">715-1Z</a>	
<a href="#">717</a>	electronic gage amplifier
<a href="#">655-4041J</a>	Dial Indicator
<a href="#">656-441J</a>	Dial Indicator
<a href="#">486P-8</a>	Blade Type Micrometer
<a href="#">S667A</a>	Thickness Gage or Feeler Stock Assortment
<a href="#">EC799A-6/150</a>	Electronic Caliper Measuring Tool
<a href="#">51091 / 444.1MXRL-125</a>	outside micrometer
<a href="#">52120 / 440MZ-150RL</a>	
<a href="#">00143 / EC799B-6/150</a>	electronic caliper
<a href="#">61660 / 125MEA-6/150</a>	vernier caliper
<a href="#">64651 / 25-161J-8</a>	Dial Indicator
<a href="#">64652 / 25-261J-8</a>	Dial Indicator
<a href="#">50929 / S229GZ</a>	telescoping gage
<a href="#">51072 / 444.1MXRL-25</a>	outside micrometer
<a href="#">51073 / 444.1MXRL-50</a>	outside micrometer
<a href="#">12274 / 3732MEXFL-25</a>	Micrometer
<a href="#">68068 / S436.1MAXRLZ</a>	outside micrometer set
<a href="#">TS 44.W</a>	TRUE SQUARE
<a href="#">C11MEH-300</a>	Combination Square
<a href="#">CPR-1224W</a>	Protractor Head
<a href="#">435ME-300</a>	Combination Set
<a href="#">RD0104-9-O</a>	
<a href="#">644J</a>	Dial Depth Gage
<a href="#">708AZ</a>	comparator secretary device
<a href="#">823AZ</a>	
<a href="#">P27211-1</a>	
<a href="#">823EZ</a>	Tubular Inside Micrometer with case



<b>Product</b>	<b>Description</b>
<a href="#">81-111-630J</a>	Dial Indicator
<a href="#">380-36</a>	
<a href="#">128CZ</a>	Inside Micrometer Set
<a href="#">91060-100</a>	blade
<a href="#">565B</a>	Pin Punch Type, 3/32"
<a href="#">565A</a>	Pin Punch Type, 1/16"
<a href="#">283</a>	U.S. Standard Gage, Nos 0-36 Range
<a href="#">Advanz TS 2-3 Vari Pitch</a>	Bandsaw Blade
<a href="#">Advanz TS 3-4 Vari Pitch</a>	
<a href="#">PT99432</a>	Machinists Levels Tube/Plug Assembly
<a href="#">711HSZ</a>	Last Word Dial Test Indicator
<a href="#">681-36080 AM-2</a>	Angle Meter
<a href="#">67147 / R2760-1M</a>	Remote Display
<a href="#">196MB1</a>	Back Plunger Dial Indicator
<a href="#">667S-25</a>	
<a href="#">667S-26</a>	
<a href="#">667S-27</a>	
<a href="#">667S-28</a>	
<a href="#">667S-29</a>	
<a href="#">667S-30</a>	
<a href="#">689-2Z</a>	Countersink Gage
<a href="#">689-3Z</a>	Countersink Gage
<a href="#">S011</a>	Hidden Edge Knife
<a href="#">968</a>	Belt holster
<a href="#">683M-1Z</a>	Internal Chamfer Gage
<a href="#">A17-38</a>	LOCKING ARBOR
<a href="#">683M-2Z</a>	
<a href="#">13750-0 Tip, Center Punch For 18A</a>	Center Punch
<a href="#">PT13753</a>	Trip Pin
<a href="#">3089M-181-50J-STR</a>	
<a href="#">124CZ</a>	Inside Micrometer Set
<a href="#">SS81.A1X</a>	Gage Block Accessory Set
<a href="#">S555Z-6</a>	Jewelers Screwdriver Set
<a href="#">ST444.1CXRLZ</a>	Outside Micrometer Set
<a href="#">120M-300</a>	Dial Slide Caliper
<a href="#">80774</a>	Crystal Pink Granite Surface Plate
<a href="#">S668BZ</a>	
<a href="#">T230XRL</a>	Micrometer
<a href="#">P360-10</a>	
<a href="#">S 81.A1</a>	for gage block set (81 blocks for steel material)
<a href="#">3715-Q2</a>	
<a href="#">PT06136</a>	
<a href="#">DL0108-9</a>	Calibration
<a href="#">823FZ</a>	Tubular Micrometer Set
<a href="#">BG237 - 1X-7</a>	CARBIDE CUT NIPPER



<b>Product</b>	<b>Description</b>
<a href="#">RS400-6</a>	Solid High Speed Steel Power Hacksaw
<a href="#">70800 / PT06632-12</a>	Contact Point
<a href="#">700A</a>	Micrometer Caliper
<a href="#">Steel Rule 6IN</a>	Spring-Tempered Steel Rule
<a href="#">PT06632/8</a>	
<a href="#">PT06690 Point Only For 18A</a>	
<a href="#">BC892</a>	HSS hole saw set
<a href="#">827MA</a>	EDGE FINDER APPARATUS
<a href="#">44022-0</a>	Battery Cover
<a href="#">C33MH-150</a>	
<a href="#">683-3Z</a>	Chamfer Gage 0-1IN
<a href="#">11928</a>	Hole Saw Arbor
<a href="#">ST436EXRLZ</a>	Outside Micrometer Set
<a href="#">KSM07001</a>	stainless steel hole saw set
<a href="#">263MXL</a>	Micrometer Head
<a href="#">V263MXRL</a>	Micrometer Head
<a href="#">FCH0196</a>	Fast Cut Bi-Metal Holesaw 40mm
<a href="#">724LZ-18</a>	Interchangeable Micrometer Set
<a href="#">724LZ-24</a>	Interchangeable Micrometer Set
<a href="#">724LZ-36</a>	Interchangeable Micrometer Set
<a href="#">724LZ-42</a>	Interchangeable Micrometer Set
<a href="#">52714</a>	643JZ Dial Depth Gage
<a href="#">154D / 50581</a>	Adjustable Parallel and Sets
<a href="#">134</a>	Cross Test Level and Plumb
<a href="#">467M</a>	Metric Thickness Gauge
<a href="#">125MEB-6/150</a>	Calibrator
<a href="#">98AZ-12</a>	
<a href="#">Starrett HSS 16</a>	hole saw set with center drill
<a href="#">Starrett HSS 22mm</a>	hole saw with center drill
<a href="#">Starrett HSS 35mm</a>	hole saw with center drill
<a href="#">3202-6</a>	Dial Caliper
<a href="#">11H-12-4R</a>	Steel Combination Square with Square Head - 12"
<a href="#">C604RE-6</a>	Spring Tempered Steel Rule with Satin Chrome Finish,
<a href="#">S248PC</a>	DRIVE PIN PUNCH SET- 5
<a href="#">1202F-6</a>	Dial Caliper
<a href="#">505A-7</a>	Aluminum Miter Protractor
<a href="#">Bimetal M51</a>	
<a href="#">18AA</a>	automatic center punches with adjustable stroke
<a href="#">PT06677F</a>	
<a href="#">56382 / C11MH-300</a>	Combination Square
<a href="#">25SC38</a>	Split Collet, 1"
<a href="#">5004BZ-24/600</a>	digital electronic depth gage
<a href="#">55892 / 80-134J</a>	pressure gauge
<a href="#">3657MT</a>	
<a href="#">823DZ</a>	



Product	Description
<a href="#">S579HZ</a>	
<a href="#">T436.1XRL-7</a>	Mechanical Outside Micrometer
<a href="#">88631-STR</a>	
<a href="#">269A 51290</a>	Kegellehre
<a href="#">670B 52724</a>	Display hole attachment
<a href="#">671 52886</a>	Universal turn signal attachment
<a href="#">269B 51291</a>	Kegellehre
<a href="#">3753A-6/150-STR</a>	Electronic Depth Gauge, 0 to 6" range
<a href="#">CT312</a>	Tungsten Carbide Tipped Hole Saw
<a href="#">W798B-8/200</a>	Wireless Electronic Caliper
<a href="#">W798B-12/300</a>	Wireless Electronic Caliper
<a href="#">B5000BZ-24/600</a>	Carbon Fiber Caliper
<a href="#">684M-3Z</a>	Metric Internal Chamfer Gage
<a href="#">684M-4Z</a>	Metric Internal Chamfer Gage
<a href="#">708BZ</a>	Dial Test Indicator
<a href="#">709ALZ</a>	Dial Test Indicator with Dovetail Mount
<a href="#">3754-24/600</a>	Electronic Height Gage
<a href="#">3250Z-6</a>	dial height gage
<a href="#">P/N: BS1232</a>	Hack Saw Blade
<a href="#">656-4041J</a>	Dial Indicator
<a href="#">PT06135</a>	Movable Bridge Attachment
<a href="#">PT06836J</a>	LAT BACK FOR #81 INDICATOR
<a href="#">155</a>	Screw Pitch Gage
<a href="#">172A</a>	Thickness Gage
<a href="#">901908</a>	
<a href="#">A2LA Calibration Indicator - Dial/Digital</a>	
<a href="#">PT21697-1</a>	
<a href="#">PT21697-2</a>	
<a href="#">PT21697-3</a>	
<a href="#">PT21697-4</a>	
<a href="#">25-441/5J</a>	Dial Indicator
<a href="#">S117PC</a>	
<a href="#">11MEHC-300</a>	Combination Square
<a href="#">A2LA Calibration Combination Square</a>	
<a href="#">A2LA Calibration Bubble Level (Precision) Single</a>	
<a href="#">A2LA Calibration Punch Gage</a>	
<a href="#">A2LA Calibration Caliper: Up to 6"</a>	
<a href="#">S167AHZ</a>	167 Radius Gages
<a href="#">3805B</a>	Electronic Durometer
<a href="#">52522 / 491-18-4R</a>	BEVEL PROTRACTOR
<a href="#">50045 / 9-24-4R</a>	Steel Combination Set, Inch, 24"
<a href="#">682EMZ</a>	SAW TENSION GAGE
<a href="#">576XR</a>	Rounded Anvil Micrometer
<a href="#">S4003-250</a>	Precision Steel Pin Gage Set



<b>Product</b>	<b>Description</b>
<a href="#">134 / 50569</a>	Square Level
<a href="#">901034-5</a>	
<a href="#">3822</a>	Ultrasonic Hardness Gage 5Kg Probe
<a href="#">KD0138-N</a>	Diamond Grit Hole Saw
<a href="#">CPR-1224S</a>	Plastic Case Only
<a href="#">CB12-4R</a>	BLADE ONLY
<a href="#">S154LZZ</a>	Protractor Head
<a href="#">667-5</a>	
<a href="#">BI447</a>	grains
<a href="#">G-81828</a>	Granite Surface Plate Cleaners
<a href="#">3813</a>	Coating Thickness Gage
<a href="#">196MB5</a>	Dial Test Indicator
<a href="#">683M-3Z</a>	
<a href="#">18A Automatic Center Punch</a>	
<a href="#">457C</a>	Steel Improved Diemakers Square
<a href="#">245M</a>	Engineers' Combination Taper Wire & Thickness Gage Metric 11 Leaves
<a href="#">59168385</a>	Halogen to LED conversion kit
<a href="#">59168765</a>	Lens holder cover
<a href="#">59169938</a>	Light switch
<a href="#">59172213</a>	glass screen for profi projector
<a href="#">BF3090</a>	
<a href="#">kit of metal band saw blades for S1101</a>	kit of metal band saw blades
<a href="#">P2731-1 1</a>	PROBE
<a href="#">C306R-6</a>	Starrett Full-Flexible Steel Full Flexible Steel Rule
<a href="#">C316R-6</a>	Full-Flexible Steel Full Flexible Steel Rule
<a href="#">P27211-1 ( with calibration certificate)</a>	
<a href="#">709BZ</a>	DIAL TEST INDICATOR
<a href="#">PT24073</a>	Screw-Type Lug
<a href="#">PT24075</a>	Screw-Type Lug
<a href="#">PT25044</a>	Regular Contact Point for Starrett Series 80 Indicators
<a href="#">117AA</a>	Centre Punch 1.5mm (1/16in)
<a href="#">PT06134</a>	Accessories for digital depth gauge
<a href="#">CX572</a>	
<a href="#">1175MZ</a>	DIAL INDICATOR GROOVE GAGE
<a href="#">Starrett 66</a>	