



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk



Valcoa

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Producte	Dsitraieadp
2W80X19S	2system springs
2W50S16P	2system springs
2WxG97100S	2piral springs for ball cages
W4K310S	Rompression springs
2WIN0.P10S	Rompression springs
2xAS91SSSO	xipe fitting for high1pressure pipelines
2xASN1SSSO	xipe fitting for high pressure lines
D8R51KNPS17K1LP1GNPS1x6P	metal fittings for free1span
2x8N0N7N0	
x8A310S18	ball knob
G8F31NSS	2tationary Kandle
2ML0S	set collar
2R2W0S1NP	set collar
2xW-N91HSS14NS1LNS12R0S	linear shaft
2xO0S1HSS	linear shaft
2xO0S17SS	linear shaft
KLDK2L7	
GK(5R14)0S	5langed Gear 8ushings
4x5C0S19P	U(G 5-EE 8T2K
xOG5P19	8olt connectorsVxOG5VheBagon socket
FEA:880.S10610S1A109L	
FEA:880.S19S10S1A19SL	
-UF2:9P1NP19S	Rylindrical rollers with elastomeric coating V aluminum, steel V 2hore APS1AHS V xT- coating V cylindrical V metal core V threaded pin clamping, keyway V KX
K-UO2PS1PN9	roller for conveyor
22E80S1NSS	4iniature profile rail guides
:EM2WN71NNS	parallel key
:EM2WN71NNS	parallel key
8F2C830SXMM1HS	-ulman latak /nitesi
A58M9X1PP	Fergi 4akarasØ Y2pannrolleZ
2WRNS16S	coil spring
2RMF61N6	K(LFE x(L2
AD8D16SSSDNSPSS1R1x0SS	synchronous belt
Lx76KM1E	probe
DTLP6SGSXP	synchronous belt
25AD31PP149	linear shaft



Product	Description
030XX889	Valve Cable
155XX301	encoder
VHZ-008.GK.002.EFFI	Gear Flowmeter
01.1003.0097	
TRM-204.110.15GO.2.S1.IP65	Bimetallic thermostat
FCM4-3.15.GV.09F	Fixed calibration flow switch
971XX106	Glue nozzle
FCM6-0.8.15.GV.13P	flow switch
707XX559	
707XX529	Needle with anchor (2,38mm) for 524Ezt/EZR
750XX001	Female Swivel
01.0001.1067	Flow Switch
703XX907	
708XX828	
VM-025.GR.060T.IP65/0213.WPS	Flow switch
VM-032.GR.100T.IP65/0213.WPS	Flow switch
VM-015.GR.006T.IP65/0213.WPS	Flow switch
VM-020.GR.040T.IP65/0213.WPS	Flow switch
VM-040.GR.150T.IP65/0213.WPS	Flow switch
UM3K-020.GM.100.IP65/0371	Flow switch
S1.P12.XB.0026.P.8HP.TD.I2.0.5M	
00.0005.0052	Electronic thermostat-switch
01.0001.0398	Paddle flow switch
ZF.5S6-10	
ZN.5-10	
FCM5-3.15.GO.12P	Fixed adjustment flow switch
FCM6-2.5.15.GO.13P.J.	Fixed calibration flow switch
705XX113	gumming valve
00.0001.0418.1	Flow switch
030XX681	
745XX005	o-ring
561XX336	lower check
561XX342	body
561XX337	piston body - top
783XX385	CONICAL SPRING
746XX271	piston seal
561XX247	BALL 5-8' DIA
561XX338	PISTON CHECK - BOTTOM
746XX159	O-RING
561XX307	BALL 3/4' DIA-CERAMIC
783XX413	SNAP RING
746XX124	O-RING
561XX165	SEAT
091XX757	DOWEL PIN
561XX365	rebuilt kit



Product	Description
582XX778	gluing station
900E series (661XX003)	glue valve
561XX352	new style piston pump
561xx350	Seal Cartridge
UM3K-032.GM.0300	PALLET FLOW SWITCH
202-33	
ZF.5V	
957152	
FO.5.20.GO.3(NA).12N.IP65	flow switch
UR1-015.GM.035.IP65/0225/1.5M	Vane flow switch
01.0001.0586 / Mod. UR1-015.VM.IP65/0225/1.5M	Paddle Flow Switch
946XX175	HOT MELT UNIT
981XX006	Hose
661XX003-D=1 PA	NOZZLE 3 HOLES VALVE
FF-015RMS-138	
916xx001	
974XX205	nozzle
961XX025	applicator
981XX005	hose
702XX500	
707XX580	Plunger
707XX462	Insert
661XX002	NOZZLE
FCM2-2.15.GV.10P/11E	Fixed calibration flow switch
LCT.S32.05.0700/0800.S.25GS.S1L2.R	Continuous level control
M2.B45.7.0750.O.25GO.W1L1.C33.710.130 / 00.0002.5199	level switch
TRM-204.080.15GO.1.S3.IP65	Bimetal thermostat
746xx262	SEAL KIT
S1.B45.3.0250.O.25GO.S1L1.I2.215	Level control
280xx288	
FCM5-1.1.5.15.GV	sensor
FCM1-1.5.15.GV.11P/12E	Fixed Calibration Flow Switch
074xx084	system pattern controls
UR1-015.VM.IP65.0225/1.5M	
00.0006.0061.1 CV-025G.PSO.R	Visual flow indicator
472A (702XX507)	
280XX910 CGS-40	Gate Sensor
DIN-43650-B - PG9	
09.0019.0002 AFM2.100-20/H.0.3-9	Flow transmitter
CR-025.KVS.IP65	FLOW SWITCH
VLC.602.M(CE)/4 ALL./220/24VCA	Universal signal processor
SLC.10GO.10-60MS.1X0100.VL.IP65.24-230VAC	Conductive probe
704XX874	valve
562xx050	Pump
CV-025G.PSO.R	Visual flow indicator



Product	Description
707XX443	Repair Kit
00.0002.9543	
FCM5-1.15.GV.12P	
00.1123.0026	KIT/FCM CAP/GASKET/SCREW IP65
706XX051	Replacement Valve Assembly
411XX750	Solenoid valve
706XX053	Cartridge Valve Assembly
074XX087	Control Unit
CV-015G.PSO.R, PN: 00.0006.0059.1	Visual flow indicator
593XX521	Compression Balancing Regulator 3:1 NPT
593XX523	NEW STYLE REBUILD KIT, 3:1 PRESSURE-BALANCING REGULATOR
FCM6-2.5.15.GO.13P	Fixed-calibration flow switch
M5.B20.3.0850.O.25GO.A2L1.I22222.830.630.530.240.190	
138XX018	OPERATION TERMINAL
074XX042	Base Unit
148XX063	Power Supply Module
074XX054	Pattern Control Module
074XX065	
00.0002.5790	Level switch
098xx087	control box
030XX638	Adapter
MR1KV-008.GM.004.J.IP65/0213	Flow switch
974XX209	Nozzle
S1.B45.3.0100.O.25GO.S1L1.I2.65	Standard level control
S1.B45.3.0200.O.25GO.S1L1.I2.165	
702xx804	Valve
702xx802	Valve
00.0008.0161.1	sensor
00.0038.0023	Optical level sensor
VM-032.GR.100T.IP65/NO	Flow switch
TRM-204.100.15GO.2.S1.IP65	Bimetallic thermostat
TRM-204.120.15GO.2.S1.IP65	Bimetallic thermostat
901.67.111M4	Adjustable pressure switch
677xx003	Application head
707xx248	Valve
745XX007	O-Ring
746XX180	
707xx640	Valve Assembly
707xx628	Repair Kit
712xx013	Repair Kit
MCP-8I	
752xx036	Disconnect adapter
783xx043	Spring Washer
745xx184	O-Ring



Product	Description
784xx136	Screw
707xx219	Seat adapter
784xx112	Screw
798xx356	Nut
CV-010.PSO.R	
CV-008.PSO.R	
TRM-204.040.15GO.2.S1.IP65	Bimetal thermostat
EPP9 561XX355	REBUILD KIT
971xx103	
030xx738	Encoder Cable
MR1KV-025.GK.060.IP65/0213	Flow switch
SLC.50GP.10-60MS.4X0500.VL.IP65.24-230VAC	Conductive level probe with integrated management electronics
912XX169	V-M RELIEF VALVE
916XX757	V-M FILTER
765xx440	
00.0002.2845 / Mod. S1.B45.3.0350.O.25GO.S1L1.I2.315	level sensor
FD.008.BFG	Visual flow indicator
FD.015.BFG	Visual flow indicator
00.0002.9813	level control
S1.B45.3.0200.O.FOPX.S1L1.I2.165	
S1.B45.3.0100.O.FOPX.S1L1.I2.65	
579XX746	
782XX556	
676xx004	Glue head
00.0002.A750.1 / Type S1.S29.3.0085.S.25GO.TRJ.I1.1.0M.60	Level switch
II130	
00.0001.1189	sensor
971XX104	Hot glue gun nozzle
S1.B45.7.0150.O.25GO.S1L1.I3.110	Level control
00.0001.0662	
971XX105	
974XX305	
00.0002.5595 / L2.B77.7.C.25GO.W.I33	Level control switch
TRM-204.070.15GO.2.S3.IP65	Bimetal thermostat
TRM-204.090.15GO.1.S3.IP65	Bimetal thermostat
707XX469	
TRM-204.090.15GO.X.S3	
00.0001.1118	
VM-040.GK.XXXT.IP65/0213	compensated flow switch
UR1-010.GM.035.IP65/0225/1,5M	Paddle flow switch
CV-008G.PSK.R	Visual flow indicator - bidirectional operation
ZU1T	UNION, ZDV: 1/16_.065,316HX
ZRU1.5T	UNION-RED-ZDV: 1/16_1/32_.033,303HX



Product	Description
00.0005.0070	pressure switch
00.0005.0185.3/TRM-207.110.10GCZ.2.C0.5M.IP65.J	Bimetal thermostat
L2.B77.7.D.25GO.W.I33	Level control - Side mount - No. 2 contacts
TRM-204.120.15GO.2.S3.IP65	Bimetal thermostat
00-0002B728 / L2.S52.6.0300/0120.S.FS62.E10.I33.260.80	Explosionproof level switch
561XX172	
712XX012	
131XX185	
00.0002.1727.1	Level control
00.0005.0066	Bimetal thermostat
750xx009	
702xx809	valve assembly, flat pattern
01.0001.0569	
UMTA-2CSF16MWE / 724UMTA2CSF16MWE	propulsion
593XX087	filter
593xx121	Fluid Regulator Assembly
TRM-204.090.15GO.1.S1.IP65	Bimetal thermostat
TRM-204.090.15GO.2.S1.IP65	Bimetal thermostat
VPB-060	
AT3C6UWE	2 Position Valve
00.0001.0673 / FCM5-1.15.GV.12P	Fixed calibration flow switch
00.1123.0026/IP65 - KIT/FCM	
UM3K-040GM500	flowmeter
IP65 - KIT/FCM/DIN-43650-B - PG9	KIT
TRM-204.080.15GO.1.S1.IP65	Bimetal thermostat
00.0019.0085	Flowmeter
M2.B20.3.0320.O.25GO.W1L1.I21.300.80	Level switch
LCT.B20.10.0280/0320.O.25GO.S1L1.R	Continuous level sensor
00.0001.0062 FCM6-2.5.15.GO.13P	flow switch
750XX020	
560XX560	
677XX004	
704XX968	
582XX525	
661XX005	
FCM2-5.15.GO.11P	Fixed-calibration flow switch
593xx421	pressure regulator
SSAC6WP	
677XX005	
677XX002	
UR1-032.GM.175.IP65/0225/1.5M	THERMOSTAT
MR1KV-025.GM.XXX.IP65/0213	
FO-0.5.15.GV.3.13N	
S1.B45.3.0100.O.25GO.S1LJ1.I2.65	
00.0005.0048.2	



Product	Description
S1.B20.7D.0070.O.25GO.S1L1.I3.50	level- buoy
UM3K-015.VM.IP65.J.M8/0371	
ZN1-10	
661XX003	Nozzle tip
707XX462	4 mm ball saddle assembly
783XX042	Spring
FCM5-2.5.15.GO.13P	
00.0002.3130.2	
FPA-025.GO	
12.0004.0127	
138XX017	
FO-5.0.20.GO.3.12N.J.IP65	Flowmeters
679XX003	
705XX025	VALVE
L2.B77.7.C.25GO.W.I33	
T100N20-50	
707xx581	
00.0005.0058	
TRM-204.060.15GO.1.S1.IP65	
00.0002.B247	level switch
707XX524	
583XX719	
01.1100.0034.1	Electric head