



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp




PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk



Wieland EctIE

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

rWBRANDn'WSAPOUD

| 'caeCTo | AEuTclsola |
|--------------------------------------------------------------------|-----------------------------------------------|
| 0E5444129(| |
| 0E5444129(.4)A | |
| 0E54440M9M7(6S0E((4TU | Routed I) Lachogenerator |
| 0E522(-2)9(.3)A | 8lange Routed IH Lachogenerator |
| 0E5444O29(.NEGB22RR -FA8L | 8lange Routed I) Lachogenerator |
| S0E((C2 B 0E5444129(.NEG 622mmU | Lachogenerator |
| 0E5444O29(.N)A 6A043P4PU | 0adio Energie 8lange Routed I) Lachogenerator |
| 0E5444129(.N)A | 0adio Energie 8lange Routed I) Lachogenerator |
| 0E(/44412B)A | LA)F5RELE0 |
| L802(N(| Gleichstrom/LachogeneratorBen |
| 0E544402-(.2)A | 0adio Energie 8oot Routed I) Lachogenerator |
| (((M2M: 444V- 9)27P(EG ZSP4 I3.:72: _____ | I) Lachometer generator |
| 0E5444O29(.NEG | 8lange Routed I) Lachogenerator |
| 0E54441M9M7(.NEG 63mmU / S0E((C4 | 0adio Energie 8lange Routed I) Lachogenerator |
| 0E544402-(.NEG 622RRU | |
| 0E5444129(.N)A 63mmU | 0adio Energie 8lange |
| PTTG9 9K-)27M()A ZSP4)7C2 | |
| 0E5444V-2)9(.P)A | 0adio Energie 8lange Routed I) Lachogenerator |
| 0E544412)9(.NEG 622mmU | 8lange Routed I) Lachogenerator |
| 0E54441927N()A | 0adio Energie 8lange Routed I) Lachogenerator |
| 0E54441H29(.N)AB22RR -FA8L | I) Lachogenerator |
| 0)5(PT0(N P:90 2(M4 Z2 | |
| 0)5 E(2 0 5 223(90 | |
| 0)Z(PT IF5P24/2(M4-(NM | |
| A4NPM3(2N B)ode 2CN | |
| 0E5444O29 23(| |
| 0)5 Z1L 444 0 | |
| 0E54440M-M7(.N)A | 0adio Energie 8oot Routed I) Lachogenerator |
| FLG042M:4(S(((26LE1HU | |
| (((N2C4U 0E.(444V- 9)27P()A ZSP4 I72:)I _____ | LA)F5RELE0 |
| 4441 9 272P(EG ZS44 37C(| |
| 0E544419 2IN(EG ZS44 22IM(|)5IE MT(|
| 0E54440 9)27N()A | I) tachometer generator |
| 0E5444V-9)272(()A ZSP4 I72: _____ | |
| 0E5444029(.N)A 6S0E((4MU | 0adio Energie 8lange Routed I) Lachogenerator |
| (((P2M: , type 0E54440 9 272P()A ZSP4 227C(_____ | |



| Product | Description |
|----------------------------------------------------------|------------------------------------------|
| 81.020.0134.0 / FLARE TIME HM8-2P-A | TIMER |
| 70.350.2435.0 | Upper case |
| 70.330.2435.0 / BAS GUT GB 24 M25 A0 | |
| 93.932.5053.0 | connector |
| 00.729.0305.1 / 334422 | flat cable |
| Z6.563.6053.0 / 330032 | Cable end piece for Podis 5G6 flat cable |
| Z6.563.7800.0 | cable patch PODIS/GESIS |
| 83.040.0001.0 | IP SWITCH WIENET UMS 8 |
| Z5.523.5653.0 | |
| R1.188.3700.0 / SNZ1022K-A AC/DC 24V | |
| R1.188.3710.0 / SNZ1022K-A AC 115-230V | |
| 99.600.0028.0 | |
| R1.188.3850.0 / SNO 4083KM-C 0.5s DC 24V | Safety Relay |
| R1.188.4100.0 / SNV4063KL-A | Safety Relay |
| 56.716.0053.0 / WKF 16/35 | |
| R1.188.1890.0 / SNA4044K-A AC230V | |
| SNO 4062K R1.188.0700.2 | SAFETY RELAY |
| 81.000.6580.0 / WIPOS PS3 24-20 | |
| R1.188.1940.0 / SNA4043K-C AC/DC | |
| P/N: 57.404.7055.0, Type: WK 4E/U /V0 | Multi-tier terminal block |
| P/N: 56.703.0055.0, Type: WKFN 2.5 /35 | Feed-through terminal |
| P/N: 56.206.0055.0, Type: WTP 6/10 | Feed-through terminal |
| P/N: 56.206.0055.6, Type: WTP 6/10 BL | Feed-through terminal |
| P/N: 56.203.0055.0, Type: WTP 2.5/4 | Feed-through terminal |
| 96.042.4053.1 | Connector |
| 96.041.4053.1 | Connector |
| 70.353.0635.0 | Hood revos basic made |
| 70.950.0653.3 | Multipole adapter set |
| 56.206.9055.0 | |
| 73.710.0853.0 | |
| 70.330.1035.0 | Bottom-base |
| 81.000.6220.0 | |
| 56.703.8955.0 / WKFN 2.5 E/SL/35 | PE conductor terminal |



| Product | Description |
|-------------------------------------------------------------------|--------------------------------------------------|
| 81.020.0003.0 | |
| 70.320.1010.0 | |
| 70.320.2410.0 | |
| 70.331.0610.0 | |
| 73.334.1035.0 | |
| R1.100.0323.0 | wires |
| 99.009.0000.6 | connector housing |
| 99.026.0000.6 | connector housing |
| 81.000.6130.0 / WIPOS P1 24-5 | Switched-mode power supply |
| 81.000.6120.0 / WIPOS P1 24-2.5 | Switched-mode power supply |
| 70.300.0640.0 | connectors |
| 70.310.0640.0 | Male insert |
| 70.341.0635.0 | Bottom-base |
| Z7.284.7427.6 | connector |
| R1.188.2010.0 | safety relays |
| 92.731.3053.1 / GST1813S B1 ZR1 M SW | connector |
| 72.250.1635.2 | |
| 73.337.4035.0 | |
| R1.310.1120.0 | Safety limit switch |
| R1.188.3580.0 / SNO 4083KM-A 1.5S-DC 24V | Device for monitoring of safety-related circuits |
| R2.024.0850.0 / DZ12-SL 12MIN AC 230V 50/60HZ | Response delayed time relay |
| 71.320.1628.0 | |
| 71.350.1635.0 | |
| 71.350.2435.0 | |
| 71.325.2428.0 | |
| 96.031.4053.1 | connectors |
| 96.032.4053.1 | connectors |
| 83.214.0005.2 | Podis mot |
| R1.188.3830.0 / SNO 4083KM-A 0.5S- DC 24V | Device for monitoring of safety-related circuits |
| R1.188.2070.0 / SNV4076SL-A 30S DC 24V | Device for monitoring of safety-related circuits |
| 21.310.1253.0 | Europa terminal strip 6E |
| 21.340.5653.0 | Europa terminal strip 16E / 6 |
| 21.310.1253.0 | |
| 21.340.5653.0 | |
| 71.354.2435.2 | Hood revos |
| 92.232.0504.1 | extension cable |
| 92.931.3053.1 | connector |
| 00.770.0304.7 | Flat cable |
| 92.232.3070.1 | power wire |



| Product | Description |
|-----------------------------------------------------------------|------------------------------------------------------------|
| 92.232.6070.1 | power wire |
| 92.050.1553.1 | Power Supply Box |
| 92.031.5453.1 | |
| 06.562.0653.0 | wire endpiece |
| P/N: 96.032.5055.7, Type: RST2013S S1 M01VH GN0 | Device connector |
| 25.320.3253.1 | pcb plug |
| 25.320.3353.1 | pcb plug |
| 71.320.2428.0 | |
| 70.300.1640.0 | connectors |
| 70.310.1640.0 | Connector |
| 07.311.0155.0 / AP 2.5 - 4 /V0 | Locking plate |
| Z5.522.8553.0 / 9708 / 2 S 35 | END BRACKET 9708 / 2 S 35 |
| 72.300.2453.0 | |
| p/n: R1.188.2130.0, Type: SNV 4074SL-A | Safety Relay |
| 05.544.3829.8 | Plug contact d 2.5 - 1.5 qmm ag |
| 02.125.3829.8 | Socket contact d 2.5 - 1.5 qmm ag |
| 02.125.3929.8 | SOCKET CONTACT |
| 07.313.2555.0 | 07.313.2555.0 - TERMINAL PLATE AP WT 2.5-10 ** |
| 07.312.9255.0 | End plate |
| 07.312.6755.0 / APFN 2.5 /35 | End plate |
| 04.855.0253.0 | Marking tag strip |
| 04.855.0353.0 | Marking tag strips |
| 58.506.0055.1 | |
| 58.506.0055.5 | |
| 92.232.1054.1 | Cable assembly |
| 81.000.6220.0 / wipos UPS 24-30 | Power Supply Module |
| 70.352.0628.0 | Heavy Duty Connector |
| 70.350.0628.0 | Industrial Connector |
| 78.116.0253.0 | |
| 78.106.0253.0 | |
| 78.213.0453.0 | Plugs & Receptacles, Revos Series |
| 78.203.0453.0 | |
| 78.010.1653.0 | Connector Accessories Male Module Frame Polycarbonate Gray |
| 78.000.1653.0 | |
| 76.350.4035.1 | |
| 93.732.4353.0 | |
| P/N: R1.188.4100.0, Type: Sny4063KI-A 150S | Device for monitoring |
| 73.310.1653.0 | |
| 73.300.1653.0 | plug |
| R1.188.0720.2 / 31585 | |



| Product | Description |
|----------------------------------------------------------------------------|-----------------------------------------|
| Z1.005.6553.1 | |
| 75.018.0051.2 | |
| Z5.507.1453.1 | |
| 05.505.0253.1 | |
| 83.301.1020.1 | |
| 05.562.3000.0 | |
| Z5.562.7553.1 | cable end piece |
| 83.209.2203.0 | |
| 96.041.4051.4 | connector |
| 96.042.4051.4 | connector |
| 00.709.0504.1 | |
| P/N: 83.214.1506.2 Type: PODIS MOT FA C 3I/ RS485 (SEW) 15 | |
| 83.209.2201.0 | |
| 92.232.2007.1 | |
| 99.401.6046.6 | |
| 83.210.1001.2 | PODIS MOT FA C 3I/ 1140 10 |
| 99.700.0000.6 | |
| 99.701.0000.6 | |
| R1.188.0700.2 / 31580 | |
| 83.040.0000.1 | Netzwerk Switch |
| R1.190.1310.0 / SP-COP2-ENI-A16 | Ethernet module |
| 58.503.0055.0 | LECTRIC TERMINAL BLOCK |
| 58.503.0055.6 | Simple blue terminal |
| 58.503.9055.0 | Simple green protective conductor clamp |
| 58.504.0055.0 | 58.504.0055.0 Not categorized |
| 58.504.0055.6 | 58.504.0055.6 Not categorized |
| 58.504.9055.0 | Simple green protective conductor clamp |
| Z5.522.8553.0 | 9708 / 2 S 35 End cover |
| Z7.280.7027.0 | Connecting plug |
| 73.354.0635.3 | UPPER CASE |
| 78.000.1053.0 | File mrb 10 module frame |
| 78.002.1053.0 | Module insert file buc 10 25 |
| 78.012.1053.0 | module insert for STC 10 25 |
| 78.003.0553.0 | MODULE INSERT |
| 78.013.0553.0 | MODULE INSERT |
| 02.125.4129.8 | SOCKET CONTACT |
| 05.544.4129.8 | PLUG CONTACT |
| 02.125.4229.8 | SOCKET CONTACT |
| 05.544.4229.8 | PLUG CONTACT |
| 05.544.3929.8 | PLUG CONTACT |
| 57.516.9055.0 / WKN16SL/U/V0 | |



| Product | Description |
|--------------------------------------------------------------|---------------------------------------------------------------------------------|
| 57.510.0155.0 / WKN10/U/V0 | |
| 57.510.9055.0 / WKN10SL/U/V0 | |
| 57.506.9055.0 / WK6SL/U/V0 | |
| 78.013.0253.0 | File stc 2 5k module insert |
| 78.003.0253.0 | File Buc 2 5k module insert |
| 78.010.1053.0 | File mrs 10 module frame |
| 70.502.2453.0 | socket insert |
| 73.353.6435.1 | upper case |
| 73.334.6435.1 | lower part of housing |
| 70.352.0635.1 | Enclosure |
| 70.372.0635.1 | Enclosure |
| WIE8103001100 | |
| R1.188.2680.0 / SNV4274SL-A | |
| P/N: 80.020.2004.0, Type: WRS-SSDC-60V5A | HALF-RELAY |
| 77.352.1635.0 | Hood Bas Got Gi 16 M25 69 A0 Revos Basic 690V Size 16 Hood With Cable Gland M25 |
| 99.702.0000.6 | KIT, HOOD, BASE, MALE & FEMALE INSERT |
| SNV4063KL | Safety relay |
| 92.932.3053.0 | |
| 92.931.3053.0 | Luminaire connector |
| SNA 4063K-A / R1.188.1440.0 | |
| 76.353.4035.1 | Upper case |
| R1.190.0210.1 | communication module |
| 75.250.0053.1 / 877793 | connection module |
| 75.256.0053.1 / 320025 | connection module |
| 25.340.0253.0 | Conn Rising Cage Terminal Block |
| 91.931.3053.0 / GST15I3S B1 ZR1W WS | Female connector with strain relief |
| 91.932.3053.0 / GST15I3S S1 ZR1W WS | Male connector with strain relief |
| P/N: 81.020.0002.0, Type: M8-1 | FLARE TIME RELAY |
| P/N: 92.932.3053.0, Type: GST18I3S S1 ZR1 WS | plugs |
| P/N: 92.931.3053.0, Type: GST18I3S B1 ZR1 WS | Luminaire connector |
| 96.021.4050.8 | SOCKET PART+ZE RST20I2S B13ZR1S L KG06 |
| 96.020.0150.8 | RST20I2V 3P1 F V L KG06 DISTRIBUTOR |
| 96.022.4050.8 | CONNECTOR+ZE RST20I2S S13ZR1SVL KG06 |
| 96.020.0151.4 | RST20I2V 3P1 F V L BR01 DISTRIBUTOR |
| 96.021.4051.4 | SOCKET PART+ZE RST20I2S B13ZR1S L BR01 |
| 96.022.4950.8 | CONNECTOR+ZE RST20I2S S13ZASSVL KG06 |
| 96.021.4950.8 | SOCKET PART+ZE RST20I2S B13ZASS L KG06 |



| Product | Description |
|--------------------------------------------------------------------|------------------------------------|
| 96.022.4951.4 | I2S S13ZASSVL BR01 connector |
| 70.331.1635.0 | Bottom BAS GUT GC housing |
| ST18/5B1 ZEVNSW RD | |
| 71.342.1635.1 | Base |
| 05.576.6612.0 | prong |
| Z5.507.9721.0 | 25MM METAL CABLE PRESS |
| 78.914.0253.0 | |
| 78.012.8253.0 | |
| 78.904.0253.0 | |
| P/N: R1.188.1810.0. Type: SNA4043K-A AC/DC 24V (A) | safety relays |
| 05.544.1029.0 | contact |
| R1.188.2140.0 | Relais |
| R1.188.1980.0 | Relais |
| 92.051.5453.1 | flat connector |
| 3737294 | Wieland FLARE CONTROL |
| 81.000.6160.0 / WIPOS P3 24-5 | switched-mode power supply |
| 02.123.7021.0 | |
| 02.123.7121.0 | |
| 02.123.7221.0 | |
| 02.123.7321.0 | |
| 02.123.7421.0 | |
| 02.124.0929.0 | |
| 02.124.1000.0 | |
| 02.125.3129.8 | |
| 76.320.0729.0 | PANEL BASE |
| 46.452.5030.1 | connecting cable |
| 46.452.6033.1 | connecting cable |
| 46.452.5034.1 | connecting cable |
| 76.322.0736.0 | Enclosure |
| 76.352.0736.0 | Enclosure |
| 83.040.0106.0 | Ethernet Switch |
| 72.352.0628.0 | Hood, Entry, Top |
| 71.354.1035.0 | Upper case bas got gi 10 m25 a1 |
| 71.320.1028.0 | Lower housing part bas gut gk 10 a |
| 05.544.4329.7 | plug contact |
| 02.125.4329.7 | socket contact |
| 95.101.0800.0 | Grundzange |
| 05.502.2100.0 | Crimp jaw b |
| 57.504.4055.0 | fuse terminal |
| Z1.299.3155.0 | diode plug |
| 41.031.3053.1 | socket part |
| 41.032.4053.1 | plug part |
| 41.041.3053.1 | SOCKET PART FA |



| Product | Description |
|------------------------------------------------------|---------------------------------------------------------|
| 41.042.4053.1 | PLUG COMPONENT GA |
| 46.031.4554.1 | socket part |
| 46.032.5054.1 | Connector |
| 70.350.2435.1 | Upper case |
| 05.562.6353.0 | Connector Accessories Pin Insert |
| 56.706.0055.0 / WKFN 6/35 | pass-through clamp |
| 70.352.1635.1 | Upper case |
| SLIBUCXY24 - 99.700.6905.5 | |
| SLISTCXY24 - 99.701.6905.5 | |
| 56.704.9055.0 | |
| 56.203.0055.1 | |
| 56.203.0055.2 | |
| R1.188.2470.0/ SNV4274SL-A 3S DC 24V | |
| R1.188.0590.0 | relay |
| 05.502.0910.0 | Extraction tool |
| 05.502.0610.0 | Extraction tool |
| 05.502.0810.0 | Extraction tool |
| 05.502.0710.0 | Extraction tool |
| 05.502.0410.0 | Extraction tool |
| 05.502.1010.0 | Extraction tool for modular insert |
| 95.101.2100.0 | Hand Crimping tool |
| 78.930.0453.0 | |
| 05.544.8121.0 | |
| 02.125.2421.0 | |
| 70.352.2435.0 / BAS GOT GC 24 M25 A0 | HOOD |
| 25.000.1056.0 | |
| WIE9306132530 | Connector |
| WIE9303132530 | |
| 25.320.35530 (pack x50) | Pcb Plug |
| 25.320.3753.0 (pack x50) | Pcb Plug |
| 25.320.4253.0 (pack x50) | Pcb Plug |
| 25.320.3853.0 (pack x50) | Pcb Plug |
| 25.320.3653.0 (pack x50) | Pcb Plug |
| WIE9306233530 | |
| R1.188.3590.0 | |
| 83.040.0051.0 | WLAN Access Point 1XLAN - External WIFI Antenna 24V DC. |
| 81.000.6540.0 | Switching power supply |
| 81.000.6520.0 | Switching power supply |
| 70.506.0353.0 | |
| 05.576.6712.0 | |
| R1.188.3850.0 | |
| R1.180.0420.0 | |



| Product | Description |
|------------------------------------------------|----------------------------------------------------------------|
| R1.188.2050.0 | |
| R1.180.0360.0 | |
| 93.731.3253.0 | Connector Female |
| SA-IN-S1-K-A | 3 PLC digital I/O Module 24VDC |
| SNS 4084K-A | Standstill monitor |
| R1.190.1210.0 | |
| R1.190.0190.1 | |
| R1.188.4020.0 / SVM 4001K | |
| 76.327.6428.0 | |
| 73.115.6453.0 | |
| 73.105.6453.0 | |
| 46.052.4551.4 | |
| 46.051.4551.4 | |
| 72.215.1053.0 | connectors |
| SA-BM-S1-4EKLA-SAMOS | |
| 2275204 | |
| 71.325.1028.0 | |
| 71.350.1035.0 | |
| 71.325.1628.0 | |
| 78.011.2053.0 | |
| 58.516.0055.0 | WT 16 terminal block simple gray, 1 kV / 76A, screw connection |
| 58.516.0055.6 | 58.516.0055.6 - TERMINAL BLOCK WT 16 BL ** |
| 58.510.0055.0 | WT 10 terminal block single gray, 1 kV / 57A, screw connection |
| 58.510.0055.6 | 58.510.0055.6 - TERMINAL BLOCK WT 10 BL ** |
| 58.506.0055.0 | 58.506.0055.0 Not categorized |
| 58.506.0055.6 | 58.506.0055.6 - TERMINAL BLOCK WT 6 BL ** |
| 07.313.2755.0 | 07.313.2755.0 - COVER PLATE AP WT 16 ** |
| 70.330.2435.0 | Bottom housing |
| 70.352.2435.0 | Upper Reinforced Body |
| 93.422.4553.1 | |
| R1.188.1960.0 / SNA4044K-C | safe relay |
| 83.040.0160.0 | IP switch |
| 56.703.9055.0 | TERMINAL BLOCK |
| 07.312.6755.7 / APFN 2,5/35 | green terminal plate |
| 07.312.7455.0 / TWFN 2,5 E/35 | PARTITION WALL |
| P/N: 8304012810, Type: UMS 8-C | WIENET IP SWITCH |